AUTHOR INDEX VOLUMES 136–139

A

Abe, H. *See* Rosenblatt, Agnew, Abe, Bamburg, and Mitchison.

Abitorabi, M.A., Pachynski, R.K., Ferrando, R.E., Tidswell, M., and Erle, D.J. Presentation of integrins on leukocyte microvilli: A role for the extracellular domain in determining membrane localization. 139:563.

Abmayr, S.M. *See* Erickson, Galletta, and Abmayr.

Abney, J.R., Cutler, B., Fillbach, M.L., Axelrod, D., and Scalettar, B.A. Chromatin dynamics in interphase nuclei and its implications for nuclear structure. 137:1459.

Abrams, C.S. *See* Ma, Brass, and Abrams.

Abtahian, F. *See* Zhang, Tu, Abtahian, Trojanowski, and Lee.

Abu-Amer, Y., Ross, F.P., Schlesinger, P., Tondravi, M.M., and Teitelbaum, S.L. Substrate recognition by osteoclast precursors induces c-src/microtubule association. 137:247.

Acakpo-Satchivi, L.J.R., Edelmann, W., Sartorius, C., Lu, B.D., Wahr, P.A., Watkins, S.C., Metzger, J.M., Leinwand, L., and Kucherlapati, R. Growth and muscle defects in mice lacking adult myosin heavy chain genes. 139:1219.

Adachi, H., Takahashi, Y., Hasebe, T., Shirouzu, M., Yokoyama, S., and Sutoh, K. *Dictyostelium* IQGAP-related protein specifically involved in the completion of cytokinesis. 137:891.

Adamian, M. *See* Roof, Hayes, Adamian, Chishti, and Li.

Adams, A.E.M. *See* DeMarini, Adams, Fares, De Virgilio, Valle, Chuang, and Pringle.

Adams, M.E. *See* Peters, Adams, and Froehner.

Addicks, K. *See* Bloch, Forsberg, Lentini, Brakebusch, Martin, Krell, Weidle, Addicks, and Fässler.

Addya, S., Anandatheerthavarada, H.K., Biswas, G., Bhagwat, S.V., Mullick, J., and Avadhani, N.G. Targeting of NH_2-terminal–processed microsomal protein to mitochondria: A novel pathway for the biogenesis of hepatic mitochondrial P450MT2. 139:589.

Adelstein, R.S. *See* Kelley, Sellers, Gard, Bui, Adelstein, and Baines.

Aebi, U. *See* Steinmetz, Goldie, and Aebi.

Agard, D.A. *See* Bass, Marshall, Sedat, Agard, and Cande.

— *See* Hernandez, Peters, Delos, Young, Agard, and White.

Agarraberes, F.A., Terlecky, S.R., and Dice, J.F. An intralysosomal hsp70 is required for a selective pathway of lysosomal protein degradation. 137:825.

Agbulut, O. *See* Li, Mericskay, Agbulut, Butler-Browne, Carlsson, Thornell, Babinet, and Paulin.

Ager, A. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.

Agnew, B.J. *See* Rosenblatt, Agnew, Abe, Bamburg, and Mitchison.

Aicher, B., Lerch, M.M., Müller, T., Schilling, J., and Ullrich, A. Cellular redistribution of protein tyrosine phosphatases LAR and PTPσ by inducible proteolytic processing. 138:681.

Aigner, L. *See* Caroni, Aigner, and Schneider.

Ainger, K., Avossa, D., Diana, A.S., Barry, C., Barbarese, E., and Carson, J.H. Transport and localization elements in myelin basic protein mRNA. 138:1077.

Ainsztein, A.M. *See* Eckley, Ainsztein, Mackay, Goldberg, and Earnshaw.

Airas, L., Niemelä, J., Salmi, M., Puurunen, T., Smith, D.J., and Jalkanen, S. Differential regulation and function of CD73, a glycosyl-phosphatidylinositol–linked 70-kD adhesion molecule, on lymphocytes and endothelial cells. 136:421.

Aird, W.C., Edelberg, J.M., Weiler-Guettler, H., Simmons, W.W., Smith, T.W., and Rosenberg, R.D. Vascular bed–specific expression of an endothelial cell gene is programmed by the tissue microenvironment. 138:1117.

Akita, M., Nielsen, E., and Keegstra, K. Identification of protein transport complexes in the chloroplastic envelope membranes via chemical cross-linking. 136:983.

Al-Awqati, Q. *See* van't Hof, Malik, Vijayakumar, Qiao, van Adelsberg, and Al-Awqati.

Alb, J.G., Jr. *See* Milligan, Alb, Elagina, Bankaitis, and Hyde.

Albelda, S. *See* Litwin, Clark, Noack, Furze, Berndt, Albelda, Vadas, and Gamble.

Albelda, S.M. *See* Famiglietti, Sun, DeLisser, and Albelda.

Albini, A. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.

Albrecht, R. *See* Neujahr, Heizer, Albrecht, Ecke, Schwartz, Weber, and Gerisch.

Alderton, J.M. *See* Bi, Morris, Liao, Alderton, Scholey, and Steinhardt.

Aleotti, A. *See* Chiozzi, Sanz, Ferrari, Falzoni, Aleotti, Buell, Collo, and Di Virgilio.

Aletta, J.M. *See* Cimato, Ettinger, Zhou, and Aletta.

Alnemri, E.S. *See* MacFarlane, Cain, Sun, Alnemri, and Cohen.

Alon, R., Chen, S., Puri, K.D., Finger, E.B., and Springer, T.A. The kinetics of L-selectin tethers and the mechanics of selectin-mediated rolling. 138:1169.

Alonso-Lebrero, J.L. *See* Serrador, Alonso-Lebrero, del Pozo, Furthmayr, Schwartz-Albiez, Calvo, Lozano, and Sánchez-Madrid.

Alphey, L., Parker, L., Hawcroft, G., Guo, Y., Kaiser, K., and Morgan, G. KLP38B: A mitotic kinesin-related protein that binds PP1. 138:395.

Altherr, M.R. *See* Xia, Winokur, Kuo, Altherr, and Bredt.

Altman, R., and Kellogg, D. Control of mitotic events by Nap1 and the Gin4 kinase. 138:119.

Altschuler, Y. *See* Barth, Pollack, Altschuler, Mostov, and Nelson.

— *See* Pollack, Barth, Altschuler, Nelson, and Mostov.

Alvarez, J. *See* Montero, Alvarez, Scheenen, Rizzuto, Meldolesi, and Pozzan.

Amati, P. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.

Amherdt, M. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.

Amigorena, S. *See* Brachet, Raposo, Amigorena, and Mellman.

Amling, M., Neff, L., Tanaka, S., Inoue, D., Kuida, K., Wier, E., Philbrick, W.M., Broadus, A.E., and Baron, R. Bcl-2 lies downstream of parathyroid hormone in a signaling pathway that regulates chondrocyte maturation during skeletal development. 136:205.

Ampe, C. *See* Tian, Lewis, Feierbach, Stearns, Rommelaere, Ampe, and Cowan.

Anandatheerthavarada, H.K. *See* Addya, Anandatheerthavarada, Biswas, Bhagwat, Mullick, and Avadhani.

Anastasi, S., Giordano, S., Sthandier, O., Gambarotta, G., Maione, R., Comoglio, P., and Amati, P. A natural hepatocyte growth factor/scatter factor autocrine loop in myoblast cells and the effect of the constitutive *met* kinase activation on myogenic differentiation. 137:1057.

Andersen, S.S.L., and Karsenti, E. XMAP310: A *Xenopus* rescue-promoting factor localized to the mitotic spindle. 139:975.

Anderson, B.O. *See* Mancini, Anderson, Caldwell, Sedghinasab, Paty, and Hockenbery.

Anderson, K.L. *See* Yao, Anderson, and Cleveland.

Anderson, R. *See* García-Castro, Anderson, Heasman, and Wylie.

Ando-Akatsuka, Y. *See* Sakakibara, Furuse, Saitou, Ando-Akatsuka, and Tsukita.

Andreassen, P.R., Lacroix, F.B., and Margolis, R.L. Chromosomes with two intact axial cores are induced by G_2 checkpoint override: Evidence that DNA decatenation is not required to template the chromosome structure. 136:29.

Andres, A.-C. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.

— *See* Kueng, Nikolova, Djonov, Hemphill, Rohrbach, Boehlen, Zuercher, Andres, and Ziemiecki.

Andrews, C. *See* Boudreau, Andrews, Srebrow, Ravanpay, and Cheresh.

Andrews, N.W. *See* Burleigh, Caler, Webster, and Andrews.

— *See* Rodríguez, Webster, Ortego, and Andrews.

Angeletti, C. *See* Kean, Grant, Angeletti, Mahé, Kuchler, Fuller, and Nichols.

Anglister, L. *See* Rotundo, Rossi, and Anglister.

Aniento, F. *See* Gu, Aniento, Parton, and Gruenberg.
Annaert, W.G., Becker, B., Kistner, U., Reth, M., and Jahn, R. Export of cellubrevin from the endoplasmic reticulum is controlled by BAP31. 139:1397.
Aoki, T. *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
Aplin, A.E. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Arber, S. *See* Baumeister, Arber, and Caroni.
Arkowitz, R.A., and Lowe, N. A small conserved domain in the yeast Spa2p is necessary and sufficient for its polarized localization. 138:17.
Armandola, E.A. *See* Mariani, Matiba, Armandola, and Krammer.
Arndt-Jovin, D.J. *See* Buchenau, Saumweber, and Arndt-Jovin.
Arpin, M. *See* Crepaldi, Gautreau, Comoglio, Louvard, and Arpin.
Artalejo, A.R. *See* Plattner, Artalejo, and Neher.
Arvan, P. *See* Kuliawat, Klumperman, Ludwig, and Arvan.
Assoian, R.K. Anchorage-dependent cell cycle progression. 136:1.
Aukhil, I. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Austin, C.D. *See* Chen, Siddhanta, Austin, Hammond, Sung, Frohman, Morris, and Shields.
Avadhani, N.G. *See* Addya, Anandatheerthavarada, Biswas, Bhagwat, Mullick, and Avadhani.
Avossa, D. *See* Ainger, Avossa, Diana, Barry, Barbarese, and Carson.
Axelrod, D. *See* Abney, Cutler, Fillbach, Axelrod, and Scalettar.
Ayscough, K.R., Stryker, J., Pokala, N., Sanders, M., Crews, P., and Drubin, D.G. High rates of actin filament turnover in budding yeast and roles for actin in establishment and maintenance of cell polarity revealed using the actin inhibitor latrunculin-A. 137: 399.
— *See* Yang, Ayscough, and Drubin.

B

Baars, S. *See* Molina, Baars, Brill, Hales, Fuller, and Ripoll.
Baas, P.W. *See* Sharp, Yu, Ferhat, Kuriyama, Rueger, and Baas.
— *See* Yu, Sharp, Kuriyama, Mallik, and Baas.
Baba, M., Osumi, M., Scott, S.V., Klionsky, D.J., and Ohsumi, Y. Two distinct pathways for targeting proteins from the cytoplasm to the vacuole/lysosome. 139:1687.
— *See* Scott, Baba, Ohsumi, and Klionsky.
Babcock, D.F., Herrington, J., Goodwin, P.C., Park, Y.B., and Hille, B. Mitochondrial participation in the intracellular Ca^{2+} network. 136:833.
Babinet, C. *See* Li, Mericskay, Agbulut, Butler-Browne, Carlsson, Thornell, Babinet, and Paulin.
Baines, I.C. *See* Kelley, Sellers, Gard, Bui, Adelstein, and Baines.
Baker, C.A. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.
Bakker, H.A.M. *See* Litvinov, Balzar, Winter, Bakker, B.-de Bruijn, Prins, Fleuren, and Warnaar.
Balch, W.E. *See* Bannykh and Balch.
— *See* Tisdale, Plutner, Matteson, and Balch.
Baldwin, A.N. *See* Yeaman, Le Gall, Baldwin, Monlauzeur, Le Bivic, and Rodriguez-Boulan.
Balzac, F. *See* Belkin, Retta, Pletjushkina, Balzac, Silengo, Fassler, Koteliansky, Burridge, and Tarone.
Balzar, M. *See* Litvinov, Balzar, Winter, Bakker, B.-de Bruijn, Prins, Fleuren, and Warnaar.
Bamburg, J.R. *See* Rosenblatt, Agnew, Abe, Bamburg, and Mitchison.
Bankaitis, V.A. *See* Milligan, Alb, Elagina, Bankaitis, and Hyde.
Bannykh, S.I., and Balch, W.E. Membrane dynamics at the endoplasmic reticulum–Golgi interface. 138:1.
Baran, N. *See* Boeuf, Hauss, De Graeve, Baran, and Kedinger.
Barbarese, E. *See* Ainger, Avossa, Diana, Barry, Barbarese, and Carson.
Barbieri, A.M. *See* Mukhopadhyay, Barbieri, Funato, Roberts, and Stahl.
Baribault, H. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.
Barker, J.E. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Barlowe, C. Coupled ER to Golgi transport reconstituted with purified cytosolic proteins. 139:1097.
Barnard, R.J.O., Morgan, A., and Burgoyne, R.D. Stimulation of NSF ATPase activity by α-SNAP is required for SNARE complex disassembly and exocytosis. 139:875.
Baron, R. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Barry, C. *See* Ainger, Avossa, Diana, Barry, Barbarese, and Carson.
Barth, A.I.M., Pollack, A.L., Altschuler, Y., Mostov, K.E., and Nelson, W.J. NH_2-terminal deletion of β-catenin results in stable colocalization of mutant β-catenin with adenomatous polyposis coli protein and altered MDCK cell adhesion. 136:693.
— *See* Pollack, Barth, Altschuler, Nelson, and Mostov.
Bascom-Slack, C.A., and Dawson, D.S. The yeast motor protein, Kar3p, is essential for meiosis I. 139:459.
Bashkirov, V.I., Scherthan, H., Solinger, J.A., Buerstedde, J.-M., and Heyer, W.-D. A mouse cytoplasmic exoribonuclease (mXRN1p) with preference for G4 tetraplex substrates. 136:761.
Bashour, A.-M., Fullerton, A.T., Hart, M.J., and Bloom, G.S. IQGAP1, a rac- and Cdc42-binding protein, directly binds and cross-links microfilaments. 137:1555.
Bass, H.W., Marshall, W.F., Sedat, J.W., Agard, D.A., and Cande, W.Z. Telomeres cluster de novo before the initiation of synapsis: A three-dimensional spatial analysis of telomere positions before and during meiotic prophase. 137:5.
Basset, P. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.
Bassnett, S., and Mataic, D. Chromatin degradation in differentiating fiber cells of the eye lens. 137:37.
Bastos, R., de Pouplana, L.R., Enarson, M., Bodoor, K., and Burke, B. Nup84, a novel nucleoporin that is associated with CAN/Nup214 on the cytoplasmic face of the nuclear pore complex. 137:989.
Bates, R.C. *See* McGill, Shimamura, Bates, Savage, and Fisher.
Bauer, M.K.A. *See* Ferrari, Wesselborg, Bauer, and Schulze-Osthoff.
Baum, M. *See* Halverson, Baum, Stryker, Carbon, and Clarke.
Baumeister, A., Arber, S., and Caroni, P. Accumulation of muscle ankyrin repeat protein transcript reveals local activation of primary myotube endcompartments during muscle morphogenesis. 139:1231.
Bauvy, C. *See* Saint-Pol, Bauvy, Codogno, and Moore.
B.-de Bruijn, I.H. *See* Litvinov, Balzar, Winter, Bakker, B.-de Bruijn, Prins, Fleuren, and Warnaar.
Beattie, G.M. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.
Becker, B. *See* Annaert, Becker, Kistner, Reth, and Jahn.
Becker, D.L. *See* Makarenkova, Becker, Tickle, and Warner.
Becker, K.D., Gottshall, K.R., Hickey, R., Perriard, J.-C., and Chien, K.R. Point mutations in human β cardiac myosin heavy chain have differential effects on sarcomeric structure and assembly: An ATP binding site change disrupts both thick and thin filaments, whereas hypertrophic cardiomyopathy mutations display normal assembly. 137:131.
Beckerle, M.C. *See* Nix and Beckerle.
— *See* Pomiès, Louis, and Beckerle.
Beh, C.T., Brizzio, V., and Rose, M.D. *KAR5* encodes a novel pheromone-inducible protein required for homotypic nuclear fusion. 139:1063.
Beinhauer, J.D., Hagan, I.M., Hegemann, J.H., and Fleig, U. Mal3, the fission yeast homologue of the human APC-interacting protein EB-1 is required for microtubule integrity and the maintenance of cell form. 139:717.
Beisel, C. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.
Belgareh, N., and Doye, V. Dynamics of nuclear pore distribution in nucleoporin mutant yeast cells. 136:747.
Belkin, A.M., Retta, S.F., Pletjushkina, O.Y., Balzac, F., Silengo, L., Fassler, R., Koteliansky, V.E., Burridge, K., and Tarone, G. Muscle β1D integrin reinforces the cytoskeleton–matrix link: Modulation of integrin adhesive function by alternative splicing. 139:1583.
Bellen, H.J. *See* Littleton, Bhat, and Bellen.
Belliveau, D.J., Krivko, I., Kohn, J., Lachance, C., Pozniak, C., Rusakov, D., Kaplan, D., and Miller, F.D. NGF and neurotrophin-3 both activate TrkA on sympathetic neurons but differentially regulate survival and neuritogenesis. 136:375.
Bellocq, J.-P. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.
Benashski, S.E. *See* Patel-King, Benashski, Harrison, and King.
Benelli, R. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Bennett, V. *See* Davis, Lambert, and Bennett.
— *See* Garver, Ren, Tuvia, and Bennett.
Ben-Ze'ev, A. *See* Salomon, Sacco, Roy, Simcha, Johnson, Wheelock, and Ben-Ze'ev.
Berger, K.H., Sogo, L.F., and Yaffe, M.P. Mdm12p, a component required for mitochondrial inheritance that is conserved between budding and fission yeast. 136:545.
Berndorff, D. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.

Berndt, M. *See* Litwin, Clark, Noack, Furze, Berndt, Albelda, Vadas, and Gamble.
Berry, L.D., and Gould, K.L. Fission yeast *dim1*$^{+}$ encodes a functionally conserved polypeptide essential for mitosis. 137:1337.
Berryman, M. *See* Reczek, Berryman, and Bretscher.
Beschin, A. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
Betz, H. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.
Bhagwat, S.V. *See* Addya, Anandatheerthavarada, Biswas, Bhagwat, Mullick, and Avadhani.
Bhat, M.A. *See* Littleton, Bhat, and Bellen.
Bi, G.-Q., Morris, R.L., Liao, G., Alderton, J.M., Scholey, J.M., and Steinhardt, R.A. Kinesin- and myosin-driven steps of vesicle recruitment for Ca^{2+}-regulated exocytosis. 138:999.
Bianchi, M.E. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Biernat, J. *See* Felgner, Frank, Biernat, Mandelkow, Mandelkow, Ludin, Matus, and Schliwa.
Bijlmakers, M.-J.J.E., Isobe-Nakamura, M., Ruddock, L.J., and Marsh, M. Intrinsic signals in the unique domain target p56^{lck} to the plasma membrane independently of CD4. 137:1029.
Bingham, J.B. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Birkenmeier, C.S. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Bischoff, F.R. *See* Görlich, Dabrowski, Bischoff, Kutay, Bork, Hartmann, Prehn, and Izaurralde.
Bissell, M.J. *See* Lochter, Galosy, Muschler, Freedman, Werb, and Bissell.
— *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Biswas, G. *See* Addya, Anandatheerthavarada, Biswas, Bhagwat, Mullick, and Avadhani.
Biwersi, J. *See* Seksek, Biwersi, and Verkman.
Blanchard, M.-P. *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Blanks, J.E. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Blau, H.M. *See* Charlton, Mohler, Radice, Hynes, and Blau.
Blobel, G. *See* Pemberton, Rosenblum, and Blobel.
— *See* Rosenblum, Pemberton, and Blobel.
Bloch, R.J. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Bloch, W., Forsberg, E., Lentini, S., Brakebusch, C., Martin, K., Krell, H.W., Weidle, U.H., Addicks, K., and Fässler, R. β1 integrin is essential for teratoma growth and angiogenesis. 139:265.
Blocker, A., Severin, F.F., Burkhardt, J.K., Bingham, J.B., Yu, H., Olivo, J.-C., Schroer, T.A., Hyman, A.A., and Griffiths, G. Molecular requirements for bi-directional movement of phagosomes along microtubules. 137:113.
Bloom, G.S. *See* Bashour, Fullerton, Hart, and Bloom.
Bloom, K. *See* Shaw, Yeh, Maddox, Salmon, and Bloom.
— *See* Yang, Yeh, Salmon, and Bloom.
Blow, J.J. *See* Mahbubani, Chong, Chevalier, Thömmes, and Blow.
Boche, I., and Fanning, E. Nucleocytoplasmic recycling of the nuclear localization signal receptor α subunit in vivo is dependent on a nuclear export signal, energy, and RCC1. 139:313.
Bock, C.B. *See* Cash, Bock, Schughart, Linney, and Underhill.
Bock, R. *See* Ruf, Kössel, and Bock.
Bodoor, K. *See* Bastos, de Pouplana, Enarson, Bodoor, and Burke.
Boege, F. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Boehlen, D. *See* Kueng, Nikolova, Djonov, Hemphill, Rohrbach, Boehlen, Zuercher, Andres, and Ziemiecki.
Boeuf, H., Hauss, C., De Graeve, F., Baran, N., and Kedinger, C. Leukemia inhibitory factor–dependent transcriptional activation in embryonic stem cells. 138:1207.
Boger, D.L. *See* Guan, Cravatt, Ehring, Hall, Boger, Lerner, and Gilula.
Bokoch, G.M. *See* Dharmawardhane, Sanders, Martin, Daniels, and Bokoch.
— *See* Zigmond, Joyce, Borleis, Bokoch, and Devreotes.
Bonifacino, J.S. *See* Wolins, Bosshart, Küster, and Bonifacino.
Booy, F.P. *See* Castón, Trus, Booy, Wickner, Wall, and Steven.
Borges, E. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Borgwardt, J.E. *See* Kowalczyk, Bornslaeger, Borgwardt, Palka, Dhaliwal, Corcoran, Denning, and Green.
Borisy, G.G. *See* Svitkina, Verkhovsky, McQuade, and Borisy.
Bork, P. *See* Görlich, Dabrowski, Bischoff, Kutay, Bork, Hartmann, Prehn, and Izaurralde.
Borleis, J. *See* Zigmond, Joyce, Borleis, Bokoch, and Devreotes.
Bornslaeger, E.A. *See* Kowalczyk, Bornslaeger, Borgwardt, Palka, Dhaliwal, Corcoran, Denning, and Green.
Borradori, L., Koch, P.J., Niessen, C.M., Erkeland, S., van Leusden, M.R., and Sonnenberg, A. The localization of bullous pemphigoid antigen 180 (BP180) in hemidesmosomes is mediated by its cytoplasmic domain and seems to be regulated by the β4 integrin subunit. 136:1333.
Bosshart, H. *See* Wolins, Bosshart, Küster, and Bonifacino.
Böttinger, A. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Bouck, N.P. *See* Dawson, Pearce, Zhong, Silverstein, Frazier, and Bouck.
Boudreau, N., Andrews, C., Srebrow, A., Ravanpay, A., and Cheresh, D.A. Induction of the angiogenic phenotype by Hox D3. 139:257.
Bowers, C.W. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Brachet, V., Raposo, G., Amigorena, S., and Mellman, I. Ii chain controls the transport of major histocompatibility complex class II molecules to and from lysosomes. 137:51.
Braga, V.M.M., Machesky, L.M., Hall, A., and Hotchin, N.A. The small GTPases Rho and Rac are required for the establishment of cadherin-dependent cell–cell contacts. 137:1421.
Brakebusch, C. *See* Bloch, Forsberg, Lentini, Brakebusch, Martin, Krell, Weidle, Addicks, and Fässler.
Brancolini, C., Lazarevic, D., Rodriguez, J., and Schneider, C. Dismantling cell–cell contacts during apoptosis is coupled to a caspase-dependent proteolytic cleavage of β-catenin. 139:759.
Brandazza, A. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Brandenberger, R. *See* Denzer, Brandenberger, Gesemann, Chiquet, and Ruegg.
Branton, P.E. *See* Ng, Nguyen, Kwan, Branton, Nicholson, Cromlish, and Shore.
Brass, L.F. *See* Ma, Brass, and Abrams.
— *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Braun, C. *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Bredesen, D.E. *See* Longo, Ellerby, Bredesen, Valentine, and Gralla.
Bredt, D.S. *See* Xia, Winokur, Kuo, Altherr, and Bredt.
Bregman, D.B. *See* Kim, Du, Bregman, and Warren.
Breier, G. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Brener, S.A. *See* Melikyan, Brener, Ok, and Cohen.
Bretscher, A. *See* Reczek, Berryman, and Bretscher.
Briand, P. *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Brickner, J.H., and Fuller, R.S. *SOI1* encodes a novel, conserved protein that promotes TGN–endosomal cycling of Kex2p and other membrane proteins by modulating the function of two TGN localization signals. 139:23.
Bright, N.A. *See* West, Bright, and Robinson.
Brill, J.A. *See* Molina, Baars, Brill, Hales, Fuller, and Ripoll.
Brizzio, V. *See* Beh, Brizzio, and Rose.
Broadus, A.E. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Brockes, J.P. *See* Tanaka, Gann, Gates, and Brockes.
Brockhausen, I. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.
Bronk, P. *See* Chernomordik, Leikina, Frolov, Bronk, and Zimmerberg.
Brooks, P.C. *See* Felding-Habermann, Silletti, Mei, Siu, Yip, Brooks, Cheresh, O'Toole, Ginsberg, and Montgomery.
Brown, E.J. *See* Green, Schreiber, and Brown.
Brown, R.A. *See* Sterne, Coulton, Brown, Green, and Terenghi.
Brun, R. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Brush, J. *See* Spencer, Dowbenko, Cheng, Li, Brush, Utzig, Simanis, and Lasky.
Bruyneel, E. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.
Bryant, N.J., and Stevens, T.H. Two separate signals act independently to localize a yeast late Golgi membrane protein through a combination of retrieval and retention. 136:287.
— *See* Piper, Bryant, and Stevens.
Bucci, M., and Wente, S.R. In vivo dynamics of nuclear pore complexes in yeast. 136:1185.
Buchenau, P., Saumweber, H., and Arndt-Jovin, D.J. The dynamic nuclear redistribution of an hnRNP K-homologous protein during *Drosophila* embryo development and heat shock. Flexibility of transcription sites in vivo. 137:291.

Bucher, K. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.
Buchner, E. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.
Buck, F. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.
Buckley, K.M. *See* West, Neve, and Buckley.
Buczynski, G., Grove, B., Nomura, A., Kleve, M., Bush, J., Firtel, R.A., and Cardelli, J. Inactivation of two *Dictyostelium discoideum* genes, *DdPIK1* and *DdPIK2*, encoding proteins related to mammalian phosphatidylinositide 3-kinases, results in defects in endocytosis, lysosome to postlysosome transport, and actin cytoskeleton organization. 136:1271.
Buell, G.N. *See* Chiozzi, Sanz, Ferrari, Falzoni, Aleotti, Buell, Collo, and Di Virgilio.
Buerstedde, J.-M. *See* Bashkirov, Scherthan, Solinger, Buerstedde, and Heyer.
Bui, D. *See* Kelley, Sellers, Gard, Bui, Adelstein, and Baines.
Bukau, B. *See* Terada, Kanazawa, Bukau, and Mori.
Burchard, S. *See* Paululat, Goubeaud, Damm, Knirr, Burchard, and Renkawitz-Pohl.
Burchell, J. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.
Burgeson, R.E. *See* Rousselle, Keene, Ruggiero, Champliaud, van der Rest, and Burgeson.
Burgess, D.R. *See* Fath, Trimbur, and Burgess.
Burgess, R.W., Deitcher, D.L., and Schwarz, T.L. The synaptic protein syntaxin1 is required for cellularization of *Drosophila* embryos. 138:861.
Burgess, S.A., Walker, M.L., White, H.D., and Trinick, J. Flexibility within myosin heads revealed by negative stain and single-particle analysis. 139:675.
Burgoyne, R.D. *See* Barnard, Morgan, and Burgoyne.
Burke, B. *See* Bastos, de Pouplana, Enarson, Bodoor, and Burke.
Burkhardt, J.K., Echeverri, C.J., Nilsson, T., and Vallee, R.B. Overexpression of the dynamitin (p50) subunit of the dynactin complex disrupts dynein-dependent maintenance of membrane organelle distribution. 139:469.
— *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Burleigh, B.A., Caler, E.V., Webster, P., and Andrews, N.W. A cytosolic serine endopeptidase from *Trypanosoma cruzi* is required for the generation of Ca^{2+} signaling in mammalian cells. 136:609.
Burridge, K. *See* Belkin, Retta, Pletjushkina, Balzac, Silengo, Fassler, Koteliansky, Burridge, and Tarone.
Bush, J. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Butcher, E.C. *See* Foxman, Campbell, and Butcher.
Butler, M.H., David, C., Ochoa, G.-C., Freyberg, Z., Daniell, L., Grabs, D., Cremona, O., and De Camilli, P. Amphiphysin II (SH3P9; BIN1), a member of the amphiphysin/Rvs family, is concentrated in the cortical cytomatrix of axon initial segments and nodes of Ranvier in brain and around T tubules in skeletal muscle. 137:1355.
Butler-Browne, G. *See* Li, Mericskay, Agbulut, Butler-Browne, Carlsson, Thornell, Babinet, and Paulin.
Buttle, K.F. *See* Khodjakov, Cole, McEwen, Buttle, and Rieder.
— *See* McEwen, Heagle, Cassels, Buttle, and Rieder.
Byers, B. *See* McDonald and Byers.

C

Cabañas, C. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.
Cáceres, A. *See* Morfini, Quiroga, Rosa, Kosik, and Cáceres.
Cáceres, J.F., Misteli, T., Screaton, G.R., Spector, D.L., and Krainer, A.R. Role of the modular domains of SR proteins in subnuclear localization and alternative splicing specificity. 138:225.
Cahalan, M.D. *See* Ross, Ehring, and Cahalan.
Cai, S. *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
Cain, K. *See* MacFarlane, Cain, Sun, Alnemri, and Cohen.
Caldwell, E. *See* Mancini, Anderson, Caldwell, Sedghinasab, Paty, and Hockenbery.
Caler, E.V. *See* Burleigh, Caler, Webster, and Andrews.
Calogero, S. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Calvo, J. *See* Serrador, Alonso-Lebrero, del Pozo, Furthmayr, Schwartz-Albiez, Calvo, Lozano, and Sánchez-Madrid.
Campbell, J.J. *See* Foxman, Campbell, and Butcher.
Campbell, K.P. *See* Straub, Rafael, Chamberlain, and Campbell.
Campenot, R.B. *See* Senger and Campenot.
Camper, L., Heinegård, D., and Lundgren-Åkerlund, E. Integrin $\alpha2\beta1$ is a receptor for the cartilage matrix protein chondroadherin. 138:1159.
Camphausen, R.T. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Canaani, E. *See* Yamamoto, Harada, Kano, Taya, Canaani, Matsuura, Mizoguchi, Ide, and Kaibuchi.
Cancedda, R. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Cande, W.Z. *See* Bass, Marshall, Sedat, Agard, and Cande.
Carbon, J. *See* Halverson, Baum, Stryker, Carbon, and Clarke.
Carbonetto, S. *See* Cohen, Jacobson, Yurchenco, Morris, and Carbonetto.
Cardelli, J. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Cardoso, M.C., Joseph, C., Rahn, H.-P., Reusch, R., Nadal-Ginard, B., and Leonhardt, H. Mapping and use of a sequence that targets DNA ligase I to sites of DNA replication in vivo. 139:579.
Carlevaro, M.F., Albini, A., Ribatti, D., Gentili, C., Benelli, R., Cermelli, S., Cancedda, R., and Descalzi Cancedda, F. Transferrin promotes endothelial cell migration and invasion: Implication in cartilage neovascularization. 136:1375.
Carlier, M.-F., Laurent, V., Santolini, J., Melki, R., Didry, D., Xia, G.-X., Hong, Y., Chua, N.-H., and Pantaloni, D. Actin depolymerizing factor (ADF/cofilin) enhances the rate of filament turnover: Implication in actin-based motility. 136:1307.
Carlsson, L. *See* Li, Mericskay, Agbulut, Butler-Browne, Carlsson, Thornell, Babinet, and Paulin.
Carmeliet, P. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Carminati, J.L., and Stearns, T. Microtubules orient the mitotic spindle in yeast through dynein-dependent interactions with the cell cortex. 138:629.
Carmo-Fonseca, M. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Carnall, N. *See* Webb, Carnall, Vanhamme, Rolin, Van Den Abbeele, Welburn, Pays, and Carrington.
Caroni, P., Aigner, L., and Schneider, C. Intrinsic neuronal determinants locally regulate extrasynaptic and synaptic growth at the adult neuromuscular junction. 136:679.
— *See* Baumeister, Arber, and Caroni.
Carpenter, G. *See* Vecchi and Carpenter.
Carpentier, J.-L. *See* Foti, Mangasarian, Piguet, Lew, Krause, Trono, and Carpentier.
Carrigan, M. *See* Henry, Carrigan, McCaffery, Ma, and Cline.
Carrington, M. *See* Webb, Carnall, Vanhamme, Rolin, Van Den Abbeele, Welburn, Pays, and Carrington.
Carroll, D.J., Ramarao, C.S., Mehlmann, L.M., Roche, S., Terasaki, M., and Jaffe, L.A. Calcium release at fertilization in starfish eggs is mediated by phospholipase Cγ. 138:1303.
Carson, J.H. *See* Ainger, Avossa, Diana, Barry, Barbarese, and Carson.
Cash, D.E., Bock, C.B., Schughart, K., Linney, E., and Underhill, T.M. Retinoic acid receptor α function in vertebrate limb skeletogenesis: A modulator of chondrogenesis. 136:445.
Cassels, G.O. *See* McEwen, Heagle, Cassels, Buttle, and Rieder.
Castle, A.M., Huang, A.Y., and Castle, J.D. Passive sorting in maturing granules of AtT-20 cells: The entry and exit of salivary amylase and proline-rich protein. 138:45.
Castle, J.D. *See* Castle, Huang, and Castle.
Castón, J.R., Trus, B.L., Booy, F.P., Wickner, R.B., Wall, J.S., and Steven, A.C. Structure of L-A virus: A specialized compartment for the transcription and replication of double-stranded RNA. 138:975.
Caulín, C., Salvesen, G.S., and Oshima, R.G. Caspase cleavage of keratin 18 and reorganization of intermediate filaments during epithelial cell apoptosis. 138:1379.
Cecchelli, R. *See* Dehouck, Fenart, Dehouck, Pierce, Torpier, and Cecchelli.
Cereghino, J.L. *See* Seaman, Marcusson, Cereghino, and Emr.
Cermelli, S. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Chamberlain, J.S. *See* Straub, Rafael, Chamberlain, and Campbell.
Chambon, P. *See* Chiba, Clifford, Metzger, and Chambon.
Champliaud, M.-F. *See* Rousselle, Keene, Ruggiero, Champliaud, van der Rest, and Burgeson.

Chan, A. *See* Yu, Hiatt, Chan, Sweeney, and Dawe.
Chan, C.S.M. *See* Gopalan, Chan, and Donovan.
Chan, G.K.T. *See* Schaar, Chan, Maddox, Salmon, and Yen.
Chandrasekaran, C. *See* Coopersmith, Chandrasekaran, McNevin, and Gordon.
Chang, A. *See* Luo and Chang.
Chang, D.D., Wong, C., Smith, H., and Liu, J. ICAP-1, a novel β_1 integrin cytoplasmic domain–associated protein, binds to a conserved and functionally important NPXY sequence motif of β_1 integrin. 138:1149.
Chang, F., Drubin, D., and Nurse, P. cdc12p, a protein required for cytokinesis in fission yeast, is a component of the cell division ring and interacts with profilin. 137:169.
Chang, T.-H. *See* Xie, Laird, Chang, and Hu.
Charlton, C.A., Mohler, W.A., Radice, G.L., Hynes, R.O., and Blau, H.M. Fusion competence of myoblasts rendered genetically null for N-cadherin in culture. 138:331.
Chasis, J.A. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Chatenay, D. *See* Houchmandzadeh, Marko, Chatenay, and Libchaber.
Cheah, K.S.E. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Cheetham, J.L. *See* Tuxworth, Cheetham, Machesky, Spiegelmann, Weeks, and Insall.
Chen, L.B. *See* Lo, Yu, Degenstein, Chen, and Fuchs.
Chen, L.I., Webster, M.K., Meyer, A.N., and Donoghue, D.J. Transmembrane domain sequence requirements for activation of the $p185^{c\text{-}neu}$ receptor tyrosine kinase. 137:619.
Chen, P., Sapperstein, S.K., Choi, J.D., and Michaelis, S. Biogenesis of the *Saccharomyces cerevisiae* mating pheromone a-factor. 136:251.
Chen, Q. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Chen, S. *See* Alon, Chen, Puri, Finger, and Springer.
Chen, W. *See* Hebert, Zhang, Chen, Foellmer, and Helenius.
Chen, Y.-G., Siddhanta, A., Austin, C.D., Hammond, S.M., Sung, T.-C., Frohman, M.A., Morris, A.J., and Shields, D. Phospholipase D stimulates release of nascent secretory vesicles from the *trans*-Golgi network. 138:495.
Chen, Y.-h., Merzdorf, C., Paul, D.L., and Goodenough, D.A. COOH terminus of occludin is required for tight junction barrier function in early *Xenopus* embryos. 138:891.
Cheng, D. *See* Trapp, Nishiyama, Cheng, and Macklin.
Cheng, J. *See* Spencer, Dowbenko, Cheng, Li, Brush, Utzig, Simanis, and Lasky.
Cheresh, D.A. *See* Boudreau, Andrews, Srebrow, Ravanpay, and Cheresh.
— *See* Felding-Habermann, Silletti, Mei, Siu, Yip, Brooks, Cheresh, O'Toole, Ginsberg, and Montgomery.
— *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
Chernomordik, L.V., Leikina, E., Frolov, V., Bronk, P., and Zimmerberg, J. An early stage of membrane fusion mediated by the low pH conformation of influenza hemagglutinin depends upon membrane lipids. 136:81.
Chevalier, S. *See* Mahbubani, Chong, Chevalier, Thömmes, and Blow.
Chiang, H.-L. *See* Huang and Chiang.
Chiang, L. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Chiaradonna, F. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Chiba, H., Clifford, J., Metzger, D., and Chambon, P. Specific and redundant functions of retinoid X receptor/retinoic acid receptor heterodimers in differentiation, proliferation, and apoptosis of F9 embryonal carcinoma cells. 139:735.
Chien, K.R. *See* Becker, Gottshall, Hickey, Perriard, and Chien.
Chilcoat, N.D., and Turkewitz, A.P. In vivo analysis of the major exocytosis-sensitive phosphoprotein in *Tetrahymena*. 139:1197.
Ching, W. *See* Einheber, Zanazzi, Ching, Scherer, Milner, Peles, and Salzer.
Chiozzi, P., Sanz, J.M., Ferrari, D., Falzoni, S., Aleotti, A., Buell, G.N., Collo, G., and Di Virgilio, F. Spontaneous cell fusion in macrophage cultures expressing high levels of the $P2Z/P2X_7$ receptor. 138:697. Correction. 139:573.
Chiquet, M. *See* Denzer, Brandenberger, Gesemann, Chiquet, and Ruegg.
Chishti, A.H. *See* Roof, Hayes, Adamian, Chishti, and Li.
Chitaev, N.A., and Troyanovsky, S.M. Direct Ca^{2+}-dependent heterophilic interaction between desmosomal cadherins, desmoglein and desmocollin, contributes to cell–cell adhesion. 138:193.
Chiu, A.Y. *See* Patton, Miner, Chiu, and Sanes.
Chiu, W. *See* McGough, Pope, Chiu, and Weeds.
Chodosh, L.A. *See* Radice, Ferreira-Cornwell, Robinson, Rayburn, Chodosh, Takeichi, and Hynes.
Choi, J.D. *See* Chen, Sapperstein, Choi, and Michaelis.
Chong, J.P.J. *See* Mahbubani, Chong, Chevalier, Thömmes, and Blow.
Chousterman, S. *See* Dejucq, Chousterman, and Jégou.
Christopoulou, L. *See* Simpson, Peden, Christopoulou, and Robinson.
Chua, N.-H. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Chuang, J.S. *See* DeMarini, Adams, Fares, De Virgilio, Valle, Chuang, and Pringle.
Chyung, A.S.C., Greenberg, B.D., Cook, D.G., Doms, R.W., and Lee, V.M.-Y. Novel β-secretase cleavage of β-amyloid precursor protein in the endoplasmic reticulum/intermediate compartment of NT2N cells. 138:671.
Cimato, T.R., Ettinger, M.J., Zhou, X., and Aletta, J.M. Nerve growth factor–specific regulation of protein methylation during neuronal differentiation of PC12 cells. 138:1089.
Cirulli, V. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.
Civitelli, R. *See* Jørgensen, Geist, Civitelli, and Steinberg.
Claesson, M.H. *See* Skov, Klausen, and Claesson.
Clark, K. *See* Litwin, Clark, Noack, Furze, Berndt, Albelda, Vadas, and Gamble.
Clark, R.A., Erickson, H.P., and Springer, T.A. Tenascin supports lymphocyte rolling. 137:755.
Clark, R.A.F. *See* Xu and Clark.
Clarke, L. *See* Halverson, Baum, Stryker, Carbon, and Clarke.
Cleveland, D.W. *See* Merdes and Cleveland.
— *See* Yao, Anderson, and Cleveland.
Clifford, J. *See* Chiba, Clifford, Metzger, and Chambon.
Cline, K. *See* Henry, Carrigan, McCaffery, Ma, and Cline.
Codogno, P. *See* Saint-Pol, Bauvy, Codogno, and Moore.
Coffey, R.J. *See* Dempsey, Meise, Yoshitake, Nishikawa, and Coffey.
Cohen, D. *See* Müsch, Cohen, and Rodriguez-Boulan.
Cohen, F.S. *See* Melikyan, Brener, Ok, and Cohen.
Cohen, G.M. *See* MacFarlane, Cain, Sun, Alnemri, and Cohen.
Cohen, M.W., Jacobson, C., Yurchenco, P.D., Morris, G.E., and Carbonetto, S. Laminin-induced clustering of dystroglycan on embryonic muscle cells: Comparison with agrin-induced clustering. 136:1047.
Colanzi, A. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
Cole, N. *See* Sciaky, Presley, Smith, Zaal, Cole, Moreira, Terasaki, Siggia, and Lippincott-Schwartz.
Cole, R.W. *See* Khodjakov, Cole, McEwen, Buttle, and Rieder.
Collard, J.G. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
— *See* van Leeuwen, Kain, van der Kammen, Michiels, Kranenburg, and Collard.
Collins, R.N. *See* Walch-Solimena, Collins, and Novick.
Collo, G. *See* Chiozzi, Sanz, Ferrari, Falzoni, Aleotti, Buell, Collo, and Di Virgilio.
Colton, T.L. *See* Wilson and Colton.
Comess, K.M. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Comoglio, P. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.
Comoglio, P.M. *See* Crepaldi, Gautreau, Comoglio, Louvard, and Arpin.
Compton, D.A. *See* Gaglio, Dionne, and Compton.
Condeelis, J.S. *See* Eddy, Han, and Condeelis.
Connelly, P.S. *See* Guild, Connelly, Shaw, and Tilney.
Cook, D.G. *See* Chyung, Greenberg, Cook, Doms, and Lee.
Cooley, L. *See* Robinson and Cooley.
Cooper, G., IV. *See* Sato, Nagai, Kuppuswamy, Narishige, Koide, Menick, and Cooper.
Coopersmith, C.M., Chandrasekaran, C., McNevin, M.S., and Gordon, J.I. Bi-transgenic mice reveal that $K\text{-}ras^{Val12}$ augments a p53-independent apoptosis when small intestinal villus enterocytes reenter the cell cycle. 138:167.
Copeland, N.G. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Corcoran, C.M. *See* Kowalczyk, Bornslaeger, Borgwardt, Palka, Dhaliwal, Corcoran, Denning, and Green.
Corda, D. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.

Cordes, V.C., Reidenbach, S., Rackwitz, H.-R., and Franke, W.W. Identification of protein p270/Tpr as a constitutive component of the nuclear pore complex–attached intranuclear filaments. 136:515.
Cordey, A.-S. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.
Corey, D.P. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Cornelissen, M. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.
Corsi, A.K., and Schekman, R. The lumenal domain of sec63p stimulates the ATPase activity of BiP and mediates BiP recruitment to the translocon in *Saccharomyces cerevisiae*. 137:1483.
Cotter, P.D. *See* Kang, Gao, Feinleib, Cotter, Guadagno, and Krauss.
Cottingham, F.R., and Hoyt, M.A. Mitotic spindle positioning in *Saccharomyces cerevisiae* is accomplished by antagonistically acting microtubule motor proteins. 138:1041.
Couchman, J.R. *See* Wu and Couchman.
Coulton, G.R. *See* Sterne, Coulton, Brown, Green, and Terenghi.
Couture, C. *See* Farschon, Couture, Mustelin, and Newmeyer.
Cover, T.L., Hanson, P.I., and Heuser, J.E. Acid-induced dissociation of VacA, the *Helicobacter pylori* vacuolating cytotoxin, reveals its pattern of assembly. 138:759.
Cowan, N.J. *See* Tian, Lewis, Feierbach, Stearns, Rommelaere, Ampe, and Cowan.
Cowan, S.K. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Crack, J. *See* Jones, Crack, and Rabinovitch.
Craig, A.M. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Cramer, L.P., Siebert, M., and Mitchison, T.J. Identification of novel graded polarity actin filament bundles in locomoting heart fibroblasts: Implications for the generation of motile force. 136:1287.
Cravatt, B.F. *See* Guan, Cravatt, Ehring, Hall, Boger, Lerner, and Gilula.
Craven, R.A. *See* Saris, Holkeri, Craven, Stirling, and Makarow.
Creedon, D.J. *See* Miller, Moulder, Knudson, Creedon, Deshmukh, Korsmeyer, and Johnson.
Cregg, J.M. *See* Waterham, Russell, de Vries, and Cregg.
Cremona, O. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Crepaldi, T., Gautreau, A., Comoglio, P.M., Louvard, D., and Arpin, M. Ezrin is an effector of hepatocyte growth factor–mediated migration and morphogenesis in epithelial cells. 138:423.
Crews, P. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
Crocker, P.R. *See* Tang, Shen, DeBellard, Mukhopadhyay, Salzer, Crocker, and Filbin.
Cromlish, J.A. *See* Ng, Nguyen, Kwan, Branton, Nicholson, Cromlish, and Shore.
Cunningham, C.C., Leclerc, N., Flanagan, L.A., Lu, M., Janmey, P.A., and Kosik, K.S. Microtubule-associated protein 2c reorganizes both microtubules and microfilaments into distinct cytological structures in an actin-binding protein-280–deficient melanoma cell line. 136:845.
— *See* Liu, Thomas, Warren, Enns, Cunningham, Hartwig, and Thomas.
Cutler, B. *See* Abney, Cutler, Fillbach, Axelrod, and Scalettar.

D

Dabrowski, M. *See* Görlich, Dabrowski, Bischoff, Kutay, Bork, Hartmann, Prehn, and Izaurralde.
Dahlberg, J.E. *See* Powers, Forbes, Dahlberg, and Lund.
Dahm, L.M. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Dalby, B. *See* Pereira, Dalby, Stewart, Doxsey, and Goldstein.
Dallas, W. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Damm, C. *See* Paululat, Goubeaud, Damm, Knirr, Burchard, and Renkawitz-Pohl.
Damsky, C. *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Daniell, L. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Daniels, R.H. *See* Dharmawardhane, Sanders, Martin, Daniels, and Bokoch.
Danielson, K.G., Baribault, H., Holmes, D.F., Graham, H., Kadler, K.E., and Iozzo, R.V. Targeted disruption of decorin leads to abnormal collagen fibril morphology and skin fragility. 136:729.
Daro, E., Sheff, D., Gomez, M., Kreis, T., and Mellman, I. Inhibition of endosome function in CHO cells bearing a temperature-sensitive defect in the coatomer (COPI) component ε-COP. 139: 1747.
Darsow, T., Rieder, S.E., and Emr, S.D. A multispecificity syntaxin homologue, Vam3p, essential for autophagic and biosynthetic protein transport to the vacuole. 138:517.
Dautry-Varsat, A. *See* Subtil, Delepierre, and Dautry-Varsat.
David, C. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Davies, K.E. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Davies, T.C. *See* Jones, Davies, and Kidder.
Davis, J.Q., Lambert, S., and Bennett, V. Molecular composition of the node of Ranvier: Identification of ankyrin-binding cell adhesion molecules neurofascin (mucin+/third FNIII domain−) and NrCAM at nodal axon segments: Correction. 136:485.
Davis, K.A. *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
Dawe, R.K. *See* Starr, Williams, Li, Etemad-Moghadam, Dawe, and Goldberg.
— *See* Yu, Hiatt, Chan, Sweeney, and Dawe.
Dawson, D.S. *See* Bascom-Slack and Dawson.
Dawson, D.W., Pearce, S.F.A., Zhong, R., Silverstein, R.L., Frazier, W.A., and Bouck, N.P. CD36 mediates the in vitro inhibitory effects of thrombospondin-1 on endothelial cells. 138:707.
De Arcangelis, A. *See* Lorentz, Duluc, De Arcangelis, Simon-Assmann, Kedinger, and Freund.
de Baetselier, P. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
DeBellard, M.E. *See* Tang, Shen, DeBellard, Mukhopadhyay, Salzer, Crocker, and Filbin.
De Camilli, P. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Deconinck, A.E., Potter, A.C., Tinsley, J.M., Wood, S.J., Vater, R., Young, C., Metzinger, L., Vincent, A., Slater, C.R., and Davies, K.E. Postsynaptic abnormalities at the neuromuscular junctions of utrophin-deficient mice. 136:883.
Deerinck, T.J. *See* Huang, Deerinck, Ellisman, and Spector.
— *See* Wiemer, Wenzel, Deerinck, Ellisman, and Subramani.
DeFranco, D.B. *See* Yang, Liu, and DeFranco.
Degenstein, L. *See* Lo, Yu, Degenstein, Chen, and Fuchs.
De Graeve, F. *See* Boeuf, Hauss, De Graeve, Baran, and Kedinger.
Dehouck, B., Fenart, L., Dehouck, M.-P., Pierce, A., Torpier, G., and Cecchelli, R. A new function for the LDL receptor: Transcytosis of LDL across the blood–brain barrier. 138:877.
Dehouck, M.-P. *See* Dehouck, Fenart, Dehouck, Pierce, Torpier, and Cecchelli.
Deitcher, D.L. *See* Burgess, Deitcher, and Schwarz.
Dejucq, N., Chousterman, S., and Jégou, B. The testicular antiviral defense system: localization, expression, and regulation of 2′5′ oligoadenylate synthetase, double-stranded RNA-activated protein kinase, and Mx proteins in the rat seminiferous tubule. 139: 865.
de Lanerolle, P. *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
Delepierre, M. *See* Subtil, Delepierre, and Dautry-Varsat.
del Favero, H. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
DeLisser, H.M. *See* Famiglietti, Sun, DeLisser, and Albelda.
Delos, S.E. *See* Hernandez, Peters, Delos, Young, Agard, and White.
del Pozo, M.A., Cabañas, C., Montoya, M.C., Ager, A., Sánchez-Mateos, P., and Sánchez-Madrid, F. ICAMs redistributed by chemokines to cellular uropods as a mechanism for recruitment of T lymphocytes. 137:493.
— *See* Serrador, Alonso-Lebrero, del Pozo, Furthmayr, Schwartz-Albiez, Calvo, Lozano, and Sánchez-Madrid.
DeMarini, D.J., Adams, A.E.M., Fares, H., De Virgilio, C., Valle, G., Chuang, J.S., and Pringle, J.R. A septin-based hierarchy of proteins required for localized deposition of chitin in the *Saccharomyces cerevisiae* cell wall. 139:75.
De Matteis, M.A. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
Dempsey, P.J., Meise, K.S., Yoshitake, Y., Nishikawa, K., and Coffey, R.J. Apical enrichment of human EGF precursor in Madin-Darby canine kidney cells involves preferential basolateral ectodomain cleavage sensitive to a metalloprotease inhibitor. 138:747.
Deng, C. *See* Saunders, Hornack, Lengyel, and Deng.

Denning, M.F. *See* Kowalczyk, Bornslaeger, Borgwardt, Palka, Dhaliwal, Corcoran, Denning, and Green.
Denzer, A.J., Brandenberger, R., Gesemann, M., Chiquet, M., and Ruegg, M.A. Agrin binds to the nerve–muscle basal lamina via laminin. 137:671.
DePace, A.H. *See* Welch, DePace, Verma, Iwamatsu, and Mitchison.
de Pouplana, L.R. *See* Bastos, de Pouplana, Enarson, Bodoor, and Burke.
de Priester, W. *See* Emeis, van den Eijnden-Schrauwen, van den Hoogen, de Priester, Westmuckett, and Lupu.
DeRosier, D.J. *See* Hanein, Matsudaira, and DeRosier.
Derynck, R. *See* Serra, Johnson, Filvaroff, LaBorde, Sheehan, Derynck, and Moses.
Descalzi Cancedda, F. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Deshmukh, M. *See* Miller, Moulder, Knudson, Creedon, Deshmukh, Korsmeyer, and Johnson.
De Virgilio, C. *See* DeMarini, Adams, Fares, De Virgilio, Valle, Chuang, and Pringle.
Devoto, S.H. *See* Du, Devoto, Westerfield, and Moon.
Devreotes, P.N. *See* Xiao, Zhang, Murphy, and Devreotes.
— *See* Zigmond, Joyce, Borleis, Bokoch, and Devreotes.
de Vries, Y. *See* Waterham, Russell, de Vries, and Cregg.
DeZwaan, T.M., Ellingson, E., Pellman, D., and Roof, D.M. Kinesin-related *KIP3* of *Saccharomyces cerevisiae* is required for a distinct step in nuclear migration. 138:1023.
Dhaliwal, A.S. *See* Kowalczyk, Bornslaeger, Borgwardt, Palka, Dhaliwal, Corcoran, Denning, and Green.
Dharmawardhane, S., Sanders, L.C., Martin, S.S., Daniels, R.H., and Bokoch, G.M. Localization of p21-activated kinase 1 (PAK1) to pinocytic vesicles and cortical actin structures in stimulated cells. 138:1265.
Diana, A.S. *See* Ainger, Avossa, Diana, Barry, Barbarese, and Carson.
Díaz, E., Schimmöller, F., and Pfeffer, S.R. A novel Rab9 effector required for endosome-to-TGN transport. 138:283.
Dice, J.F. *See* Agarraberes, Terlecky, and Dice.
Dicou, E., Pflug, B., Magazin, M., Lehy, T., Djakiew, D., Ferrara, P., Nerrière, V., and Harvie, D. Two peptides derived from the nerve growth factor precursor are biologically active. 136:389.
Didry, D. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Dietrich, J., Kastrup, J., Nielsen, B.L., Ødum, N., and Geisler, C. Regulation and function of the CD3γ DxxxLL motif: A binding site for adaptor protein-1 and adaptor protein-2 in vitro. 138:271.
Ding, H. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Dionne, M.A. *See* Gaglio, Dionne, and Compton.
DiPersio, C.M., Hodivala-Dilke, K.M., Jaenisch, R., Kreidberg, J.A., and Hynes, R.O. α3β1 integrin is required for normal development of the epidermal basement membrane. 137:729.
Distelhorst, C.W. *See* He, Lam, McCormick, and Distelhorst.
Dittmar, H. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Di Tullio, G. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
Di Virgilio, F. *See* Chiozzi, Sanz, Ferrari, Falzoni, Aleotti, Buell, Collo, and Di Virgilio.
Djakiew, D. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Djonov, V. *See* Kueng, Nikolova, Djonov, Hemphill, Rohrbach, Boehlen, Zuercher, Andres, and Ziemiecki.
Doberstein, S.K., Fetter, R.D., Mehta, A.Y., and Goodman, C.S. Genetic analysis of myoblast fusion: *blown fuse* is required for progression beyond the prefusion complex. 136:1249.
do Carmo Avides, M. *See* Saunders, do Carmo Avides, Howard, Gonzalez, and Glover.
Doi, Y. *See* Kondo, Takeuchi, Doi, Yonemura, Nagata, Tsukita, and Tsukita.
Doms, R.W. *See* Chyung, Greenberg, Cook, Doms, and Lee.
Donaldson, J.G. *See* Radhakrishna and Donaldson.
Donoghue, D.J. *See* Chen, Webster, Meyer, and Donoghue.
Donovan, P.J. *See* Gopalan, Chan, and Donovan.
Dowbenko, D. *See* Spencer, Dowbenko, Cheng, Li, Brush, Utzig, Simanis, and Lasky.
Downward, J. *See* Khwaja and Downward.
Doxsey, S.J. *See* Pereira, Dalby, Stewart, Doxsey, and Goldstein.
Doye, V. *See* Belgareh and Doye.
Dreyfuss, G. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.
— *See* Siomi, Eder, Kataoka, Wan, Liu, and Dreyfuss.
Drubin, D. *See* Chang, Drubin, and Nurse.
Drubin, D.G. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
— *See* Yang, Ayscough, and Drubin.
Du, L., and S.L. Warren. A functional interaction between the carboxy-terminal domain of RNA polymerase II and pre-mRNA splicing. 136:5.
— *See* Kim, Du, Bregman, and Warren.
Du, S.J., Devoto, S.H., Westerfield, M., and Moon, R.T. Positive and negative regulation of muscle cell identity by members of the *hedgehog* and *TGF-β* gene families. 139:145.
Duband, J.-L. *See* Monier-Gavelle and Duband.
Duluc, I. *See* Lorentz, Duluc, De Arcangelis, Simon-Assmann, Kedinger, and Freund.
Dumin, J.A. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.
Dutcher, S.K. *See* King and Dutcher.

E

Earnshaw, W.C. *See* Eckley, Ainsztein, Mackay, Goldberg, and Earnshaw.
Ebersold, M.W. *See* Sodeik, Ebersold, and Helenius.
Echeverri, C.J. *See* Burkhardt, Echeverri, Nilsson, and Vallee.
Ecke, M. *See* Neujahr, Heizer, Albrecht, Ecke, Schwartz, Weber, and Gerisch.
Eckley, D.M., Ainsztein, A.M., Mackay, A.M., Goldberg, I.G., and Earnshaw, W.C. Chromosomal proteins and cytokinesis: Patterns of cleavage furrow formation and inner centromere protein positioning in mitotic heterokaryons and mid-anaphase cells. 136:1169.
Eckmann, C.R., and Jantsch, M.F. Xlrbpa, a double-stranded RNA-binding protein associated with ribosomes and heterogeneous nuclear RNPs. 138:239.
Eddy, R.J., Han, J., and Condeelis, J.S. Capping protein terminates but does not initiate chemoattractant-induced actin assembly in *Dictyostelium*. 139:1243.
Edelberg, J.M. *See* Aird, Edelberg, Weiler-Guettler, Simmons, Smith, and Rosenberg.
Edelman, G.M. *See* Kallunki, Edelman, and Jones.
Edelmann, W. *See* Acakpo-Satchivi, Edelmann, Sartorius, Lu, Wahr, Watkins, Metzger, Leinwand, and Kucherlapati.
Eder, P.S. *See* Siomi, Eder, Kataoka, Wan, Liu, and Dreyfuss.
Edwards, R.H. *See* Liu and Edwards.
Ehring, G.R. *See* Guan, Cravatt, Ehring, Hall, Boger, Lerner, and Gilula.
— *See* Ross, Ehring, and Cahalan.
Eigenthaler, M. *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
Einheber, S., Zanazzi, G., Ching, W., Scherer, S., Milner, T.A., Peles, E., and Salzer, J.L. The axonal membrane protein Caspr, a homologue of Neurexin IV, is a component of the septate-like paranodal junctions that assemble during myelination. 139:1495.
Eitzen, G.A., Szilard, R.K., and Rachubinski, R.A. Enlarged peroxisomes are present in oleic acid–grown *Yarrowia lipolytica* overexpressing the *PEX16* gene encoding an intraperoxisomal peripheral membrane peroxin. 137:1265.
Elagina, R.B. *See* Milligan, Alb, Elagina, Bankaitis, and Hyde.
Elhammer, Å.P. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.
Ellenberg, J., Siggia, E.D., Moreira, J.E., Smith, C.L., Presley, J.F., Worman, H.J., and Lippincott-Schwartz, J. Nuclear membrane dynamics and reassembly in living cells: Targeting of an inner nuclear membrane protein in interphase and mitosis. 138:1193.
Ellerby, L.M. *See* Longo, Ellerby, Bredesen, Valentine, and Gralla.
Ellingson, E. *See* DeZwaan, Ellingson, Pellman, and Roof.
Ellisman, M.H. *See* Huang, Deerinck, Ellisman, and Spector.
— *See* Wiemer, Wenzel, Deerinck, Ellisman, and Subramani.
Emeis, J.J., van den Eijnden-Schrauwen, Y., van den Hoogen, C.M., de Priester, W., Westmuckett, A., and Lupu, F. An endothelial storage granule for tissue-type plasminogen activator. 139:245.
Emery, G. *See* Rojo, Pepperkok, Emery, Kellner, Stang, Parton, and Gruenberg.
Emmenegger, U. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.
Emr, S.D. *See* Darsow, Rieder, and Emr.
— *See* Gaynor and Emr.
— *See* Seaman, Marcusson, Cereghino, and Emr.
Enarson, M. *See* Bastos, de Pouplana, Enarson, Bodoor, and Burke.

Endow, S.A., and Komma, D.J. Spindle dynamics during meiosis in *Drosophila* oocytes. 137:1321.
Enns, C.A. *See* Liu, Thomas, Warren, Enns, Cunningham, Hartwig, and Thomas.
Erdjument-Bromage, H. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Erickson, H.P. *See* Clark, Erickson, and Springer.
Erickson, M.R.S., Galletta, B.J., and Abmayr, S.M. *Drosophila myoblast city* encodes a conserved protein that is essential for myoblast fusion, dorsal closure, and cytoskeletal organization. 138: 589.
Erkeland, S. *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
Erle, D.J. *See* Abitorabi, Pachynski, Ferrando, Tidswell, and Erle.
Erxleben, C., Klauke, N., Flötenmeyer, M., Blanchard, M.-P., Braun, C., and Plattner, H. Microdomain Ca^{2+} activation during exocytosis in *Paramecium* cells. Superposition of local subplasmalemmal calcium store activation by local Ca^{2+} influx. 136:597.
Esch, F. *See* Mackay, Esch, Furthmayr, and Hall.
Espelin, C.W., Kaplan, K.B., and Sorger, P.K. Probing the architecture of a simple kinetochore using DNA–protein crosslinking. 139:1383.
Estus, S. *See* Furukawa, Estus, Fu, Mark, and Mattson.
Etemad-Moghadam, B. *See* Starr, Williams, Li, Etemad-Moghadam, Dawe, and Goldberg.
Ettinger, M.J. *See* Cimato, Ettinger, Zhou, and Aletta.
Evan, G.I. *See* McCarthy, Whyte, Gilbert, and Evan.

F

Falchetto, R. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Falciola, L., Spada, F., Calogero, S., Längst, G., Voit, R., Grummt, I., and Bianchi, M.E. High mobility group 1 protein is not stably associated with the chromosomes of somatic cells. 137:19.
Falzoni, S. *See* Chiozzi, Sanz, Ferrari, Falzoni, Aleotti, Buell, Collo, and Di Virgilio.
— *See* Chiozzi, Sanz, Ferrari, Falzoni, Aleotti, Buell, Collo, and Di Virgilio.
Fambrough, D.M. *See* Gough and Fambrough.
Famiglietti, J., Sun, J., DeLisser, H.M., and Albelda, S.M. Tyrosine residue in exon 14 of the cytoplasmic domain of platelet endothelial cell adhesion molecule-1 (PECAM-1/CD31) regulates ligand binding specificity. 138:1425.
Fanger, C.M. *See* Hoth, Fanger, and Lewis.
Fanning, E. *See* Boche and Fanning.
Fares, H. *See* DeMarini, Adams, Fares, De Virgilio, Valle, Chuang, and Pringle.
Farschon, D.M., Couture, C., Mustelin, T., and Newmeyer, D.D. Temporal phases in apoptosis defined by the actions of Src homology 2 domains, ceramide, Bcl-2, interleukin-1β converting enzyme family proteases, and a dense membrane fraction. 137: 1117.
Fasolato, C. *See* Pizzo, Fasolato, and Pozzan.
Fassler, R. *See* Belkin, Retta, Pletjushkina, Balzac, Silengo, Fassler, Koteliansky, Burridge, and Tarone.
Fässler, R. *See* Bloch, Forsberg, Lentini, Brakebusch, Martin, Krell, Weidle, Addicks, and Fässler.
Fath, K.R., Trimbur, G.M., and Burgess, D.R. Molecular motors and a spectrin matrix associate with Golgi membranes in vitro. 139: 1169.
Faúndez, V., Horng, J.-T., and Kelly, R.B. ADP ribosylation factor 1 is required for synaptic vesicle budding in PC12 cells. 138:505.
Faust, P.L., and Hatten, M.E. Targeted deletion of the PEX2 peroxisome assembly gene in mice provides a model for Zellweger syndrome, a human neuronal migration disorder. 139:1293.
Feierbach, B. *See* Tian, Lewis, Feierbach, Stearns, Rommelaere, Ampe, and Cowan.
Feinleib, J.L. *See* Kang, Gao, Feinleib, Cotter, Guadagno, and Krauss.
Felding-Habermann, B., Silletti, S., Mei, F., Siu, C.-H., Yip, P.M., Brooks, P.C., Cheresh, D.A., O'Toole, T.E., Ginsberg, M.H., and Montgomery, A.M.P. A single immunoglobulin-like domain of the human neural cell adhesion molecule L1 supports adhesion by multiple vascular and platelet integrins. 139:1567.
Felgner, H., Frank, R., Biernat, J., Mandelkow, E.-M., Mandelkow, E., Ludin, B., Matus, A., and Schliwa, M. Domains of neuronal microtubule-associated proteins and flexural rigidity of microtubules. 138:1067.
Feltkamp, C.A. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
Fenart, L. *See* Dehouck, Fenart, Dehouck, Pierce, Torpier, and Cecchelli.
Ferhat, L. *See* Sharp, Yu, Ferhat, Kuriyama, Rueger, and Baas.
Ferrando, R.E. *See* Abitorabi, Pachynski, Ferrando, Tidswell, and Erle.
Ferrara, P. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Ferrari, D., Wesselborg, S., Bauer, M.K.A., and Schulze-Osthoff, K. Extracellular ATP activates transcription factor NF-κB through the P2Z purinoreceptor by selectively targeting NF-κB p65 (RelA). 139:1635.
Ferrari, D. *See* Chiozzi, Sanz, Ferrari, Falzoni, Aleotti, Buell, Collo, and Di Virgilio.
Ferrari, G., Knight, A.M., Watts, C., and Pieters, J. Distinct intracellular compartments involved in invariant chain degradation and antigenic peptide loading of major histocompatibility complex (MHC) class II molecules. 139:1433.
Ferreira, J., Paolella, G., Ramos, C., and Lamond, A.I. Spatial organization of large-scale chromatin domains in the nucleus: A magnified view of single chromosome territories. 139:1597.
Ferreira-Cornwell, M.C. *See* Radice, Ferreira-Cornwell, Robinson, Rayburn, Chodosh, Takeichi, and Hynes.
Ferrell, J.E., Jr. *See* Wang, Zhai, and Ferrell.
Fetka, I. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Fetter, R.D. *See* Doberstein, Fetter, Mehta, and Goodman.
Fiers, W. *See* Vandevoorde, Haegeman, and Fiers.
Filbin, M.T. *See* Tang, Shen, DeBellard, Mukhopadhyay, Salzer, Crocker, and Filbin.
Fillbach, M.L. *See* Abney, Cutler, Fillbach, Axelrod, and Scalettar.
Filvaroff, E.H. *See* Serra, Johnson, Filvaroff, LaBorde, Sheehan, Derynck, and Moses.
Finger, E.B. *See* Alon, Chen, Puri, Finger, and Springer.
Finnemann, S. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Firtel, R.A. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Fischbach, G. *See* Vartanian, Goodearl, Viehöver, and Fischbach.
Fischer, U. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.
Fischer von Mollard, G., Nothwehr, S.F., and Stevens, T.H. The yeast v-SNARE Vti1p mediates two vesicle transport pathways through interactions with the t-SNAREs Sed5p and Pep12p. 137: 1511.
Fisher, D.E. *See* McGill, Shimamura, Bates, Savage, and Fisher.
Fisk, H.A., and Yaffe, M.P. Mutational analysis of Mdm1p function in nuclear and mitochondrial inheritance. 138:485.
Fiucci, G. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
Flamme, I. *See* McNagny, Pettersson, Rossi, Flamme, Shevchenko, Mann, and Graf.
Flanagan, L.A. *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
Flati, S. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
Fleig, U. *See* Beinhauer, Hagan, Hegemann, and Fleig.
Fleuren, G.J. *See* Litvinov, Balzar, Winter, Bakker, B.-de Bruijn, Prins, Fleuren, and Warnaar.
Flötenmeyer, M. *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Flucher, B.E. *See* Protasi, Franzini-Armstrong, and Flucher.
Foellmer, B. *See* Hebert, Zhang, Chen, Foellmer, and Helenius.
Foglesong, M.J. *See* Wilson, Foglesong, and Snell.
Forbes, D.J. *See* Powers, Forbes, Dahlberg, and Lund.
Forsberg, E. *See* Bloch, Forsberg, Lentini, Brakebusch, Martin, Krell, Weidle, Addicks, and Fässler.
Foti, M., Mangasarian, A., Piguet, V., Lew, D.P., Krause, K.-H., Trono, D., and Carpentier, J.-L. Nef-mediated clathrin-coated pit formation. 139:37.
Foxman, E.F., Campbell, J.J., and Butcher, E.C. Multistep navigation and the combinatorial control of leukocyte chemotaxis. 139:1349.
Franco, P., Iaccarino, C., Chiaradonna, F., Brandazza, A., Iavarone, C., Mastronicola, M.R., Nolli, M.L., and Stoppelli, M.P. Phosphorylation of human pro-urokinase on $ser^{138/303}$ impairs its receptor-dependent ability to promote myelomonocytic adherence and motility. 137:779.

Frank, R. *See* Felgner, Frank, Biernat, Mandelkow, Mandelkow, Ludin, Matus, and Schliwa.
Franke, W.W. *See* Cordes, Reidenbach, Rackwitz, and Franke.
Franzini-Armstrong, C. *See* Protasi, Franzini-Armstrong, and Flucher.
Frazier, W.A. *See* Dawson, Pearce, Zhong, Silverstein, Frazier, and Bouck.
Freedman, N. *See* Lochter, Galosy, Muschler, Freedman, Werb, and Bissell.
Freund, J.-N. *See* Lorentz, Duluc, De Arcangelis, Simon-Assmann, Kedinger, and Freund.
Freyberg, Z. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Fricker, M., Hollinshead, M., White, N., and Vaux, D. Interphase nuclei of many mammalian cell types contain deep, dynamic, tubular membrane-bound invaginations of the nuclear envelope. 136:531.
Froehner, S.C. *See* Peters, Adams, and Froehner.
Fröhlich, E. *See* Madeo, Fröhlich, and Fröhlich.
Fröhlich, K.-U. *See* Madeo, Fröhlich, and Fröhlich.
Frohman, M.A. *See* Chen, Siddhanta, Austin, Hammond, Sung, Frohman, Morris, and Shields.
Frolov, V. *See* Chernomordik, Leikina, Frolov, Bronk, and Zimmerberg.
Fu, W. *See* Furukawa, Estus, Fu, Mark, and Mattson.
Fuchs, E. *See* Lo, Yu, Degenstein, Chen, and Fuchs.
— *See* Yang, Gallicano, Yu, and Fuchs.
Fuchs, S. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.
Fujimoto, T. *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
Fujimura-Kamada, K., Nouvet, F.J., and Michaelis, S. A novel membrane-associated metalloprotease, Ste24p, is required for the first step of NH_2-terminal processing of the yeast a-factor precursor. 136:271.
Fujita, J. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Fukuda, T. *See* Manabe, Oh-e, Maeda, Fukuda, and Sekiguchi.
Fuller, M.T. *See* Molina, Baars, Brill, Hales, Fuller, and Ripoll.
Fuller, R.S. *See* Brickner and Fuller.
— *See* Kean, Grant, Angeletti, Mahé, Kuchler, Fuller, and Nichols.
Fullerton, A.T. *See* Bashour, Fullerton, Hart, and Bloom.
Funato, K. *See* Mukhopadhyay, Barbieri, Funato, Roberts, and Stahl.
Furger, A. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Furthmayr, H. *See* Mackay, Esch, Furthmayr, and Hall.
— *See* Serrador, Alonso-Lebrero, del Pozo, Furthmayr, Schwartz-Albiez, Calvo, Lozano, and Sánchez-Madrid.
Furukawa, K., Estus, S., Fu, W., Mark, R.J., and Mattson, M.P. Neuroprotective action of cycloheximide involves induction of Bcl-2 and antioxidant pathways. 136:1137.
Furuse, M. *See* Sakakibara, Furuse, Saitou, Ando-Akatsuka, and Tsukita.
Furze, J. *See* Litwin, Clark, Noack, Furze, Berndt, Albelda, Vadas, and Gamble.
Fusella, A. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.

G

Gaglio, T., Dionne, M.A., and Compton, D.A. Mitotic spindle poles are organized by structural and motor proteins in addition to centrosomes. 138:1055.
Gallagher, P.J. *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
Galletta, B.J. *See* Erickson, Galletta, and Abmayr.
Gallicano, G.I. *See* Yang, Gallicano, Yu, and Fuchs.
Galosy, S. *See* Lochter, Galosy, Muschler, Freedman, Werb, and Bissell.
Gama-Carvalho, M., Krauss, R.D., Chiang, L., Valcárcel, J., Green, M.R., and Carmo-Fonseca, M. Targeting of $U2AF^{65}$ to sites of active splicing in the nucleus. 137:975.
Gambarotta, G. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.
Gamble, J. *See* Litwin, Clark, Noack, Furze, Berndt, Albelda, Vadas, and Gamble.
Gann, A.A.F. *See* Tanaka, Gann, Gates, and Brockes.
Gao, F.-B., and Raff, M. Cell size control and a cell-intrinsic maturation program in proliferating oligodendrocyte precursor cells. 138:1367.
Gao, M. *See* Kang, Gao, Feinleib, Cotter, Guadagno, and Krauss.
Garcia, J.A. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
García-Castro, M.I., Anderson, R., Heasman, J., and Wylie, C. Interactions between germ cells and extracellular matrix glycoproteins during migration and gonad assembly in the mouse embryo. 138:471.
Gard, D.L. *See* Kelley, Sellers, Gard, Bui, Adelstein, and Baines.
Gardner, L.C. *See* Rupp, O'Toole, Gardner, Mitchell, and Porter.
Garruti, G. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Garver, T.D., Ren, Q., Tuvia, S., and Bennett, V. Tyrosine phosphorylation at a site highly conserved in the L1 family of cell adhesion molecules abolishes ankyrin binding and increases lateral mobility of neurofascin. 137:703.
Gascard, P. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Gates, P.B. *See* Tanaka, Gann, Gates, and Brockes.
Gautreau, A. *See* Crepaldi, Gautreau, Comoglio, Louvard, and Arpin.
Gaynor, E.C., and Emr, S.D. COPI-independent anterograde transport: Cargo-selective ER to Golgi protein transport in yeast COPI mutants. 136:789.
Gebbink, M.F.B.G., Kranenburg, O., Poland, M., van Horck, F.P.G., Houssa, B., and Moolenaar, W.H. Identification of a novel, putative Rho-specific GDP/GTP exchange factor and a RhoA-binding protein: Control of neuronal morphology. 137:1603.
Geelen, M.J.H. *See* Liou, Geuze, Geelen, and Slot.
Geisler, C. *See* Dietrich, Kastrup, Nielsen, Ødum, and Geisler.
Geist, S.T. *See* Jørgensen, Geist, Civitelli, and Steinberg.
Geng, J.-G., Raub, T.J., Baker, C.A., Sawada, G.A., Ma, L., and Elhammer, Å.P. Expression of a P-selectin ligand in zona pellucida of porcine oocytes and P-selectin on acrosomal membrane of porcine sperm cells. Potential implications for their involvement in sperm–egg interactions. 137:743.
Gentili, C. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Gerace, L. *See* Yang, Guan, and Gerace.
Gerisch, G. *See* Neujahr, Heizer, Albrecht, Ecke, Schwartz, Weber, and Gerisch.
— *See* Niewöhner, Weber, Maniak, Müller-Taubenberger, and Gerisch.
Gesemann, M. *See* Denzer, Brandenberger, Gesemann, Chiquet, and Ruegg.
Geßner, R. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Geuskens, M. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
Geuze, H.J. *See* Kleijmeer, Morkowski, Griffith, Rudensky, and Geuze.
— *See* Liou, Geuze, Geelen, and Slot.
Giannini, A.L. *See* Klemke, Cai, Giannini, Gallagher, de Lanerolle, and Cheresh.
Giddings, T.H., Jr. *See* Schutz, Giddings, Steiner, and Winey.
Gilbert, C.S. *See* McCarthy, Whyte, Gilbert, and Evan.
Gilbert, D.J. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Gillespie, P.G. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Gilula, N.B. *See* Guan, Cravatt, Ehring, Hall, Boger, Lerner, and Gilula.
Ginsberg, M.H. *See* Felding-Habermann, Silletti, Mei, Siu, Yip, Brooks, Cheresh, O'Toole, Ginsberg, and Montgomery.
— *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
Giordano, S. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.
Giuffrè, L., Cordey, A.-S., Monai, N., Tardy, Y., Schapira, M., and Spertini, O. Monocyte adhesion to activated aortic endothelium: Role of L-selectin and heparan sulfate proteoglycans. 136:945.
Glass, D.J. *See* Sugiyama, Glass, Yancopoulos, and Hall.
Gleizes, P.-E. *See* Nunes, Gleizes, Metz, and Rifkin.
Glembotski, C.C. *See* Zechner, Thuerauf, Hanford, McDonough, and Glembotski.
Glotzer, M. *See* Wheatley, Hinchcliffe, Glotzer, Hyman, Sluder, and Wang.
Glover, D.M. *See* Saunders, do Carmo Avides, Howard, Gonzalez, and Glover.
Goetz, D.J., Greif, D.M., Ding, H., Camphausen, R.T., Howes, S., Comess, K.M., Snapp, K.R., Kansas, G.S., and Luscinskas, F.W. Isolated P-selectin glycoprotein ligand-1 dynamic adhesion to P- and E-selectin. 137:509.
Gohon, L. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.

Goldberg, I.G. *See* Eckley, Ainsztein, Mackay, Goldberg, and Earnshaw.
Goldberg, M.L. *See* Starr, Williams, Li, Etemad-Moghadam, Dawe, and Goldberg.
Goldfine, H. *See* Marquis, Goldfine, and Portnoy.
Goldie, K.N. *See* Steinmetz, Goldie, and Aebi.
Goldin, A.L. *See* Shih and Goldin.
Goldman, A.E. *See* Spann, Moir, Goldman, Stick, and Goldman.
Goldman, R.D. *See* Spann, Moir, Goldman, Stick, and Goldman.
Goldstein, L.S.B. *See* Pereira, Dalby, Stewart, Doxsey, and Goldstein.
Gomez, M. *See* Daro, Sheff, Gomez, Kreis, and Mellman.
Gong, H. *See* Tian, Gong, Thomsen, and Lennarz.
Gonzalez, C. *See* Saunders, do Carmo Avides, Howard, Gonzalez, and Glover.
Goodearl, A. *See* Vartanian, Goodearl, Viehöver, and Fischbach.
Goodenough, D.A. *See* Chen, Merzdorf, Paul, and Goodenough.
Goodman, C.S. *See* Doberstein, Fetter, Mehta, and Goodman.
Goodwin, P.C. *See* Babcock, Herrington, Goodwin, Park, and Hille.
Gopalan, G., Chan, C.S.M., and Donovan, P.J. A novel mammalian, mitotic spindle–associated kinase is related to yeast and fly chromosome segregation regulators. 138:643.
Gordon, J.I. *See* Coopersmith, Chandrasekaran, McNevin, and Gordon.
Görlich, D., Dabrowski, M., Bischoff, F.R., Kutay, U., Bork, P., Hartmann, E., Prehn, S., and Izaurralde, E. A novel class of RanGTP binding proteins. 138:65.
Gotoh, Y. *See* Takenaka, Gotoh, and Nishida.
Gottshall, K.R. *See* Becker, Gottshall, Hickey, Perriard, and Chien.
Goubeaud, A. *See* Paululat, Goubeaud, Damm, Knirr, Burchard, and Renkawitz-Pohl.
Gough, N.R., and Fambrough, D.M. Different steady state subcellular distributions of the three splice variants of lysosome-associated membrane protein LAMP-2 are determined largely by the COOH-terminal amino acid residue. 137:1161.
Gould, K.L. *See* Berry and Gould.
Grabs, D. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Grady, R.M., Merlie, J.P., and Sanes, J.R. Subtle neuromuscular defects in utrophin-deficient mice. 136:871.
Graf, T. *See* McNagny, Pettersson, Rossi, Flamme, Shevchenko, Mann, and Graf.
Graham, H. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.
Graham, P.L., Johnson, J.J., Wang, S., Sibley, M.H., Gupta, M.C., and Kramer, J.M. Type IV collagen is detectable in most, but not all, basement membranes of *Caenorhabditis elegans* and assembles on tissues that do not express it. 137:1171.
— *See* Gupta, Graham, and Kramer.
Gralla, E.B. *See* Longo, Ellerby, Bredesen, Valentine, and Gralla.
Grant, A.M. *See* Kean, Grant, Angeletti, Mahé, Kuchler, Fuller, and Nichols.
Green, C.J. *See* Sterne, Coulton, Brown, Green, and Terenghi.
Green, J.M., Schreiber, A.D., and Brown, E.J. Role for a glycan phosphoinositol anchor in Fcγ receptor synergy. 139:1209.
Green, K.J. *See* Kowalczyk, Bornslaeger, Borgwardt, Palka, Dhaliwal, Corcoran, Denning, and Green.
Green, M.R. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Greenberg, B.D. *See* Chyung, Greenberg, Cook, Doms, and Lee.
Greif, D.M. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Griffith, J.M. *See* Kleijmeer, Morkowski, Griffith, Rudensky, and Geuze.
Griffiths, G. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
— *See* Scheel, Pepperkok, Lowe, Griffiths, and Kreis.
Grove, B. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Gruenberg, J. *See* Gu, Aniento, Parton, and Gruenberg.
— *See* Rojo, Pepperkok, Emery, Kellner, Stang, Parton, and Gruenberg.
Grumet, M. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Grummt, I. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Gschmeissner, S. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.
Gu, F., Aniento, F., Parton, R.G., and Gruenberg, J. Functional dissection of COP-I subunits in the biogenesis of multivesicular endosomes. 139:1183.
Guadagno, S.N. *See* Kang, Gao, Feinleib, Cotter, Guadagno, and Krauss.
Guan, T. *See* Yang, Guan, and Gerace.
Guan, X., Cravatt, B.F., Ehring, G.R., Hall, J.E., Boger, D.L., Lerner, R.A., and Gilula, N.B. The sleep-inducing lipid oleamide deconvolutes gap junction communication and calcium wave transmission in glial cells. 139:1785.
Guger, K. *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
Guild, G.M., Connelly, P.S., Shaw, M.K., and Tilney, L.G. Actin filament cables in *Drosophila* nurse cells are composed of modules that slide passively past one another during dumping. 138:783.
Gumbiner, B.M. *See* Sehgal, Gumbiner, and Reichardt.
— *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
— *See* Wong and Gumbiner.
Guo, Y. *See* Alphey, Parker, Hawcroft, Guo, Kaiser, and Morgan.
Gupta, M.C., Graham, P.L., and Kramer, J.M. Characterization of α1(IV) collagen mutations in *Caenorhabditis elegans* and the effects of α1 and α2(IV) mutations on type IV collagen distribution. 137:1185.
— *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.
Gutierrez, J.A., Yu, J., Rivera, S., and Wessling-Resnick, M. Functional expression cloning and characterization of SFT, a stimulator of Fe transport. 139:895.

H

Habermacher, G., and Sale, W.S. Regulation of flagellar dynein by phosphorylation of a 138-kD inner arm dynein intermediate chain. 136:167.
Habermann, A. *See* Heald, Tournebize, Habermann, Karsenti, and Hyman.
Haegeman, G. *See* Vandevoorde, Haegeman, and Fiers.
Hagan, I.M. *See* Beinhauer, Hagan, Hegemann, and Fleig.
Hage, W. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
Hajibagheri, M.A.N. *See* Ruhrberg, Hajibagheri, Parry, and Watt.
Haldar, K. *See* Shima, Haldar, Pepperkok, Watson, and Warren.
Hales, K.G. *See* Molina, Baars, Brill, Hales, Fuller, and Ripoll.
Hall, A. *See* Braga, Machesky, Hall, and Hotchin.
— *See* Machesky and Hall.
— *See* Mackay, Esch, Furthmayr, and Hall.
Hall, J.E. *See* Guan, Cravatt, Ehring, Hall, Boger, Lerner, and Gilula.
Hall, Z.W. *See* Sugiyama, Glass, Yancopoulos, and Hall.
Halverson, D., Baum, M., Stryker, J., Carbon, J., and Clarke, L. A centromere DNA-binding protein from fission yeast affects chromosome segregation and has homology to human CENP-B. 136:487.
Hammond, S.M. *See* Chen, Siddhanta, Austin, Hammond, Sung, Frohman, Morris, and Shields.
Han, J. *See* Eddy, Han, and Condeelis.
Han, J.W., Park, J.H., Kim, M., and Lee, J. mRNAs for microtubule proteins are specifically colocalized during the sequential formation of basal body, flagella, and cytoskeletal microtubules in the differentiation of *Naegleria gruberi.* 137:871.
Hanein, D., Matsudaira, P., and DeRosier, D.J. Evidence for a conformational change in actin induced by fimbrin (N375) binding. 139:387.
Hanford, D.S. *See* Zechner, Thuerauf, Hanford, McDonough, and Glembotski.
Hannah, M.J. *See* Schmidt, Hannah, and Huttner.
Hanson, P.I. *See* Cover, Hanson, and Heuser.
Harada, A. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.
Harada, N. *See* Yamamoto, Harada, Kano, Taya, Canaani, Matsuura, Mizoguchi, Ide, and Kaibuchi.
Häring, M. *See* Liang, Häring, Roughley, Margolis, and Margolis.
Harley, J.E. *See* Koval, Harley, Hick, and Steinberg.
Harrison, A. *See* Patel-King, Benashski, Harrison, and King.
Hart, M.J. *See* Bashour, Fullerton, Hart, and Bloom.
Hartmann, E. *See* Görlich, Dabrowski, Bischoff, Kutay, Bork, Hartmann, Prehn, and Izaurralde.
Hartwig, J.H. *See* Liu, Thomas, Warren, Enns, Cunningham, Hartwig, and Thomas.
Harvie, D. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Hasebe, T. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Hasson, T., Gillespie, P.G., Garcia, J.A., MacDonald, R.B., Zhao, Y.-d., Yee, A.G., Mooseker, M.S., and Corey, D.P. Unconventional myosins in inner-ear sensory epithelia. 137:1287.

Hatten, M.E. *See* Faust and Hatten.
Hauri, H.-P. *See* Salas, Rodriguez, Viciana, Vega-Salas, and Hauri.
Hauss, C. *See* Boeuf, Hauss, De Graeve, Baran, and Kedinger.
Hawcroft, G. *See* Alphey, Parker, Hawcroft, Guo, Kaiser, and Morgan.
Hayek, A. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.
Hayes, A. *See* Roof, Hayes, Adamian, Chishti, and Li.
He, H., Lam, M., McCormick, T.S., and Distelhorst, C.W. Maintenance of calcium homeostasis in the endoplasmic reticulum by Bcl-2. 138:1219.
He, L. *See* Schuger, Skubitz, Zhang, Sorokin, and He.
Heagle, A.B. *See* McEwen, Heagle, Cassels, Buttle, and Rieder.
Heald, R., Tournebize, R., Habermann, A., Karsenti, E., and Hyman, A. Spindle assembly in *Xenopus* egg extracts: Respective roles of centrosomes and microtubule self-organization. 138:615.
Heasman, J. *See* García-Castro, Anderson, Heasman, and Wylie.
Hebert, D.N., Zhang, J.-X., Chen, W., Foellmer, B., and Helenius, A. The number and location of glycans on influenza hemagglutinin determine folding and association with calnexin and calreticulin. 139:613.
Hegde, R.S. *See* Lingappa, Hill, Wong, and Hegde.
Hegemann, J.H. *See* Beinhauer, Hagan, Hegemann, and Fleig.
Heid, H.W. *See* Mundel, Heid, Mundel, Krüger, Reiser, and Kriz.
Heijnen, H.F.G., Oorschot, V., Sixma, J.J., Slot, J.W., and James, D.E. Thrombin stimulates glucose transport in human platelets via the translocation of the glucose transporter GLUT-3 from α-granules to the cell surface. 138:323.
Heinegård, D. *See* Camper, Heinegård, and Lundgren-Åkerlund.
Heins, L. *See* Lübeck, Heins, and Soll.
Heizer, C. *See* Neujahr, Heizer, Albrecht, Ecke, Schwartz, Weber, and Gerisch.
Helenius, A. *See* Hebert, Zhang, Chen, Foellmer, and Helenius.
— *See* Sodeik, Ebersold, and Helenius.
— *See* Tatu and Helenius.
Hemperly, J.J. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Hemphill, A. *See* Kueng, Nikolova, Djonov, Hemphill, Rohrbach, Boehlen, Zuercher, Andres, and Ziemiecki.
— *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Henry, R., Carrigan, M., McCaffery, M., Ma, X., and Cline, K. Targeting determinants and proposed evolutionary basis for the Sec and the Delta pH protein transport systems in chloroplast thylakoid membranes. 136:823.
Hermann, G.J., King, E.J., and Shaw, J.M. The yeast gene, *MDM20*, is necessary for mitochondrial inheritance and organization of the actin cytoskeleton. 137:141.
Hernandez, L.D., Peters, R.J., Delos, S.E., Young, J.A.T., Agard, D.A., and White, J.M. Activation of a retroviral membrane fusion protein: Soluble receptor-induced liposome binding of the ALSV envelope glycoprotein. 139:1455.
Herrington, J. *See* Babcock, Herrington, Goodwin, Park, and Hille.
Herrlich, P. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Herskowitz, I. *See* Philips and Herskowitz.
Heuser, J.E. *See* Cover, Hanson, and Heuser.
Heyer, W.-D. *See* Bashkirov, Scherthan, Solinger, Buerstedde, and Heyer.
Hiatt, E.N. *See* Yu, Hiatt, Chan, Sweeney, and Dawe.
Hick, E. *See* Koval, Harley, Hick, and Steinberg.
Hickey, R. *See* Becker, Gottshall, Hickey, Perriard, and Chien.
Hickson, I.D. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Hill, R.L. *See* Lingappa, Hill, Wong, and Hegde.
Hille, B. *See* Babcock, Herrington, Goodwin, Park, and Hille.
Hinchcliffe, E.H. *See* Wheatley, Hinchcliffe, Glotzer, Hyman, Sluder, and Wang.
Hirokawa, N. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.
Hirono, M. *See* Kato-Minoura, Hirono, and Kamiya.
Hockenbery, D.M. *See* Mancini, Anderson, Caldwell, Sedghinasab, Paty, and Hockenbery.
Hodivala-Dilke, K.M. *See* DiPersio, Hodivala-Dilke, Jaenisch, Kreidberg, and Hynes.
Hoeffler, J.P. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Hoekstra, D. *See* van IJzendoorn, Zegers, Kok, and Hoekstra.
— *See* Zegers and Hoekstra.
Hoflack, B. *See* Le Borgne and Hoflack.
Hofmann, M. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Hogg, N. *See* Porter and Hogg.
Holder, J. *See* Kerscher, Holder, Srinivasan, Leung, and Jensen.
Holkeri, H. *See* Saris, Holkeri, Craven, Stirling, and Makarow.
Hollinshead, M. *See* Fricker, Hollinshead, White, and Vaux.
Holmes, D.F. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.
Holmes, W. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Holst, B., Tachibana, C., and Winther, J.R. Active site mutations in yeast protein disulfide isomerase cause dithiothreitol sensitivity and a reduced rate of protein folding in the endoplasmic reticulum. 138:1229.
Hong, W. *See* Zhang, Wong, Tang, Xu, Peter, Subramaniam, and Hong.
Hong, Y. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Hoock, T.C., Peters, L.L., and Lux, S.E. Isoforms of ankyrin-3 that lack the NH_2-terminal repeats associate with mouse macrophage lysosomes. 136:1059.
Hopper, A.K. *See* Vaduva, Martin, and Hopper.
Hordijk, P.L. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
Horiguchi, R. *See* Tokumoto, Yamashita, Tokumoto, Katsu, Horiguchi, Kajiura, and Nagahama.
Horiguchi, Y. *See* Katahira, Inoue, Horiguchi, Matsuda, and Sugimoto.
Hornack, D. *See* Saunders, Hornack, Lengyel, and Deng.
Horng, J.-T. *See* Faúndez, Horng, and Kelly.
Hortsch, M. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Hotchin, N.A. *See* Braga, Machesky, Hall, and Hotchin.
Hoth, M., Fanger, C.M., and Lewis, R.S. Mitochondrial regulation of store-operated calcium signaling in T lymphocytes. 137:633.
Houchmandzadeh, B., Marko, J.F., Chatenay, D., and Libchaber, A. Elasticity and structure of eukaryote chromosomes studied by micromanipulation and micropipette aspiration. 139:1.
Houssa, B. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.
Howard, T. *See* Saunders, do Carmo Avides, Howard, Gonzalez, and Glover.
Howell, K.E. *See* Jones and Howell.
Howells, N. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Howes, S. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Hoxie, J.A. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Hoyt, M.A. *See* Cottingham and Hoyt.
Hsu, Y.-T. *See* Wolter, Hsu, Smith, Nechushtan, Xi, and Youle.
Hsueh, Y.-P. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Hu, V.W. *See* Xie, Laird, Chang, and Hu.
Hua, X.H., Yan, H., and Newport, J. A role for Cdk2 kinase in negatively regulating DNA replication during S phase of the cell cycle. 137:183.
Huang, A.Y. *See* Castle, Huang, and Castle.
Huang, K. *See* Stepp, Huang, and Lemmon.
Huang, P.-H., and Chiang, H.-L. Identification of novel vesicles in the cytosol to vacuole protein degradation pathway. 136:803.
Huang, S., Deerinck, T.J., Ellisman, M.H., and Spector, D.L. The dynamic organization of the perinucleolar compartment in the cell nucleus. 137:965.
Huang, Y., Jellies, J., Johansen, K.M., and Johansen, J. Differential glycosylation of tractin and LeechCAM, two novel Ig superfamily members, regulates neurite extension and fascicle formation. 138:143.
Huby, R.D.J., Iwashima, M., Weiss, A., and Ley, S.C. ZAP-70 protein tyrosine kinase is constitutively targeted to the T cell cortex independently of its SH2 domains. 137:1639.
Huffaker, T.C. *See* Wang and Huffaker.
Hughes, T.E. *See* Liu, Hughes, and Sessa.
Hungerford, J.E., Hoeffler, J.P., Bowers, C.W., Dahm, L.M., Falchetto, R., Shabanowitz, J., Hunt, D.F., and Little, C.D. Identification of a novel marker for primordial smooth muscle and its differential expression pattern in contractile vs noncontractile cells. 137:925.
Hunt, D.F. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Hunt, P.A. *See* LeMaire-Adkins, Radke, and Hunt.

Husmann, K. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.
Huttner, W.B. *See* Schmidt, Hannah, and Huttner.
Hwang, I. *See* Lauber, Waizenegger, Steinmann, Schwarz, Mayer, Hwang, Lukowitz, and Jürgens.
Hyde, D.R. *See* Milligan, Alb, Elagina, Bankaitis, and Hyde.
Hyman, A. *See* Heald, Tournebize, Habermann, Karsenti, and Hyman.
Hyman, A.A. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
— *See* Wheatley, Hinchcliffe, Glotzer, Hyman, Sluder, and Wang.
Hynes, R.O. *See* Charlton, Mohler, Radice, Hynes, and Blau.
— *See* DiPersio, Hodivala-Dilke, Jaenisch, Kreidberg, and Hynes.
— *See* Radice, Ferreira-Cornwell, Robinson, Rayburn, Chodosh, Takeichi, and Hynes.

I

Iaccarino, C. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Iavarone, C. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Ide, C. *See* Yamamoto, Harada, Kano, Taya, Canaani, Matsuura, Mizoguchi, Ide, and Kaibuchi.
Ikegaki, N. *See* Sakai, Sasaki, Ikegaki, Shirai, Ono, and Saito.
Ikeuchi, Y. *See* Kanaseki, Kawasaki, Murata, Ikeuchi, and Ohnishi.
Imamoto, N. *See* Kose, Imamoto, Tachibana, Shimamoto, and Yoneda.
Inaba, K. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
— *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Inomata, S. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.
Inoue, D. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Inoue, N. *See* Katahira, Inoue, Horiguchi, Matsuda, and Sugimoto.
Insall, R.H. *See* Tuxworth, Cheetham, Machesky, Spiegelmann, Weeks, and Insall.
Iovine, M.K., and Wente, S.R. A nuclear export signal in Kap95p is required for both recycling the import factor and interaction with the nucleoporin GLFG repeat regions of Nup116p and Nup100p. 137:797.
Iozzo, R.V. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.
Ishikawa, H. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Ishov, A.M., Stenberg, R.M., and Maul, G.G. Human cytomegalovirus immediate early interaction with host nuclear structures: Definition of an immediate transcript environment. 138:5.
Isobe-Nakamura, M. *See* Bijlmakers, Isobe-Nakamura, Ruddock, and Marsh.
Itoh, K. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Itoh, M., Nagafuchi, A., Moroi, S., and Tsukita, S. Involvement of ZO-1 in cadherin-based cell adhesion through its direct binding to α catenin and actin filaments. 138:181.
— *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
Iwamatsu, A. *See* Welch, DePace, Verma, Iwamatsu, and Mitchison.
Iwashima, M. *See* Huby, Iwashima, Weiss, and Ley.
Izaurralde, E., Jarmolowski, A., Beisel, C., Mattaj, I.W., Dreyfuss, G., and Fischer, U. A role for the M9 transport signal of hnRNP A1 in mRNA nuclear export. 137:27.
— *See* Görlich, Dabrowski, Bischoff, Kutay, Bork, Hartmann, Prehn, and Izaurralde.

J

Jacobson, C. *See* Cohen, Jacobson, Yurchenco, Morris, and Carbonetto.
Jaenisch, R. *See* DiPersio, Hodivala-Dilke, Jaenisch, Kreidberg, and Hynes.
Jaffe, L.A. *See* Carroll, Ramarao, Mehlmann, Roche, Terasaki, and Jaffe.
Jahn, R. *See* Annaert, Becker, Kistner, Reth, and Jahn.
Jalkanen, S. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.
James, D.E. *See* Heijnen, Oorschot, Sixma, Slot, and James.
— *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Janicki, S., and Monteiro, M.J. Increased apoptosis arising from increased expression of the Alzheimer's disease–associated presenilin-2 mutation (N141I). 139:485.
Janmey, P.A. *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
Jantsch, M.F. *See* Eckmann and Jantsch.
Jarmolowski, A. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.
Jedd, G., Mulholland, J., and Segev, N. Two new Ypt GTPases are required for exit from the yeast *trans*-Golgi compartment. 137:563.
Jégou, B. *See* Dejucq, Chousterman, and Jégou.
Jellies, J. *See* Huang, Jellies, Johansen, and Johansen.
Jenkins, N.A. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Jensen, K. *See* Sternsdorf, Jensen, and Will.
— *See* Sternsdorf, Jensen, Züchner, and Will.
Jensen, P.J. *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.
Jensen, R.E. *See* Kerscher, Holder, Srinivasan, Leung, and Jensen.
— *See* Lohret, Jensen, and Kinnally.
Johansen, J. *See* Huang, Jellies, Johansen, and Johansen.
Johansen, K.M. *See* Huang, Jellies, Johansen, and Johansen.
Johnson, E.M., Jr. *See* Miller, Moulder, Knudson, Creedon, Deshmukh, Korsmeyer, and Johnson.
Johnson, J.J. *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.
Johnson, K.R. *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.
— *See* Salomon, Sacco, Roy, Simcha, Johnson, Wheelock, and Ben-Ze'ev.
Johnson, M. *See* Serra, Johnson, Filvaroff, LaBorde, Sheehan, Derynck, and Moses.
Jones, D.H., Davies, T.C., and Kidder, G.M. Embryonic expression of the putative γ subunit of the sodium pump is required for acquisition of fluid transport capacity during mouse blastocyst development. 139:1545.
Jones, F.S. *See* Kallunki, Edelman, and Jones.
Jones, P.L., Crack, J., and Rabinovitch, M. Regulation of Tenascin-C, a vascular smooth muscle cell survival factor that interacts with the $\alpha_v\beta_3$ integrin to promote epidermal growth factor receptor phosphorylation and growth. 139:279.
Jones, S.M., and Howell, K.E. Phosphatidylinositol 3–kinase is required for the formation of constitutive transport vesicles from the TGN. 139:339.
Jontes, J.D., and Milligan, R.A. Brush border myosin–I structure and ADP-dependent conformational changes revealed by cryoelectron microscopy and image analysis. 139:683.
Jordan, P., and Karess, R. Myosin light chain–activating phosphorylation sites are required for oogenesis in Drosophila. 139:1805.
Jørgensen, N.R., Geist, S.T., Civitelli, R., and Steinberg, T.H. ATP- and gap junction–dependent intercellular calcium signaling in osteoblastic cells. 139:497.
Joseph, C. *See* Cardoso, Joseph, Rahn, Reusch, Nadal-Ginard, and Leonhardt.
Joyce, M. *See* Zigmond, Joyce, Borleis, Bokoch, and Devreotes.
Juliano, R.L. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Jürgens, G. *See* Lauber, Waizenegger, Steinmann, Schwarz, Mayer, Hwang, Lukowitz, and Jürgens.

K

Kadler, K.E. *See* Danielson, Baribault, Holmes, Graham, Kadler, and Iozzo.
Kadowaki, T. *See* Takahashi, Kadowaki, Yazaki, Miyashita, and Kasai.
Kaibuchi, K. *See* Yamamoto, Harada, Kano, Taya, Canaani, Matsuura, Mizoguchi, Ide, and Kaibuchi.
Kain, H.E.T. *See* van Leeuwen, Kain, van der Kammen, Michiels, Kranenburg, and Collard.
Kaiser, C.A. *See* Roberg, Rowley, and Kaiser.
Kaiser, K. *See* Alphey, Parker, Hawcroft, Guo, Kaiser, and Morgan.
Kajiura, H. *See* Tokumoto, Yamashita, Tokumoto, Katsu, Horiguchi, Kajiura, and Nagahama.
Kalkbrenner, F. *See* Zitt, Obukhov, Strübing, Zobel, Kalkbrenner, Lückhoff, and Schultz.
Kallunki, P., Edelman, G.M., and Jones, F.S. Tissue-specific expression of the L1 cell adhesion molecule is modulated by the neural restrictive silencer element. 138:1343.
Kamiya, R. *See* Kato-Minoura, Hirono, and Kamiya.
Kanaseki, T., Kawasaki, K., Murata, M., Ikeuchi, Y., and Ohnishi, S. Structural features of membrane fusion between influenza virus and liposome as revealed by quick-freezing electron microscopy. 137:1041.
Kanazawa, M. *See* Terada, Kanazawa, Bukau, and Mori.

Kaneko, Y. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Kang, F. *See* Laine, Zeile, Kang, Purich, and Southwick.
Kang, J.-S., Gao, M., Feinleib, J.L., Cotter, P.D., Guadagno, S.N., and Krauss, R.S. CDO: An oncogene-, serum-, and anchorage-regulated member of the Ig/fibronectin type III repeat family. 138:203.
Kano, K. *See* Yamamoto, Harada, Kano, Taya, Canaani, Matsuura, Mizoguchi, Ide, and Kaibuchi.
Kansas, G.S. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
— *See* Lawrence, Kansas, Kunkel, and Ley.
Kaplan, D. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Kaplan, J. *See* Ward, Leslie, and Kaplan.
Kaplan, K.B. *See* Espelin, Kaplan, and Sorger.
Karess, R. *See* Jordan and Karess.
Karsenti, E. *See* Andersen and Karsenti.
— *See* Heald, Tournebize, Habermann, Karsenti, and Hyman.
Kasai, H. *See* Takahashi, Kadowaki, Yazaki, Miyashita, and Kasai.
Kashiwagi, H., Schwartz, M.A., Eigenthaler, M., Davis, K.A., Ginsberg, M.H., and Shattil, S.J. Affinity modulation of platelet integrin $\alpha_{IIb}\beta_3$ by β_3-endonexin, a selective binding partner of the β_3 integrin cytoplasmic tail. 137:1433.
Kastrup, J. *See* Dietrich, Kastrup, Nielsen, Ødum, and Geisler.
Katahira, J., Inoue, N., Horiguchi, Y., Matsuda, M., and Sugimoto, N. Molecular cloning and functional characterization of the receptor for *Clostridium perfringens* enterotoxin. 136:1239.
Kataoka, N. *See* Siomi, Eder, Kataoka, Wan, Liu, and Dreyfuss.
Kato, M. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Kato-Minoura, T., Hirono, M., and Kamiya, R. *Chlamydomonas* inner-arm dynein mutant, *ida5*, has a mutation in an actin-encoding gene. 137:649.
Katsu, Y. *See* Tokumoto, Yamashita, Tokumoto, Katsu, Horiguchi, Kajiura, and Nagahama.
Kawasaki, K. *See* Kanaseki, Kawasaki, Murata, Ikeuchi, and Ohnishi.
Kean, L.S., Grant, A.M., Angeletti, C., Mahé, Y., Kuchler, K., Fuller, R.S., and Nichols, J.W. Plasma membrane translocation of fluorescent-labeled phosphatidylethanolamine is controlled by transcription regulators, *PDR1* and *PDR3*. 138:255.
Kedinger, C. *See* Boeuf, Hauss, De Graeve, Baran, and Kedinger.
Kedinger, M. *See* Lorentz, Duluc, De Arcangelis, Simon-Assmann, Kedinger, and Freund.
Keegstra, K. *See* Akita, Nielsen, and Keegstra.
Keene, D.R. *See* Rousselle, Keene, Ruggiero, Champliaud, van der Rest, and Burgeson.
Kelley, C.A., Sellers, J.R., Gard, D.L., Bui, D., Adelstein, R.S., and Baines, I.C. Xenopus nonmuscle myosin heavy chain isoforms have different subcellular localizations and enzymatic activities: Correction. 138:215.
Kellner, R. *See* Rojo, Pepperkok, Emery, Kellner, Stang, Parton, and Gruenberg.
Kellogg, D. *See* Altman and Kellogg.
Kelly, R.B. *See* Faúndez, Horng, and Kelly.
Kerscher, O., Holder, J., Srinivasan, M., Leung, R.S., and Jensen, R.E. The Tim54p–Tim22p complex mediates insertion of proteins into the mitochondrial inner membrane. 139:1663.
Khodjakov, A., Cole, R.W., McEwen, B.F., Buttle, K.F., and Rieder, C.L. Chromosome fragments possessing only one kinetochore can congress to the spindle equator. 136:229.
Khwaja, A., and Downward, J. Lack of correlation between activation of Jun–NH_2-terminal kinase and induction of apoptosis after detachment of epithelial cells. 139:1017.
Kidder, G.M. *See* Jones, Davies, and Kidder.
Kiefer, F. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Kikuchi, A. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Kim, E., Du, L., Bregman, D.B., and Warren, S.L. Splicing factors associate with hyperphosphorylated RNA polymerase II in the absence of pre-mRNA. 136:19.
Kim, E., Naisbitt, S., Hsueh, Y.-P., Rao, A., Rothschild, A., Craig, A.M., and Sheng, M. GKAP, a novel synaptic protein that interacts with the guanylate kinase-like domain of the PSD-95/SAP90 family of channel clustering molecules. 136:669.
Kim, J., Scott, S.V., Oda, M.N., and Klionsky, D.J. Transport of a large oligomeric protein by the cytoplasm to vacuole protein targeting pathway. 137:609.
— *See* Yu, Kim, and Ossowski.
Kim, M. *See* Han, Park, Kim, and Lee.
Kimelman, D. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
King, E.J. *See* Hermann, King, and Shaw.
King, S.J., and Dutcher, S.K. Phosphoregulation of an inner dynein arm complex in *Chlamydomonas reinhardtii* is altered in phototactic mutant strains. 136:177.
King, S.M. *See* Patel-King, Benashski, Harrison, and King.
Kinnally, K.W. *See* Lohret, Jensen, and Kinnally.
Kirsch, T., Nah, H.-D., Shapiro, I.M., and Pacifici, M. Regulated production of mineralization-competent matrix vesicles in hypertrophic chondrocytes. 137:1149.
Kishishita, M. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Kislauskis, E.H., Zhu, X.-c., and Singer, R.H. β-Actin messenger RNA localization and protein synthesis augment cell motility. 136:1263. Correction. 137:1459.
Kistner, U. *See* Annaert, Becker, Kistner, Reth, and Jahn.
Kitayama, C., Sugimoto, A., and Yamamoto, M. Type II myosin heavy chain encoded by the *myo2* gene composes the contractile ring during cytokinesis in *Schizosaccharomyces pombe*. 137:1309.
Kjeldsen, E. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Klasse, P.J. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Klauke, N. *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Klausen, P. *See* Skov, Klausen, and Claesson.
Kleijmeer, M.J., Morkowski, S., Griffith, J.M., Rudensky, A.Y., and Geuze, H.J. Major histocompatibility complex class II compartments in human and mouse B lymphoblasts represent conventional endocytic compartments. 139:639.
Klemke, R.L., Cai, S., Giannini, A.L., Gallagher, P.J., de Lanerolle, P., and Cheresh, D.A. Regulation of cell motility by mitogen-activated protein kinase. 137:481.
Kleve, M. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Klionsky, D.J. *See* Baba, Osumi, Scott, Klionsky, and Ohsumi.
— *See* Kim, Scott, Oda, and Klionsky.
— *See* Scott, Baba, Ohsumi, and Klionsky.
Klippel, A. *See* Philpott, McCarthy, Klippel, and Rubin.
Klumperman, J. *See* Kuliawat, Klumperman, Ludwig, and Arvan.
Knight, A.M. *See* Ferrari, Knight, Watts, and Pieters.
Knirr, S. *See* Paululat, Goubeaud, Damm, Knirr, Burchard, and Renkawitz-Pohl.
Knudsen, B.R. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Knudsen, K.A. *See* Redfield, Nieman, and Knudsen.
Knudson, C.M. *See* Miller, Moulder, Knudson, Creedon, Deshmukh, Korsmeyer, and Johnson.
Koch, P.J., Mahoney, M.G., Ishikawa, H., Pulkkinen, L., Uitto, J., Shultz, L., Murphy, G.F., Whitaker-Menezes, D., and Stanley, J.R. Targeted disruption of the pemphigus vulgaris antigen (desmoglein 3) gene in mice causes loss of keratinocyte cell adhesion with a phenotype similar to pemphigus vulgaris. 137:1091.
— *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
Köhler, G. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Kohn, J. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Koide, M. *See* Sato, Nagai, Kuppuswamy, Narishige, Koide, Menick, and Cooper.
Kok, J.W. *See* van IJzendoorn, Zegers, Kok, and Hoekstra.
Komma, D.J. *See* Endow and Komma.
Kondo, S. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.
Kondo, T., Takeuchi, K., Doi, Y., Yonemura, S., Nagata, S., Tsukita, S., and Tsukita, S. ERM (ezrin/radixin/moesin)-based molecular mechanism of microvillar breakdown at an early stage of apoptosis. 139:749.
Kong, R.Y.C. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Korsmeyer, S.J. *See* Miller, Moulder, Knudson, Creedon, Deshmukh, Korsmeyer, and Johnson.
Kose, S., Imamoto, N., Tachibana, T., Shimamoto, T., and Yoneda, Y. Ran-unassisted nuclear migration of a 97-kD component of nuclear pore–targeting complex. 139:841.
Kosik, K. *See* Morfini, Quiroga, Rosa, Kosik, and Cáceres.
Kosik, K.S. *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
— *See* Lu, Witke, Kwiatkowski, and Kosik.

Kössel, H. *See* Ruf, Kössel, and Bock.
Kotani, H. *See* Takaishi, Sasaki, Kotani, Nishioka, and Takai.
Koteliansky, V.E. *See* Belkin, Retta, Pletjushkina, Balzac, Silengo, Fassler, Koteliansky, Burridge, and Tarone.
Kouranov, A., and Schnell, D.J. Analysis of the interactions of preproteins with the import machinery over the course of protein import into chloroplasts. 139:1677.
Koutoulis, A., Pazour, G.J., Wilkerson, C.G., Inaba, K., Sheng, H., Takada, S., and Witman, G.B. The *Chlamydomonas reinhardtii ODA3* gene encodes a protein of the outer dynein arm docking complex. 137:1069. Correction. 138:729.
Koval, M., Harley, J.E., Hick, F., and Steinberg, T.H. Connexin46 is retained as monomers in a *trans*-Golgi compartment of osteoblastic cells. 137:847.
Kowalczyk, A.P., Bornslaeger, E.A., Borgwardt, J.E., Palka, H.L., Dhaliwal, A.S., Corcoran, C.M., Denning, M.F., and Green, K.J. The amino-terminal domain of desmoplakin binds to plakoglobin and clusters desmosomal cadherin–plakoglobin complexes. 139:773.
Kraegen, E.W. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Krainer, A.R. *See* Cáceres, Misteli, Screaton, Spector, and Krainer.
Kramer, J.M. *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.
— *See* Gupta, Graham, and Kramer.
Krammer, P.H. *See* Mariani, Matiba, Armandola, and Krammer.
Krane, S.M. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.
Kranenburg, O. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.
Kranenburg, O.W. *See* van Leeuwen, Kain, van der Kammen, Michiels, Kranenburg, and Collard.
Krause, K.-H. *See* Foti, Mangasarian, Piguet, Lew, Krause, Trono, and Carpentier.
Krauss, R.D. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Krauss, R.S. *See* Kang, Gao, Feinleib, Cotter, Guadagno, and Krauss.
Krauss, S.W., Larabell, C.A., Lockett, S., Gascard, P., Penman, S., Mohandas, N., and Chasis, J.A. Structural protein 4.1 in the nucleus of human cells: Dynamic rearrangements during cell division. 137:275.
Kreft, B., Berndorff, D., Böttinger, A., Finnemann, S., Wedlich, D., Hortsch, M., Tauber, R., and Geßner, R. LI-cadherin–mediated cell–cell adhesion does not require cytoplasmic interactions. 136: 1109.
Kreidberg, J.A. *See* DiPersio, Hodivala-Dilke, Jaenisch, Kreidberg, and Hynes.
Kreipe, H. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Kreis, T. *See* Daro, Sheff, Gomez, Kreis, and Mellman.
Kreis, T.E. *See* Scheel, Pepperkok, Lowe, Griffiths, and Kreis.
Krell, H.W. *See* Bloch, Forsberg, Lentini, Brakebusch, Martin, Krell, Weidle, Addicks, and Fässler.
Krivko, I. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Kriz, W. *See* Mundel, Heid, Mundel, Krüger, Reiser, and Kriz.
Krüger, M. *See* Mundel, Heid, Mundel, Krüger, Reiser, and Kriz.
Kucherlapati, R. *See* Acakpo-Satchivi, Edelmann, Sartorius, Lu, Wahr, Watkins, Metzger, Leinwand, and Kucherlapati.
Kuchler, K. *See* Kean, Grant, Angeletti, Mahé, Kuchler, Fuller, and Nichols.
Kueng, P., Nikolova, Z., Djonov, V., Hemphill, A., Rohrbach, V., Boehlen, D., Zuercher, G., Andres, A.-C., and Ziemiecki, A. A novel family of serine/threonine kinases participating in spermiogenesis. 139:1851.
Kuida, K. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Kuliawat, R., Klumperman, J., Ludwig, T., and Arvan, P. Differential sorting of lysosomal enzymes out of the regulated secretory pathway in pancreatic β-cells. 137:595.
Kunkel, E.J. *See* Lawrence, Kansas, Kunkel, and Ley.
Kunz Renggli, C. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Kuo, W.-L. *See* Xia, Winokur, Kuo, Altherr, and Bredt.
Kuppuswamy, D. *See* Sato, Nagai, Kuppuswamy, Narishige, Koide, Menick, and Cooper.
Kurath, U. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Kuriyama, R. *See* Sharp, Yu, Ferhat, Kuriyama, Rueger, and Baas.
— *See* Yu, Sharp, Kuriyama, Mallik, and Baas.
Küster, H. *See* Wolins, Bosshart, Küster, and Bonifacino.
Kutay, U. *See* Görlich, Dabrowski, Bischoff, Kutay, Bork, Hartmann, Prehn, and Izaurralde.
Kwan, K.M., Pang, M.K.M., Zhou, S., Cowan, S.K., Kong, R.Y.C., Pfordte, T., Olsen, B.R., Sillence, D.O., Tam, P.P.L., and Cheah, K.S.E. Abnormal compartmentalization of cartilage matrix components in mice lacking collagen X: Implications for function. 136:459.
Kwan, T. *See* Ng, Nguyen, Kwan, Branton, Nicholson, Cromlish, and Shore.
Kwiatkowski, D.J. *See* Lu, Witke, Kwiatkowski, and Kosik.

L

LaBorde, J. *See* Serra, Johnson, Filvaroff, LaBorde, Sheehan, Derynck, and Moses.
Lachance, C. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Lacroix, F.B. *See* Andreassen, Lacroix, and Margolis.
Laine, R.O., Zeile, W., Kang, F., Purich, D.L., and Southwick, F.S. Vinculin proteolysis unmasks an ActA homolog for actin-based *Shigella* motility. 138:1255.
Laird, D.W. *See* Xie, Laird, Chang, and Hu.
Lam, M. *See* He, Lam, McCormick, and Distelhorst.
Lambert, S. *See* Davis, Lambert, and Bennett.
Lamond, A.I. *See* Ferreira, Paolella, Ramos, and Lamond.
Landfear, S.M. *See* Snapp and Landfear.
Längst, G. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Lansdorp, P.M. Lessons from mice without telomerase. 139:309.
Larabell, C.A., Torres, M., Rowning, B.A., Yost, C., Miller, J.R., Wu, M., Kimelman, D., and Moon, R.T. Establishment of the dorsoventral axis in *Xenopus* embryos is presaged by early asymmetries in β-catenin that are modulated by the Wnt signaling pathway. 136:1123.
— *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
— *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Lasky, L.A. *See* Spencer, Dowbenko, Cheng, Li, Brush, Utzig, Simanis, and Lasky.
Lauber, M.H., Waizenegger, I., Steinmann, T., Schwarz, H., Mayer, U., Hwang, I., Lukowitz, W., and Jürgens, G. The *Arabidopsis* KNOLLE protein is a cytokinesis-specific syntaxin. 139:1485.
Laurent, V. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Lawrence, M.B., Kansas, G.S., Kunkel, E.J., and Ley, K. Threshold levels of fluid shear promote leukocyte adhesion through selectins (CD62L,P,E). 136:717. Correction. 137:261.
Laybutt, R. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Lazarevic, D. *See* Brancolini, Lazarevic, Rodriguez, and Schneider.
Le Bivic, A. *See* Yeaman, Le Gall, Baldwin, Monlauzeur, Le Bivic, and Rodriguez-Boulan.
Le Borgne, R., and Hoflack, B. Mannose 6-phosphate receptors regulate the formation of clathrin-coated vesicles in the TGN. 137:335.
Lechler, T., and Li, R. In vitro reconstitution of cortical actin assembly sites in budding yeast. 138:95.
Leclerc, N. *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
Lee, J. *See* Han, Park, Kim, and Lee.
Lee, V.M.-Y. *See* Chyung, Greenberg, Cook, Doms, and Lee.
— *See* Zhang, Tu, Abtahian, Trojanowski, and Lee.
Le Gall, A.H. *See* Yeaman, Le Gall, Baldwin, Monlauzeur, Le Bivic, and Rodriguez-Boulan.
Lehy, T. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Leikina, E. *See* Chernomordik, Leikina, Frolov, Bronk, and Zimmerberg.
Leinwand, L. *See* Acakpo-Satchivi, Edelmann, Sartorius, Lu, Wahr, Watkins, Metzger, Leinwand, and Kucherlapati.
Leinwand, L.A. *See* Mayer and Leinwand.
Lelongt, B., Trugman, G., Murphy, G., and Ronco, P.M. Matrix metalloproteinases MMP2 and MMP9 are produced in early stages of kidney morphogenesis but only MMP9 is required for renal organogenesis in vitro. 136:1363.
LeMaire-Adkins, R., Radke, K., and Hunt, P.A. Lack of checkpoint control at the metaphase/anaphase transition: A mechanism of meiotic nondisjunction in mammalian females. 139:1611.
Lemmon, S.K. *See* Stepp, Huang, and Lemmon.
Lengyel, V. *See* Saunders, Hornack, Lengyel, and Deng.

Lennarz, W.J. *See* Tian, Gong, Thomsen, and Lennarz.
Lenter, M.C. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Lentini, S. *See* Bloch, Forsberg, Lentini, Brakebusch, Martin, Krell, Weidle, Addicks, and Fässler.
Lentz, S.L. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Lenz-Böhme, B., Wismar, J., Fuchs, S., Reifegerste, R., Buchner, E., Betz, H., and Schmitt, B. Insertional mutation of the *Drosophila* nuclear lamin Dm_0 gene results in defective nuclear envelopes, clustering of nuclear pore complexes, and accumulation of annulate lamellae. 137:1001.
Leonhardt, H. *See* Cardoso, Joseph, Rahn, Reusch, Nadal-Ginard, and Leonhardt.
Lerch, M.M. *See* Aicher, Lerch, Müller, Schilling, and Ullrich.
Lerner, R.A. *See* Guan, Cravatt, Ehring, Hall, Boger, Lerner, and Gilula.
Leslie, J.D. *See* Ward, Leslie, and Kaplan.
Leung, R.S. *See* Kerscher, Holder, Srinivasan, Leung, and Jensen.
Lew, D.P. *See* Foti, Mangasarian, Piguet, Lew, Krause, Trono, and Carpentier.
Lewis, J.E., Wahl, J.K., III, Sass, K.M., Jensen, P.J., Johnson, K.R., and Wheelock, M.J. Cross-talk between adherens junctions and desmosomes depends on plakoglobin. 136:919.
Lewis, R.S. *See* Hoth, Fanger, and Lewis.
Lewis, S.A. *See* Tian, Lewis, Feierbach, Stearns, Rommelaere, Ampe, and Cowan.
Ley, K. *See* Lawrence, Kansas, Kunkel, and Ley.
Ley, S.C. *See* Huby, Iwashima, Weiss, and Ley.
Li, R. Bee1, a yeast protein with homology to Wiskott-Aldrich syndrome protein, is critical for the assembly of cortical actin cytoskeleton. 136:649.
— *See* Lechler and Li.
Li, T. *See* Roof, Hayes, Adamian, Chishti, and Li.
Li, W. *See* Spencer, Dowbenko, Cheng, Li, Brush, Utzig, Simanis, and Lasky.
Li, Y., Maher, P., and Schubert, D. Requirement for cGMP in nerve cell death caused by glutathione depletion. 139:1317.
Li, Z., Mericskay, M., Agbulut, O., Butler-Browne, G., Carlsson, L., Thornell, L.-E., Babinet, C., and Paulin, D. Desmin is essential for the tensile strength and integrity of myofibrils but not for myogenic commitment, differentiation, and fusion of skeletal muscle. 139:129.
— *See* Starr, Williams, Li, Etemad-Moghadam, Dawe, and Goldberg.
Liang, Y., Häring, M., Roughley, P.J., Margolis, R.K., and Margolis, R.U. Glypican and biglycan in the nuclei of neurons and glioma cells: Presence of functional nuclear localization signals and dynamic changes in glypican during the cell cycle. 139:851.
Liao, G. *See* Bi, Morris, Liao, Alderton, Scholey, and Steinhardt.
Libchaber, A. *See* Houchmandzadeh, Marko, Chatenay, and Libchaber.
Lin, K.-m. *See* Sun, Lin, and Yin.
Lin, T.H., Aplin, A.E., Shen, Y., Chen, Q., Schaller, M., Romer, L., Aukhil, I., and Juliano, R.L. Integrin-mediated activation of MAP kinase is independent of FAK: Evidence for dual integrin signaling pathways in fibroblasts. 136:1385.
Lindberg, I. *See* Muller, Zhu, and Lindberg.
Lingappa, J.R., Hill, R.L., Wong, M.L., and Hegde, R.S. A multistep, ATP-dependent pathway for assembly of human immunodeficiency virus capsids in a cell-free system. 136:567.
Linney, E. *See* Cash, Bock, Schughart, Linney, and Underhill.
Liou, W., Geuze, H.J., Geelen, M.J.H., and Slot, J.W. The autophagic and endocytic pathways converge at the nascent autophagic vacuoles. 136:61.
Lippincott-Schwartz, J. *See* Ellenberg, Siggia, Moreira, Smith, Presley, Worman, and Lippincott-Schwartz.
— *See* Sciaky, Presley, Smith, Zaal, Cole, Moreira, Terasaki, Siggia, and Lippincott-Schwartz.
Little, C.D. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Littleton, J.T., Bhat, M.A., and Bellen, H.J. Deciphering the function of neurexins at cellular junctions. 137:793.
Litvinov, S.V., Balzar, M., Winter, M.J., Bakker, H.A.M., B.-de Bruijn, I.H., Prins, F., Fleuren, G.J., and Warnaar, S.O. Epithelial cell adhesion molecule (Ep-CAM) modulates cell–cell interactions mediated by classic cadherins. 139:1337.
Litwin, M., Clark, K., Noack, L., Furze, J., Berndt, M., Albelda, S., Vadas, M., and Gamble, J. Novel cytokine-independent induction of endothelial adhesion molecules regulated by platelet/endothelial cell adhesion molecule (CD31). 139:219.
Liu, G., Thomas, L., Warren, R.A., Enns, C.A., Cunningham, C.C., Hartwig, J.H., and Thomas, G. Cytoskeletal protein ABP-280 directs the intracellular trafficking of furin and modulates proprotein processing in the endocytic pathway. 139:1719.
Liu, J., Hughes, T.E., and Sessa, W.C. The first 35 amino acids and fatty acylation sites determine the molecular targeting of endothelial nitric oxide synthase into the Golgi region of cells: A green fluorescent protein study. 137:1525.
— *See* Chang, Wong, Smith, and Liu.
— *See* Yang, Liu, and DeFranco.
Liu, Q. *See* Siomi, Eder, Kataoka, Wan, Liu, and Dreyfuss.
Liu, Y., and Edwards, R.H. Differential localization of vesicular acetylcholine and monoamine transporters in PC12 cells but not CHO cells. 139:907.
Lloyd, K.O. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.
Lo, S.H., Yu, Q.-C., Degenstein, L., Chen, L.B., and Fuchs, E. Progressive kidney degeneration in mice lacking tensin. 136:1349.
Lochter, A., Galosy, S., Muschler, J., Freedman, N., Werb, Z., and Bissell, M.J. Matrix metalloproteinase stromelysin–1 triggers a cascade of molecular alterations that leads to stable epithelial-to-mesenchymal conversion and a premalignant phenotype in mammary epithelial cells. 139:1861.
Lockett, S. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Lohret, T.A., Jensen, R.E., and Kinnally, K.W. Tim23, a protein import component of the mitochondrial inner membrane, is required for normal activity of the multiple conductance channel, MCC. 137:377.
Longo, V.D., Ellerby, L.M., Bredesen, D.E., Valentine, J.S., and Gralla, E.B. Human Bcl-2 reverses survival defects in yeast lacking superoxide dismutase and delays death of wild-type yeast. 135: 1581
Lopez, A. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.
Lorentz, O., Duluc, I., De Arcangelis, A., Simon-Assmann, P., Kedinger, M., and Freund, J.-N. Key role of the *Cdx2* homeobox gene in extracellular matrix–mediated intestinal cell differentiation. 139:1553.
Louis, H.A. *See* Pomiès, Louis, and Beckerle.
Louvard, D. *See* Crepaldi, Gautreau, Comoglio, Louvard, and Arpin.
Lowe, M. *See* Scheel, Pepperkok, Lowe, Griffiths, and Kreis.
Lowe, N. *See* Arkowitz and Lowe.
Lozano, F. *See* Serrador, Alonso-Lebrero, del Pozo, Furthmayr, Schwartz-Albiez, Calvo, Lozano, and Sánchez-Madrid.
Lu, B.D. *See* Acakpo-Satchivi, Edelmann, Sartorius, Lu, Wahr, Watkins, Metzger, Leinwand, and Kucherlapati.
Lu, M., Witke, W., Kwiatkowski, D.J., and Kosik, K.S. Delayed retraction of filopodia in gelsolin null mice. 138:1279.
— *See* Cunningham, Leclerc, Flanagan, Lu, Janmey, and Kosik.
Lübeck, J., Heins, L., and Soll, J. A nuclear-coded chloroplastic inner envelope membrane protein uses a soluble sorting intermediate upon import into the organelle. 137:1279.
Lucas, R. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
Lückhoff, A. *See* Zitt, Obukhov, Strübing, Zobel, Kalkbrenner, Lückhoff, and Schultz.
Ludin, B. *See* Felgner, Frank, Biernat, Mandelkow, Mandelkow, Ludin, Matus, and Schliwa.
Ludwig, T. *See* Kuliawat, Klumperman, Ludwig, and Arvan.
Luini, A. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
— *See* Mironov, Weidman, and Luini.
Lukowitz, W. *See* Lauber, Waizenegger, Steinmann, Schwarz, Mayer, Hwang, Lukowitz, and Jürgens.
Luna, E.J. *See* Pestonjamasp, Pope, Wulfkuhle, and Luna.
Lund, E. *See* Powers, Forbes, Dahlberg, and Lund.
Lundgren-Åkerlund, E. *See* Camper, Heinegård, and Lundgren-Åkerlund.
Luo, W.-j., and Chang, A. Novel genes involved in endosomal traffic in yeast revealed by suppression of a targeting-defective plasma membrane ATPase mutant. 138:731.
Lupu, F. *See* Emeis, van den Eijnden-Schrauwen, van den Hoogen, de Priester, Westmucket, and Lupu.
Luscinskas, F.W. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Lustig, M. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Luther, M.A. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Lutz, Y. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.
Lux, S.E. *See* Hoock, Peters, and Lux.

Ma, A.D., Brass, L.F., and Abrams, C.S. Pleckstrin associates with plasma membranes and induces the formation of membrane projections: Requirements for phosphorylation and the NH_2-terminal PH domain. 136:1071.

Ma, L. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.

Ma, X. *See* Henry, Carrigan, McCaffery, Ma, and Cline.

MacDonald, R.B. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.

Maceyka, M., and Machamer, C.E. Ceramide accumulation uncovers a cycling pathway for the *cis*-Golgi network marker, infectious bronchitis virus M protein. 139:1411.

MacFarlane, M., Cain, K., Sun, X.-M., Alnemri, E.S., and Cohen, G.M. Processing/activation of at least four interleukin-1β converting enzyme–like proteases occurs during the execution phase of apoptosis in human monocytic tumor cells. 137:469.

Machamer, C.E. *See* Maceyka and Machamer.

Machesky, L.M., and Hall, A. Role of actin polymerization and adhesion to extracellular matrix in Rac- and Rho-induced cytoskeletal reorganization. 138:913.

— *See* Braga, Machesky, Hall, and Hotchin.

— *See* Tuxworth, Cheetham, Machesky, Spiegelmann, Weeks, and Insall.

Mackay, A.M. *See* Eckley, Ainsztein, Mackay, Goldberg, and Earnshaw.

Mackay, D.J.G., Esch, F., Furthmayr, H., and Hall, A. Rho- and Rac-dependent assembly of focal adhesion complexes and actin filaments in permeabilized fibroblasts: An essential role for ezrin/radixin/moesin proteins. 138:927.

Macklin, W. *See* Trapp, Nishiyama, Cheng, and Macklin.

Maddox, P. *See* Schaar, Chan, Maddox, Salmon, and Yen.

— *See* Shaw, Yeh, Maddox, Salmon, and Bloom.

Madeo, F., Fröhlich, E., and Fröhlich, K.-U. A yeast mutant showing diagnostic markers of early and late apoptosis. 139:729.

Maeda, T. *See* Manabe, Oh-e, Maeda, Fukuda, and Sekiguchi.

Magazin, M. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.

Magez, S., Geuskens, M., Beschin, A., del Favero, H., Verschueren, H., Lucas, R., Pays, E., and de Baetselier, P. Specific uptake of tumor necrosis factor-α is involved in growth control of *Trypanosoma brucei*. 137:715.

Mahbubani, H.M., Chong, J.P.J., Chevalier, S., Thömmes, P., and Blow, J.J. Cell cycle regulation of the replication licensing system: Involvement of a Cdk-dependent inhibitor. 136:125.

Mahé, Y. *See* Kean, Grant, Angeletti, Mahé, Kuchler, Fuller, and Nichols.

Maher, P. *See* Li, Maher, and Schubert.

Mahoney, M.G. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.

Maione, R. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.

Makarenkova, H., Becker, D.L., Tickle, C., and Warner, A.E. Fibroblast growth factor 4 directs gap junction expression in the mesenchyme of the vertebrate limb bud. 138:1125.

Makarow, M. *See* Saris, Holkeri, Craven, Stirling, and Makarow.

Malhotra, V. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.

Malik, A. *See* van't Hof, Malik, Vijayakumar, Qiao, van Adelsberg, and Al-Awqati.

Mallik, P. *See* Yu, Sharp, Kuriyama, Mallik, and Baas.

Mally, M.I. *See* Ptasznik, Beattie, Mally, Cirulli, Lopez, and Hayek.

Manabe, R., Oh-e, N., Maeda, T., Fukuda, T., and Sekiguchi, K. Modulation of cell-adhesive activity of fibronectin by the alternatively spliced EDA segment. 139:295.

Mancini, M., Anderson, B.O., Caldwell, E., Sedghinasab, M., Paty, P.B., and Hockenbery, D.M. Mitochondrial proliferation and paradoxical membrane depolarization during terminal differentiation and apoptosis in a human colon carcinoma cell line. 138:449.

Mandai, K., Nakanishi, H., Satoh, A., Obaishi, H., Wada, M., Nishioka, H., Itoh, M., Mizoguchi, A., Aoki, T., Fujimoto, T., Matsuda, Y., Tsukita, S., and Takai, Y. Afadin: A novel actin filament–binding protein with one PDZ domain localized at cadherin-based cell-to-cell adherens junction. 139:517. Correction. 139:1061.

— *See* Nakanishi, Obaishi, Satoh, Wada, Mandai, Satoh, Nishioka, Matsuura, Mizoguchi, and Takai.

Mandelkow, E.-M. *See* Felgner, Frank, Biernat, Mandelkow, Mandelkow, Ludin, Matus, and Schliwa.

Mangasarian, A. *See* Foti, Mangasarian, Piguet, Lew, Krause, Trono, and Carpentier.

Maniak, M. *See* Niewöhner, Weber, Maniak, Müller-Taubenberger, and Gerisch.

Mann, M. *See* McNagny, Pettersson, Rossi, Flamme, Shevchenko, Mann, and Graf.

Mannherz, H.G. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.

Marcusson, E.G. *See* Seaman, Marcusson, Cereghino, and Emr.

Mareel, M. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.

Margolis, R.K. *See* Liang, Häring, Roughley, Margolis, and Margolis.

Margolis, R.L. *See* Andreassen, Lacroix, and Margolis.

Margolis, R.U. *See* Liang, Häring, Roughley, Margolis, and Margolis.

Mariani, S.M., Matiba, B., Armandola, E.A., and Krammer, P.H. Interleukin 1β-converting enzyme related proteases/caspases are involved in TRAIL-induced apoptosis of myeloma and leukemia cells. 137:221.

Mark, R.J. *See* Furukawa, Estus, Fu, Mark, and Mattson.

Marko, J.F. *See* Houchmandzadeh, Marko, Chatenay, and Libchaber.

Marquis, H., Goldfine, H., and Portnoy, D.A. Proteolytic pathways of activation and degradation of a bacterial phospholipase C during intracellular infection by *Listeria monocytogenes*. 137:1381.

Marsh, M. *See* Bijlmakers, Isobe-Nakamura, Ruddock, and Marsh.

— *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.

Marshall, W.F. *See* Bass, Marshall, Sedat, Agard, and Cande.

Martin, K. *See* Bloch, Forsberg, Lentini, Brakebusch, Martin, Krell, Weidle, Addicks, and Fässler.

Martin, N.C. *See* Vaduva, Martin, and Hopper.

Martin, S. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.

Martin, S.S. *See* Dharmawardhane, Sanders, Martin, Daniels, and Bokoch.

Mastronicola, M.R. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.

Mataic, D. *See* Bassnett and Mataic.

Matiba, B. *See* Mariani, Matiba, Armandola, and Krammer.

Matsuda, M. *See* Katahira, Inoue, Horiguchi, Matsuda, and Sugimoto.

Matsuda, Y. *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.

Matsudaira, P. *See* Hanein, Matsudaira, and DeRosier.

Matsuura, Y. *See* Nakanishi, Obaishi, Satoh, Wada, Mandai, Satoh, Nishioka, Matsuura, Mizoguchi, and Takai.

— *See* Yamamoto, Harada, Kano, Taya, Canaani, Matsuura, Mizoguchi, Ide, and Kaibuchi.

Mattaj, I.W. *See* Izaurralde, Jarmolowski, Beisel, Mattaj, Dreyfuss, and Fischer.

Matteson, J. *See* Tisdale, Plutner, Matteson, and Balch.

Mattson, M.P. *See* Furukawa, Estus, Fu, Mark, and Mattson.

Matus, A. *See* Felgner, Frank, Biernat, Mandelkow, Mandelkow, Ludin, Matus, and Schliwa.

Maul, G.G. *See* Ishov, Stenberg, and Maul.

Mayer, A., and Wickner, W. Docking of yeast vacuoles is catalyzed by the Ras-like GTPase Ypt7p after symmetric priming by Sec18p (NSF). 136:307.

— *See* Xu, Mayer, Muller, and Wickner.

Mayer, D.C.G., and Leinwand, L.A. Sarcomeric gene expression and contractility in myofibroblasts. 139:1477.

Mayer, U. *See* Lauber, Waizenegger, Steinmann, Schwarz, Mayer, Hwang, Lukowitz, and Jürgens.

McCaffery, M. *See* Henry, Carrigan, McCaffery, Ma, and Cline.

McCarthy, M.J. *See* Philpott, McCarthy, Klippel, and Rubin.

McCarthy, N.J., Whyte, M.K.B., Gilbert, C.S., and Evan, G.I. Inhibition of Ced-3/ICE-related proteases does not prevent cell death induced by oncogenes, DNA damage, or the Bcl-2 homologue Bak. 136:215.

McCormick, T.S. *See* He, Lam, McCormick, and Distelhorst.

McDonald, H.B., and Byers, B. A proteasome cap subunit required for spindle pole body duplication in yeast. 137:539.

McDonough, P.M. *See* Zechner, Thuerauf, Hanford, McDonough, and Glembotski.

McEwen, B.F., Heagle, A.B., Cassels, G.O., Buttle, K.F., and Rieder, C.L. Kinetochore fiber maturation in PtK_1 cells and its implications for the mechanisms of chromosome congression and anaphase onset. 137:1567.

— *See* Khodjakov, Cole, McEwen, Buttle, and Rieder.

McGill, G., Shimamura, A., Bates, R.C., Savage, R.E., and Fisher, D.E. Loss of matrix adhesion triggers rapid transformation-selective apoptosis in fibroblasts. 138:901.

McGough, A., Pope, B., Chiu, W., and Weeds, A. Cofilin changes the

twist of F-actin: Implications for actin filament dynamics and cellular function. 138:771.
McNagny, K.M., Pettersson, I., Rossi, F., Flamme, I., Shevchenko, A., Mann, M., and Graf, T. Thrombomucin, a novel cell surface protein that defines thrombocytes and multipotent hematopoietic progenitors. 138:1395.
McNeil, P.L., and Steinhardt, R.A. Loss, restoration, and maintenance of plasma membrane integrity. 137:1.
— *See* Terasaki, Miyake, and McNeil.
McNevin, M.S. *See* Coopersmith, Chandrasekaran, McNevin, and Gordon.
McQuade, K.M. *See* Svitkina, Verkhovsky, McQuade, and Borisy.
Mehlmann, L.M. *See* Carroll, Ramarao, Mehlmann, Roche, Terasaki, and Jaffe.
Mehta, A.Y. *See* Doberstein, Fetter, Mehta, and Goodman.
Mei, F. *See* Felding-Habermann, Silletti, Mei, Siu, Yip, Brooks, Cheresh, O'Toole, Ginsberg, and Montgomery.
Meise, K.S. *See* Dempsey, Meise, Yoshitake, Nishikawa, and Coffey.
Meldolesi, J. *See* Montero, Alvarez, Scheenen, Rizzuto, Meldolesi, and Pozzan.
Melikyan, G.B., Brener, S.A., Ok, D.C., and Cohen, F.S. Inner but not outer membrane leaflets control the transition from glycosylphosphatidylinositol-anchored influenza hemagglutinin-induced hemifusion to full fusion. 136:995.
Melki, R. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Mellman, I. *See* Brachet, Raposo, Amigorena, and Mellman.
— *See* Daro, Sheff, Gomez, Kreis, and Mellman.
Menick, D.R. *See* Sato, Nagai, Kuppuswamy, Narishige, Koide, Menick, and Cooper.
Mercurio, A.M. *See* Rabinovitz and Mercurio.
Merdes, A., and Cleveland, D.W. Pathways of spindle pole formation: Different mechanisms; conserved components. 138:953.
Mericskay, M. *See* Li, Mericskay, Agbulut, Butler-Browne, Carlsson, Thornell, Babinet, and Paulin.
Merlie, J.P. *See* Grady, Merlie, and Sanes.
Merzdorf, C. *See* Chen, Merzdorf, Paul, and Goodenough.
Mesaeli, N. *See* Waser, Mesaeli, Spencer, and Michalak.
Metz, C.N. *See* Nunes, Gleizes, Metz, and Rifkin.
Metzger, D. *See* Chiba, Clifford, Metzger, and Chambon.
Metzger, J.M. *See* Acakpo-Satchivi, Edelmann, Sartorius, Lu, Wahr, Watkins, Metzger, Leinwand, and Kucherlapati.
Metzinger, L. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Meyer, A.N. *See* Chen, Webster, Meyer, and Donoghue.
Meyer, K.N., Kjeldsen, E., Straub, T., Knudsen, B.R., Hickson, I.D., Kikuchi, A., Kreipe, H., and Boege, F. Cell cycle–coupled relocation of types I and II topoisomerases and modification of catalytic enzyme activities. 136:775.
Meyer, T. *See* Stauffer and Meyer.
Michaelis, S. *See* Chen, Sapperstein, Choi, and Michaelis.
— *See* Fujimura-Kamada, Nouvet, and Michaelis.
Michalak, M. *See* Waser, Mesaeli, Spencer, and Michalak.
Michiels, F., Stam, J.C., Hordijk, P.L., van der Kammen, R.A., Ruuls-Van Stalle, L., Feltkamp, C.A., and Collard, J.G. Regulated membrane localization of Tiam1, mediated by the NH_2-terminal pleckstrin homology domain, is required for Rac-dependent membrane ruffling and c-Jun NH_2-terminal kinase activation. 137:387.
— *See* van Leeuwen, Kain, van der Kammen, Michiels, Kranenburg, and Collard.
Miller, F.D. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Miller, J.R., and Moon, R.T. Analysis of the signaling activities of localization mutants of β-catenin during axis specification in *Xenopus*. 139:229.
— *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Miller, T.M., Moulder, K.L., Knudson, C.M., Creedon, D.J., Deshmukh, M., Korsmeyer, S.J., and Johnson, E.M., Jr. Bax deletion further orders the cell death pathway in cerebellar granule cells and suggests a caspase-independent pathway to cell death. 139:205.
Milligan, R.A. *See* Jontes and Milligan.
Milligan, S.C., Alb, J.G., Jr., Elagina, R.B., Bankaitis, V.A., and Hyde, D.R. The phosphatidylinositol transfer protein domain of *Drosophila* retinal degeneration B protein is essential for photoreceptor cell survival and recovery from light stimulation. 139:351.
Milner, T.A. *See* Einheber, Zanazzi, Ching, Scherer, Milner, Peles, and Salzer.
Miner, J.H., Patton, B.L., Lentz, S.I., Gilbert, D.J., Snider, W.D., Jenkins, N.A., Copeland, N.G., and Sanes, J.R. The laminin α chains: Expression, developmental transitions, and chromosomal locations of α1-5, identification of heterotrimeric laminins 8–11, and cloning of a novel α3 isoform. 137:685.
— *See* Patton, Miner, Chiu, and Sanes.
Mironov, A., Colanzi, A., Silletta, M.G., Fiucci, G., Flati, S., Fusella, A., Polishchuk, R., Mironov, A., Jr., Di Tullio, G., Weigert, R., Malhotra, V., Corda, D., De Matteis, M.A., and Luini, A. Role of NAD^+ and ADP-ribosylation in the maintenance of the Golgi structure. 139:1109.
Mironov, A., Jr. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
Mironov, A.A., Weidman, P., and Luini, A. Variations on the intracellular transport theme: Maturing cisternae and trafficking tubules. 138:481.
Misteli, T. *See* Cáceres, Misteli, Screaton, Spector, and Krainer.
Mitchell, B.F. *See* Rupp, O'Toole, Gardner, Mitchell, and Porter.
Mitchison, T.J. *See* Cramer, Siebert, and Mitchison.
— *See* Rosenblatt, Agnew, Abe, Bamburg, and Mitchison.
— *See* Walczak, Verma, and Mitchison.
— *See* Welch, DePace, Verma, Iwamatsu, and Mitchison.
Miyake, K. *See* Terasaki, Miyake, and McNeil.
Miyashita, Y. *See* Takahashi, Kadowaki, Yazaki, Miyashita, and Kasai.
Miyazono, K. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Mizoguchi, A. *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
— *See* Nakanishi, Obaishi, Satoh, Wada, Mandai, Satoh, Nishioka, Matsuura, Mizoguchi, and Takai.
— *See* Yamamoto, Harada, Kano, Taya, Canaani, Matsuura, Mizoguchi, Ide, and Kaibuchi.
Mohandas, N. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Möhle-Steinlein, U. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Mohler, W.A. *See* Charlton, Mohler, Radice, Hynes, and Blau.
Moir, R.D. *See* Spann, Moir, Goldman, Stick, and Goldman.
Molina, I., Baars, S., Brill, J.A., Hales, K.G., Fuller, M.T., and Ripoll, P. A chromatin-associated kinesin-related protein required for normal mitotic chromosome segregation in *Drosophila*. 139:1361.
Monai, N. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.
Monier-Gavelle, F., and Duband, J.-L. Cross talk between adhesion molecules: Control of N-cadherin activity by intracellular signals elicited by β1 and β3 integrins in migrating neural crest cells. 137:1663.
Monlauzeur, L. *See* Yeaman, Le Gall, Baldwin, Monlauzeur, Le Bivic, and Rodriguez-Boulan.
Monteiro, M.J. *See* Janicki and Monteiro.
Montero, M., Alvarez, J., Scheenen, W.J.J., Rizzuto, R., Meldolesi, J., and Pozzan, T. Ca^{2+} homeostasis in the endoplasmic reticulum: Coexistence of high and low $[Ca^{2+}]$ subcompartments in intact HeLa cells. 139:601.
Montesano, R. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Montgomery, A.M.P. *See* Felding-Habermann, Silletti, Mei, Siu, Yip, Brooks, Cheresh, O'Toole, Ginsberg, and Montgomery.
Montoya, M.C. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.
Moolenaar, W.H. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.
Moon, R.T. *See* Du, Devoto, Westerfield, and Moon.
— *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
— *See* Miller and Moon.
Moore, C.T. *See* O'Malley, Moore, and Salpeter.
Moore, S.E.H. *See* Saint-Pol, Bauvy, Codogno, and Moore.
Mooseker, M.S. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Moreira, J.E. *See* Ellenberg, Siggia, Moreira, Smith, Presley, Worman, and Lippincott-Schwartz.
— *See* Sciaky, Presley, Smith, Zaal, Cole, Moreira, Terasaki, Siggia, and Lippincott-Schwartz.
Morfini, G., Quiroga, S., Rosa, A., Kosik, K., and Cáceres, A. Suppression of KIF2 in PC12 cells alters the distribution of a growth cone nonsynaptic membrane receptor and inhibits neurite extension. 138:657.
Morgan, A. *See* Barnard, Morgan, and Burgoyne.
Morgan, G. *See* Alphey, Parker, Hawcroft, Guo, Kaiser, and Morgan.
Mori, M. *See* Terada, Kanazawa, Bukau, and Mori.
Moriguchi, T. *See* Toyoshima, Moriguchi, and Nishida.

Morkowski, S. *See* Kleijmeer, Morkowski, Griffith, Rudensky, and Geuze.
Moroi, S. *See* Itoh, Nagafuchi, Moroi, and Tsukita.
Morris, A.J. *See* Chen, Siddhanta, Austin, Hammond, Sung, Frohman, Morris, and Shields.
Morris, G.E. *See* Cohen, Jacobson, Yurchenco, Morris, and Carbonetto.
Morris, R.L., and Scholey, J.M. Heterotrimeric kinesin-II is required for the assembly of motile 9+2 ciliary axonemes on sea urchin embryos. 138:1009.
— *See* Bi, Morris, Liao, Alderton, Scholey, and Steinhardt.
Moses, H.L. *See* Serra, Johnson, Filvaroff, LaBorde, Sheehan, Derynck, and Moses.
Mostov, K.E. *See* Barth, Pollack, Altschuler, Mostov, and Nelson.
— *See* Pollack, Barth, Altschuler, Nelson, and Mostov.
Moulder, K.L. *See* Miller, Moulder, Knudson, Creedon, Deshmukh, Korsmeyer, and Johnson.
Muchardt, C. *See* Reyes, Muchardt, and Yaniv.
Mukhopadhyay, A., Barbieri, A.M., Funato, K., Roberts, R., and Stahl, P.D. Sequential actions of Rab5 and Rab7 regulate endocytosis in the *Xenopus* oocyte. 136:1227.
Mukhopadhyay, G. *See* Tang, Shen, DeBellard, Mukhopadhyay, Salzer, Crocker, and Filbin.
Mulholland, J. *See* Jedd, Mulholland, and Segev.
Muller, E. *See* Xu, Mayer, Muller, and Wickner.
Muller, L., Zhu, X., and Lindberg, I. Mechanism of the facilitation of PC2 maturation by 7B2: Involvement in ProPC2 transport and activation but not folding. 139:625.
Müller, T. *See* Aicher, Lerch, Müller, Schilling, and Ullrich.
Müller-Taubenberger, A. *See* Niewöhner, Weber, Maniak, Müller-Taubenberger, and Gerisch.
Mullick, J. *See* Addya, Anandatheerthavarada, Biswas, Bhagwat, Mullick, and Avadhani.
Mullins, R.D., Stafford, W.F., and Pollard, T.D. Structure, subunit topology, and actin-binding activity of the Arp2/3 complex from *Acanthamoeba*. 136:331.
Mundel, P., Heid, H.W., Mundel, T.M., Krüger, M., Reiser, J., and Kriz, W. Synaptopodin: An actin-associated protein in telencephalic dendrites and renal podocytes. 139:193.
Mundel, T.M. *See* Mundel, Heid, Mundel, Krüger, Reiser, and Kriz.
Murata, M. *See* Kanaseki, Kawasaki, Murata, Ikeuchi, and Ohnishi.
Muro, Y. *See* Nagata, Muro, and Todokoro.
Murphy, D.B. *See* Xiao, Zhang, Murphy, and Devreotes.
Murphy, E.C., III, Zheng, T., and Nicchitta, C.V. Identification of a novel stage of ribosome/nascent chain association with the endoplasmic reticulum membrane. 136:1213.
Murphy, G. *See* Lelongt, Trugman, Murphy, and Ronco.
Murphy, G.F. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Müsch, A., Cohen, D., and Rodriguez-Boulan, E. Myosin II is involved in the production of constitutive transport vesicles from the TGN. 138:291.
Muschler, J. *See* Lochter, Galosy, Muschler, Freedman, Werb, and Bissell.
Mustelin, T. *See* Farschon, Couture, Mustelin, and Newmeyer.
Myles, D.G. *See* Yuan, Primakoff, and Myles.

N

Nadal-Ginard, B. *See* Cardoso, Joseph, Rahn, Reusch, Nadal-Ginard, and Leonhardt.
Nagafuchi, A. *See* Itoh, Nagafuchi, Moroi, and Tsukita.
Nagahama, Y. *See* Tokumoto, Yamashita, Tokumoto, Katsu, Horiguchi, Kajiura, and Nagahama.
Nagai, T. *See* Sato, Nagai, Kuppuswamy, Narishige, Koide, Menick, and Cooper.
Nagata, S. *See* Kondo, Takeuchi, Doi, Yonemura, Nagata, Tsukita, and Tsukita.
Nagata, Y., Muro, Y., and Todokoro, K. Thrombopoietin-induced polyploidization of bone marrow megakaryocytes is due to a unique regulatory mechanism in late mitosis. 139:449.
Nah, H.-D. *See* Kirsch, Nah, Shapiro, and Pacifici.
Naisbitt, S. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Nakajima, Y., Miyazono, K., Kato, M., Takase, M., Yamagishi, T., and Nakamura, H. Extracellular fibrillar structure of latent TGFβ binding protein-1: Role in TGFβ-dependent endothelial-mesenchymal transformation during endocardial cushion tissue formation in mouse embryonic heart. 136:193.
Nakamura, H. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Nakanishi, H., Obaishi, H., Satoh, A., Wada, M., Mandai, K., Satoh, K., Nishioka, H., Matsuura, Y., Mizoguchi, A., and Takai, Y. Neurabin: A novel neural tissue–specific actin filament–binding protein involved in neurite formation. 139:951.
— *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
Narishige, T. *See* Sato, Nagai, Kuppuswamy, Narishige, Koide, Menick, and Cooper.
Nativ, M. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Nechushtan, A. *See* Wolter, Hsu, Smith, Nechushtan, Xi, and Youle.
Neff, L. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Neher, E. *See* Plattner, Artalejo, and Neher.
— *See* Smith and Neher.
Nelson, W.J. *See* Barth, Pollack, Altschuler, Mostov, and Nelson.
— *See* Pollack, Barth, Altschuler, Nelson, and Mostov.
Nerrière, V. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Neujahr, R., Heizer, C., Albrecht, R., Ecke, M., Schwartz, J.-M., Weber, I., and Gerisch, G. Three-dimensional patterns and redistribution of myosin II and actin in mitotic *Dictyostelium* cells. 139:1793.
Neve, R.L. *See* West, Neve, and Buckley.
Newmeyer, D.D. *See* Farschon, Couture, Mustelin, and Newmeyer.
Newport, J. *See* Hua, Yan, and Newport.
Ng, F.W.H., Nguyen, M., Kwan, T., Branton, P.E., Nicholson, D.W., Cromlish, J.A., and Shore, G.C. p28 Bap31, a Bcl-2/Bcl-X_L- and procaspase-8–associated protein in the endoplasmic reticulum. 139:327.
Nguyen, M. *See* Ng, Nguyen, Kwan, Branton, Nicholson, Cromlish, and Shore.
Nicchitta, C.V., and Zheng, T. Regulation of the ribosome–membrane junction at early stages of presecretory protein translocation in the mammalian endoplasmic reticulum. 139:1697.
— *See* Murphy, Zheng, and Nicchitta.
Nichols, J.W. *See* Kean, Grant, Angeletti, Mahé, Kuchler, Fuller, and Nichols.
Nicholson, D.W. *See* Ng, Nguyen, Kwan, Branton, Nicholson, Cromlish, and Shore.
Nielsen, B.L. *See* Dietrich, Kastrup, Nielsen, Ødum, and Geisler.
Nielsen, E. *See* Akita, Nielsen, and Keegstra.
Nieman, M.T. *See* Redfield, Nieman, and Knudsen.
Niemelä, J. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.
Niessen, C.M. *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
Niewöhner, J., Weber, I., Maniak, M., Müller-Taubenberger, A., and Gerisch, G. Talin-null cells of *Dictyostelium* are strongly defective in adhesion to particle and substrate surfaces and slightly impaired in cytokinesis. 138:349.
Nikolova, Z. *See* Kueng, Nikolova, Djonov, Hemphill, Rohrbach, Boehlen, Zuercher, Andres, and Ziemiecki.
Nilsson, T. *See* Burkhardt, Echeverri, Nilsson, and Vallee.
Nishida, E. *See* Takenaka, Gotoh, and Nishida.
— *See* Toyoshima, Moriguchi, and Nishida.
Nishijima, H., Nishitani, H., Seki, T., and Nishimoto, T. A dual-specificity phosphatase Cdc25B is an unstable protein and triggers $p34^{cdc2}$/cyclin B activation in hamster BHK21 cells arrested with hydroxyurea. 138:1105.
Nishikawa, K. *See* Dempsey, Meise, Yoshitake, Nishikawa, and Coffey.
Nishimoto, T. *See* Nishijima, Nishitani, Seki, and Nishimoto.
Nishioka, H. *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
— *See* Nakanishi, Obaishi, Satoh, Wada, Mandai, Satoh, Nishioka, Matsuura, Mizoguchi, and Takai.
— *See* Takaishi, Sasaki, Kotani, Nishioka, and Takai.
Nishitani, H. *See* Nishijima, Nishitani, Seki, and Nishimoto.
Nishiyama, A. *See* Trapp, Nishiyama, Cheng, and Macklin.
Nishiyama, H., Itoh, K., Kaneko, Y., Kishishita, M., Yoshida, O., and Fujita, J. A glycine-rich RNA-binding protein mediating cold-inducible suppression of mammalian cell growth. 137:899.
Nix, D.A., and Beckerle, M.C. Nuclear–cytoplasmic shuttling of the focal contact protein, zyxin: A potential mechanism for communication between sites of cell adhesion and the nucleus. 138: 1139.
Noack, L. *See* Litwin, Clark, Noack, Furze, Berndt, Albelda, Vadas, and Gamble.
Noda, T. *See* Takei, Kondo, Harada, Inomata, Noda, and Hirokawa.

Nolli, M.L. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Nomura, A. *See* Buczynski, Grove, Nomura, Kleve, Bush, Firtel, and Cardelli.
Nothwehr, S.F. *See* Fischer von Mollard, Nothwehr, and Stevens.
Nouvet, F.J. *See* Fujimura-Kamada, Nouvet, and Michaelis.
Novak, K.D., and Titus, M.A. Myosin I overexpression impairs cell migration. 136:633.
Novick, P.J. *See* Walch-Solimena, Collins, and Novick.
Nunes, I., Gleizes, P.-E., Metz, C.N., and Rifkin, D.B. Latent transforming growth factor-β binding protein domains involved in activation and transglutaminase-dependent cross-linking of latent transforming growth factor-β. 136:1151.
Nurse, P. *See* Chang, Drubin, and Nurse.
Nüsslein-Volhard, C. *See* Wilsch-Bräuninger, Schwarz, and Nüsslein-Volhard.

O

Obaishi, H. *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
— *See* Nakanishi, Obaishi, Satoh, Wada, Mandai, Satoh, Nishioka, Matsuura, Mizoguchi, and Takai.
Obukhov, A.G. *See* Zitt, Obukhov, Strübing, Zobel, Kalkbrenner, Lückhoff, and Schultz.
Ochoa, G.-C. *See* Butler, David, Ochoa, Freyberg, Daniell, Grabs, Cremona, and De Camilli.
Oda, M.N. *See* Kim, Scott, Oda, and Klionsky.
Odorizzi, G., and Trowbridge, I.S. Structural requirements for basolateral sorting of the human transferrin receptor in the biosynthetic and endocytic pathways of Madin-Darby canine kidney cells. 137:1255.
Ødum, N. *See* Dietrich, Kastrup, Nielsen, Ødum, and Geisler.
O'Farrell, P.H. *See* Su and O'Farrell.
Oh-e, N. *See* Manabe, Oh-e, Maeda, Fukuda, and Sekiguchi.
Ohnishi, S. *See* Kanaseki, Kawasaki, Murata, Ikeuchi, and Ohnishi.
Ohsumi, Y. *See* Baba, Osumi, Scott, Klionsky, and Ohsumi.
— *See* Scott, Baba, Ohsumi, and Klionsky.
Ok, D.C. *See* Melikyan, Brener, Ok, and Cohen.
Okada, A., Tomasetto, C., Lutz, Y., Bellocq, J.-P., Rio, M.-C., and Basset, P. Expression of matrix metalloproteinases during rat skin wound healing: Evidence that membrane type-1 matrix metalloproteinase is a stromal activator of pro-gelatinase A. 137:67.
Oldridge, J. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Olivo, J.-C. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Olsen, B.R. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
O'Malley, J.P., Moore, C.T., and Salpeter, M.M. Stabilization of acetylcholine receptors by exogenous ATP and its reversal by cAMP and calcium. 138:159.
Ono, Y. *See* Sakai, Sasaki, Ikegaki, Shirai, Ono, and Saito.
Oorschot, V. *See* Heijnen, Oorschot, Sixma, Slot, and James.
— *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Orci, L. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Ortego, J. *See* Rodríguez, Webster, Ortego, and Andrews.
Oshima, R.G. *See* Caulín, Salvesen, and Oshima.
Ossowski, L. *See* Yu, Kim, and Ossowski.
Osumi, M. *See* Baba, Osumi, Scott, Klionsky, and Ohsumi.
O'Toole, E. *See* Rupp, O'Toole, Gardner, Mitchell, and Porter.
O'Toole, T.E. *See* Felding-Habermann, Silletti, Mei, Siu, Yip, Brooks, Cheresh, O'Toole, Ginsberg, and Montgomery.
Otto, A. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.

P

Pachynski, R.K. *See* Abitorabi, Pachynski, Ferrando, Tidswell, and Erle.
Pacifici, M. *See* Kirsch, Nah, Shapiro, and Pacifici.
Paddenberg, R. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.
Paek, I., Orci, L., Ravazzola, M., Erdjument-Bromage, H., Amherdt, M., Tempst, P., Söllner, T.H., and Rothman, J.E. ERS-24, a mammalian v-SNARE implicated in vesicle traffic between the ER and the Golgi. 137:1017.
Palazzo, R.E. *See* Vogel, Stearns, Rieder, and Palazzo.
Palka, H.L. *See* Kowalczyk, Bornslaeger, Borgwardt, Palka, Dhaliwal, Corcoran, Denning, and Green.
Pang, M.K.M. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Pantaloni, D. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Paolella, G. *See* Ferreira, Paolella, Ramos, and Lamond.
Park, J.H. *See* Han, Park, Kim, and Lee.
Park, Y.B. *See* Babcock, Herrington, Goodwin, Park, and Hille.
Parker, L. *See* Alphey, Parker, Hawcroft, Guo, Kaiser, and Morgan.
Parks, W.C. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.
Parry, D.A.D. *See* Ruhrberg, Hajibagheri, Parry, and Watt.
Parsons, J.T. *See* Xiong and Parsons.
Parton, R.G., Way, M., Zorzi, N., and Stang, E. Caveolin-3 associates with developing T-tubules during muscle differentiation. 136:137.
— *See* Gu, Aniento, Parton, and Gruenberg.
— *See* Rojo, Pepperkok, Emery, Kellner, Stang, Parton, and Gruenberg.
Patel-King, R.S., Benashski, S.E., Harrison, A., and King, S.M. A *Chlamydomonas* homologue of the putative murine *t* complex distorter Tctex-2 is an outer arm dynein light chain. 137:1081.
Patton, B.L., Miner, J.H., Chiu, A.Y., and Sanes, J.R. Distribution and function of laminins in the neuromuscular system of developing, adult, and mutant mice. 139:1507.
— *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Paty, P.B. *See* Mancini, Anderson, Caldwell, Sedghinasab, Paty, and Hockenbery.
Paul, D.L. *See* Chen, Merzdorf, Paul, and Goodenough.
Paulin, D. *See* Li, Mericskay, Agbulut, Butler-Browne, Carlsson, Thornell, Babinet, and Paulin.
Paululat, A., Goubeaud, A., Damm, C., Knirr, S., Burchard, S., and Renkawitz-Pohl, R. The mesodermal expression of *rolling stone* (*rost*) is essential for myoblast fusion in *Drosophila* and encodes a potential transmembrane protein. 138:337.
Pays, E. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
— *See* Webb, Carnall, Vanhamme, Rolin, Van Den Abbeele, Welburn, Pays, and Carrington.
Pazour, G.J. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Pearce, S.F.A. *See* Dawson, Pearce, Zhong, Silverstein, Frazier, and Bouck.
Peden, A.A. *See* Simpson, Peden, Christopoulou, and Robinson.
Pelchen-Matthews, A. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Peles, E. *See* Einheber, Zanazzi, Ching, Scherer, Milner, Peles, and Salzer.
— *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.
Pellman, D. *See* DeZwaan, Ellingson, Pellman, and Roof.
Pemberton, L.F., Rosenblum, J.S., and Blobel, G. A distinct and parallel pathway for the nuclear import of an mRNA-binding protein. 139:1645.
— *See* Rosenblum, Pemberton, and Blobel.
Penman, S. *See* Krauss, Larabell, Lockett, Gascard, Penman, Mohandas, and Chasis.
Penn, L.Z. *See* Screaton, Penn, and Stanners.
Pepper, M.S. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Pepperkok, R. *See* Rojo, Pepperkok, Emery, Kellner, Stang, Parton, and Gruenberg.
— *See* Scheel, Pepperkok, Lowe, Griffiths, and Kreis.
— *See* Shima, Haldar, Pepperkok, Watson, and Warren.
Pereira, A.J., Dalby, B., Stewart, R.J., Doxsey, S.J., and Goldstein, L.S.B. Mitochondrial association of a plus end–directed microtubule motor expressed during mitosis in *Drosophila*. 136:1081.
Perriard, J.-C. *See* Becker, Gottshall, Hickey, Perriard, and Chien.
Pestonjamasp, K.N., Pope, R.K., Wulfkuhle, J.D., and Luna, E.J. Supervillin (p205): A novel membrane-associated, F-actin–binding protein in the villin/gelsolin superfamily. 139:1255.
Peter, F. *See* Zhang, Wong, Tang, Xu, Peter, Subramaniam, and Hong.
Peters, L.L. *See* Hoock, Peters, and Lux.
Peters, M.F., Adams, M.E., and Froehner, S.C. Differential association of syntrophin pairs with the dystrophin complex. 138:81.

Peters, R.J. *See* Hernandez, Peters, Delos, Young, Agard, and White.
Petersen, O.W. *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Pettersson, I. *See* McNagny, Pettersson, Rossi, Flamme, Shevchenko, Mann, and Graf.
Pfeffer, S.R. *See* Díaz, Schimmöller, and Pfeffer.
Pflug, B. *See* Dicou, Pflug, Magazin, Lehy, Djakiew, Ferrara, Nerrière, and Harvie.
Pfordte, T. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Philbrick, W.M. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Philips, J., and Herskowitz, I. Osmotic balance regulates cell fusion during mating in *Saccharomyces cerevisiae*. 138:961.
Philpott, K.L., McCarthy, M.J., Klippel, A., and Rubin, L.L. Activated phosphatidylinositol 3-kinase and Akt kinase promote survival of superior cervical neurons. 139:809.
Pierce, A. *See* Dehouck, Fenart, Dehouck, Pierce, Torpier, and Cecchelli.
Pieters, J. *See* Ferrari, Knight, Watts, and Pieters.
Piguet, V. *See* Foti, Mangasarian, Piguet, Lew, Krause, Trono, and Carpentier.
Pilcher, B.K., Dumin, J.A., Sudbeck, B.D., Krane, S.M., Welgus, H.G., and Parks, W.C. The activity of collagenase-1 is required for keratinocyte migration on a type I collagen matrix. 137:1445.
Piper, R.C., Bryant, N.J., and Stevens, T.H. The membrane protein alkaline phosphatase is delivered to the vacuole by a route that is distinct from the *VPS*-dependent pathway. 138:531.
Pizzo, P., Fasolato, C., and Pozzan, T. Dynamic properties of an inositol 1,4,5-trisphosphate– and thapsigargin-insensitive calcium pool in mammalian cell lines. 136:355.
Plattner, H., Artalejo, A.R., and Neher, E. Ultrastructural organization of bovine chromaffin cell cortex—analysis by cryofixation and morphometry of aspects pertinent to exocytosis. 139:1709.
— *See* Erxleben, Klauke, Flötenmeyer, Blanchard, Braun, and Plattner.
Pletjushkina, O.Y. *See* Belkin, Retta, Pletjushkina, Balzac, Silengo, Fassler, Koteliansky, Burridge, and Tarone.
Ploegh, H.L. *See* Rehm and Ploegh.
Plutner, H. *See* Tisdale, Plutner, Matteson, and Balch.
Pokala, N. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
Polakis, P. *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
Poland, M. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.
Polishchuk, R. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
Pollack, A.L., Barth, A.I.M., Altschuler, Y., Nelson, W.J., and Mostov, K.E. Dynamics of β-catenin interactions with APC protein regulate epithelial tubulogenesis. 137:1651.
— *See* Barth, Pollack, Altschuler, Mostov, and Nelson.
Pollard, T.D. *See* Mullins, Stafford, and Pollard.
Polzar, B. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.
Pomiès, P., Louis, H.A., and Beckerle, M.C. CRP1, a LIM domain protein implicated in muscle differentiation, interacts with α-Actinin. 139:157.
Ponta, H. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Pope, B. *See* McGough, Pope, Chiu, and Weeds.
Pope, R.K. *See* Pestonjamasp, Pope, Wulfkuhle, and Luna.
Porter, J.C., and Hogg, N. Integrin cross talk: Activation of lymphocyte function-associated antigen-1 on human T cells alters α4β1- and α5β1-mediated function. 138:1437.
Porter, M.E. *See* Rupp, O'Toole, Gardner, Mitchell, and Porter.
Portnoy, D.A. *See* Marquis, Goldfine, and Portnoy.
Posthuma, G. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Potter, A.C. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Powers, M.A., Forbes, D.J., Dahlberg, J.E., and Lund, E. The vertebrate GLFG nucleoporin, Nup98, is an essential component of multiple RNA export pathways. 136:241.
Pozniak, C. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Pozzan, T. *See* Montero, Alvarez, Scheenen, Rizzuto, Meldolesi, and Pozzan.
— *See* Pizzo, Fasolato, and Pozzan.
Prehn, S. *See* Görlich, Dabrowski, Bischoff, Kutay, Bork, Hartmann, Prehn, and Izaurralde.
Prekeris, R., and Terrian, D.M. Brain myosin V is a synaptic vesicle-associated motor protein: Evidence for a Ca^{2+}-dependent interaction with the synaptobrevin–synaptophysin complex. 137:1589.
Presley, J. *See* Sciaky, Presley, Smith, Zaal, Cole, Moreira, Terasaki, Siggia, and Lippincott-Schwartz.
Presley, J.F. *See* Ellenberg, Siggia, Moreira, Smith, Presley, Worman, and Lippincott-Schwartz.
Primakoff, P. *See* Yuan, Primakoff, and Myles.
Pringle, J.R. *See* DeMarini, Adams, Fares, De Virgilio, Valle, Chuang, and Pringle.
Prins, F. *See* Litvinov, Balzar, Winter, Bakker, B.-de Bruijn, Prins, Fleuren, and Warnaar.
Protasi, F., Franzini-Armstrong, C., and Flucher, B.E. Coordinated incorporation of skeletal muscle dihydropyridine receptors and ryanodine receptors in peripheral couplings of BC_3H1 cells. 137:859.
Ptasznik, A., Beattie, G.M., Mally, M.I., Cirulli, V., Lopez, A., and Hayek, A. Phosphatidylinositol 3-kinase is a negative regulator of cellular differentiation. 137:1127.
Pulkkinen, L. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Puri, K.D. *See* Alon, Chen, Puri, Finger, and Springer.
Purich, D.L. *See* Laine, Zeile, Kang, Purich, and Southwick.
Puurunen, T. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.

Q

Qiao, J. *See* van't Hof, Malik, Vijayakumar, Qiao, van Adelsberg, and Al-Awqati.
Quiroga, S. *See* Morfini, Quiroga, Rosa, Kosik, and Cáceres.

R

Rabinovitch, M. *See* Jones, Crack, and Rabinovitch.
Rabinovitz, I., and Mercurio, A.M. The integrin α6β4 functions in carcinoma cell migration on laminin-1 by mediating the formation and stabilization of actin-containing motility structures. 139:1873.
Rachubinski, R.A. *See* Eitzen, Szilard, and Rachubinski.
Rackwitz, H.-R. *See* Cordes, Reidenbach, Rackwitz, and Franke.
Radhakrishna, H., and Donaldson, J.G. ADP-ribosylation factor 6 regulates a novel plasma membrane recycling pathway. 139:49.
Radice, G.L., Ferreira-Cornwell, M.C., Robinson, S.D., Rayburn, H., Chodosh, L.A., Takeichi, M., and Hynes, R.O. Precocious mammary gland development in P-cadherin–deficient mice. 139:1025.
— *See* Charlton, Mohler, Radice, Hynes, and Blau.
Radke, K. *See* LeMaire-Adkins, Radke, and Hunt.
Rafael, J.A. *See* Straub, Rafael, Chamberlain, and Campbell.
Raff, M. *See* Gao and Raff.
Rahn, H.-P. *See* Cardoso, Joseph, Rahn, Reusch, Nadal-Ginard, and Leonhardt.
Ramarao, C.S. *See* Carroll, Ramarao, Mehlmann, Roche, Terasaki, and Jaffe.
Ramos, C. *See* Ferreira, Paolella, Ramos, and Lamond.
Rao, A. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Raposo, G. *See* Brachet, Raposo, Amigorena, and Mellman.
Rathjen, F.G. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.
Raub, T.J. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.
Rauch, F., Polzar, B., Stephan, H., Zanotti, S., Paddenberg, R., and Mannherz, H.G. Androgen ablation leads to an upregulation and intranuclear accumulation of deoxyribonuclease I in rat prostate epithelial cells paralleling their apoptotic elimination. 137:909.
Ravanpay, A. *See* Boudreau, Andrews, Srebrow, Ravanpay, and Cheresh.
Ravazzola, M. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Rayburn, H. *See* Radice, Ferreira-Cornwell, Robinson, Rayburn, Chodosh, Takeichi, and Hynes.
Reczek, D., Berryman, M., and Bretscher, A. Identification of EBP50: A PDZ-containing phosphoprotein that associates with members of the ezrin-radixin-moesin family. 139:169.
Redfield, A., Nieman, M.T., and Knudsen, K.A. Cadherins promote skeletal muscle differentiation in three-dimensional cultures. 138:1323.

Reedy, M.C. *See* Schmitz, Reedy, Reedy, Tregear, and Taylor.
Reedy, M.K. *See* Schmitz, Reedy, Reedy, Tregear, and Taylor.
Rehm, A., and Ploegh, H.L. Assembly and intracellular targeting of the βγ subunits of heterotrimeric G proteins. 137:305.
Reichardt, L.F. *See* Sehgal, Gumbiner, and Reichardt.
Reidenbach, S. *See* Cordes, Reidenbach, Rackwitz, and Franke.
Reifegerste, R. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.
Reiser, J. *See* Mundel, Heid, Mundel, Krüger, Reiser, and Kriz.
Ren, Q. *See* Garver, Ren, Tuvia, and Bennett.
Renkawitz-Pohl, R. *See* Paululat, Goubeaud, Damm, Knirr, Burchard, and Renkawitz-Pohl.
Renkl, A.C. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Resh, M.D. *See* van 't Hof and Resh.
Reth, M. *See* Annaert, Becker, Kistner, Reth, and Jahn.
Retta, S.F. *See* Belkin, Retta, Pletjushkina, Balzac, Silengo, Fassler, Koteliansky, Burridge, and Tarone.
Reusch, R. *See* Cardoso, Joseph, Rahn, Reusch, Nadal-Ginard, and Leonhardt.
Reyes, J.C., Muchardt, C., and Yaniv, M. Components of the human SWI/SNF complex are enriched in active chromatin and are associated with the nuclear matrix. 137:263.
Ribatti, D. *See* Carlevaro, Albini, Ribatti, Gentili, Benelli, Cermelli, Cancedda, and Descalzi Cancedda.
Rieder, C.L. *See* Khodjakov, Cole, McEwen, Buttle, and Rieder.
— *See* McEwen, Heagle, Cassels, Buttle, and Rieder.
— *See* Vogel, Stearns, Rieder, and Palazzo.
Rieder, S.E. *See* Darsow, Rieder, and Emr.
Rifkin, D.B. *See* Nunes, Gleizes, Metz, and Rifkin.
Rio, M.-C. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.
Ripoll, P. *See* Molina, Baars, Brill, Hales, Fuller, and Ripoll.
Risau, W. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Rivera, S. *See* Gutierrez, Yu, Rivera, and Wessling-Resnick.
Rizzuto, R. *See* Montero, Alvarez, Scheenen, Rizzuto, Meldolesi, and Pozzan.
Roberg, K.J., Rowley, N., and Kaiser, C.A. Physiological regulation of membrane protein sorting late in the secretory pathway of *Saccharomyces cerevisiae.* 137:1469.
Roberts, R. *See* Mukhopadhyay, Barbieri, Funato, Roberts, and Stahl.
Robinson, D.N., and Cooley, L. *Drosophila* kelch is an oligomeric ring canal actin organizer. 138:799.
Robinson, M.S. *See* Simpson, Peden, Christopoulou, and Robinson.
— *See* West, Bright, and Robinson.
Robinson, S.D. *See* Radice, Ferreira-Cornwell, Robinson, Rayburn, Chodosh, Takeichi, and Hynes.
Roche, S. *See* Carroll, Ramarao, Mehlmann, Roche, Terasaki, and Jaffe.
Roditi, I. *See* Ruepp, Furger, Kurath, Kunz Renggli, Hemphill, Brun, and Roditi.
Rodríguez, A., Webster, P., Ortego, J., and Andrews, N.W. Lysosomes behave as Ca^{2+}-regulated exocytic vesicles in fibroblasts and epithelial cells. 137:93.
Rodriguez, J. *See* Brancolini, Lazarevic, Rodriguez, and Schneider.
Rodriguez, M.L. *See* Salas, Rodriguez, Viciana, Vega-Salas, and Hauri.
Rodriguez-Boulan, E. *See* Müsch, Cohen, and Rodriguez-Boulan.
— *See* Yeaman, Le Gall, Baldwin, Monlauzeur, Le Bivic, and Rodriguez-Boulan.
Roeder, G.S. *See* Smith and Roeder.
Rohrbach, V. *See* Kueng, Nikolova, Djonov, Hemphill, Rohrbach, Boehlen, Zuercher, Andres, and Ziemiecki.
Rojo, M., Pepperkok, R., Emery, G., Kellner, R., Stang, E., Parton, R.G., and Gruenberg, J. Involvement of the transmembrane protein p23 in biosynthetic protein transport. 139:1119.
Rolin, S. *See* Webb, Carnall, Vanhamme, Rolin, Van Den Abbeele, Welburn, Pays, and Carrington.
Romer, L. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Rommelaere, H. *See* Tian, Lewis, Feierbach, Stearns, Rommelaere, Ampe, and Cowan.
Ronco, P.M. *See* Lelongt, Trugman, Murphy, and Ronco.
Roof, D.J., Hayes, A., Adamian, M., Chishti, A.H., and Li, T. Molecular characterization of abLIM, a novel actin-binding and double zinc finger protein. 138:575.
Roof, D.M. *See* DeZwaan, Ellingson, Pellman, and Roof.
Rosa, A. *See* Morfini, Quiroga, Rosa, Kosik, and Cáceres.
Rose, M.D. *See* Beh, Brizzio, and Rose.
Rosenberg, R.D. *See* Aird, Edelberg, Weiler-Guettler, Simmons, Smith, and Rosenberg.
Rosenblatt, J., Agnew, B.J., Abe, H., Bamburg, J.R., and Mitchison, T.J. *Xenopus* actin depolymerizing factor/cofilin (XAC) is responsible for the turnover of actin filaments in *Listeria monocytogenes* tails. 136:1323.
Rosenblum, J.S., Pemberton, L.F., and Blobel, G. A nuclear import pathway for a protein involved in tRNA maturation. 139:1655.
— *See* Pemberton, Rosenblum, and Blobel.
Rosenkilde, M.M. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Ross, F.P. *See* Abu-Amer, Ross, Schlesinger, Tondravi, and Teitelbaum.
Ross, P.E., Ehring, G.R., and Cahalan, M.D. Dynamics of ATP-induced calcium signaling in single mouse thymocytes. 138:987.
Rossi, F. *See* McNagny, Pettersson, Rossi, Flamme, Shevchenko, Mann, and Graf.
Rossi, S.G. *See* Rotundo, Rossi, and Anglister.
Roth, S. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.
Rothman, J.E. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Rothschild, A. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Rotundo, R.L., Rossi, S.G., and Anglister, L. Transplantation of quail collagen-tailed acetylcholinesterase molecules onto the frog neuromuscular synapse. 136:367.
Roughley, P.J. *See* Liang, Häring, Roughley, Margolis, and Margolis.
Rousselle, P., Keene, D.R., Ruggiero, F., Champliaud, M.-F., van der Rest, M., and Burgeson, R.E. Laminin 5 binds the NC-1 domain of type VII collagen. 138:719.
Rowley, N. *See* Roberg, Rowley, and Kaiser.
Rowning, B.A. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Roy, S.G. *See* Salomon, Sacco, Roy, Simcha, Johnson, Wheelock, and Ben-Ze'ev.
Rubin, L.L. *See* Philpott, McCarthy, Klippel, and Rubin.
Rubinfeld, B. *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
Ruddock, L.J. *See* Bijlmakers, Isobe-Nakamura, Ruddock, and Marsh.
Rudensky, A.Y. *See* Kleijmeer, Morkowski, Griffith, Rudensky, and Geuze.
Rueger, D.C. *See* Sharp, Yu, Ferhat, Kuriyama, Rueger, and Baas.
Ruegg, M.A. *See* Denzer, Brandenberger, Gesemann, Chiquet, and Ruegg.
Ruepp, S., Furger, A., Kurath, U., Kunz Renggli, C., Hemphill, A., Brun, R., and Roditi, I. Survival of *Trypanosoma brucei* in the tsetse fly is enhanced by the expression of specific forms of procyclin. 137:1369.
Ruf, S., Kössel, H., and Bock, R. Targeted inactivation of a tobacco intron–containing open reading frame reveals a novel chloroplast-encoded photosystem I–related gene. 139:95.
Ruggiero, F. *See* Rousselle, Keene, Ruggiero, Champliaud, van der Rest, and Burgeson.
Ruhrberg, C., Hajibagheri, M.A.N., Parry, D.A.D., and Watt, F.M. Periplakin, a novel component of cornified envelopes and desmosomes that belongs to the plakin family and forms complexes with envoplakin. 139:1835.
Rupp, G., O'Toole, E., Gardner, L.C., Mitchell, B.F., and Porter, M.E. The *sup-pf-2* mutations of *Chlamydomonas* alter the activity of the outer dynein arms by modification of the γ-dynein heavy chain: Correction. 136:745.
Rusakov, D. *See* Belliveau, Krivko, Kohn, Lachance, Pozniak, Rusakov, Kaplan, and Miller.
Russell, K.A. *See* Waterham, Russell, de Vries, and Cregg.
Ruuls-Van Stalle, L. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.

S

Sabapathy, K.T., Pepper, M.S., Kiefer, F., Möhle-Steinlein, U., Tacchini-Cottier, F., Fetka, I., Breier, G., Risau, W., Carmeliet, P., Montesano, R., and Wagner, E.F. Polyoma middle T-induced vascular tumor formation: The role of the plasminogen activator/plasmin system. 137:953.
Sacco, P.A. *See* Salomon, Sacco, Roy, Simcha, Johnson, Wheelock, and Ben-Ze'ev.
Saint-Pol, A., Bauvy, C., Codogno, P., and Moore, S.E.H. Transfer of

free polymannose-type oligosaccharides from the cytosol to lysosomes in cultured human hepatocellular carcinoma HEPG2 cells. 136:45.

Saito, N. *See* Sakai, Sasaki, Ikegaki, Shirai, Ono, and Saito.

Saitou, M. *See* Sakakibara, Furuse, Saitou, Ando-Akatsuka, and Tsukita.

Sakai, N., Sasaki, K., Ikegaki, N., Shirai, Y., Ono, Y., and Saito, N. Direct visualization of the translocation of the γ-subspecies of protein kinase C in living cells using fusion proteins with green fluorescent protein. 139:1465.

Sakakibara, A., Furuse, M., Saitou, M., Ando-Akatsuka, Y., and Tsukita, S. Possible involvement of phosphorylation of occludin in tight junction formation. 137:1393.

Sakurai, T., Lustig, M., Nativ, M., Hemperly, J.J., Schlessinger, J., Peles, E., and Grumet, M. Induction of neurite outgrowth through contactin and Nr-CAM by extracellular regions of glial receptor tyrosine phosphatase β. 136:907.

Salas, P.J.I., Rodriguez, M.L., Viciana, A.L., Vega-Salas, D.E., and Hauri, H.-P. The apical submembrane cytoskeleton participates in the organization of the apical pole in epithelial cells. 137:359.

Sale, W.S. *See* Habermacher and Sale.

Salmi, M. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.

Salmon, E.D. *See* Schaar, Chan, Maddox, Salmon, and Yen.

— *See* Shaw, Yeh, Maddox, Salmon, and Bloom.

— *See* Tran, Walker, and Salmon.

— *See* Waterman-Storer and Salmon.

— *See* Yang, Yeh, Salmon, and Bloom.

Salomon, D., Sacco, P.A., Roy, S.G., Simcha, I., Johnson, K.R., Wheelock, M.J., and Ben-Ze'ev, A. Regulation of β-catenin levels and localization by overexpression of plakoglobin and inhibition of the ubiquitin-proteasome system. 139:1325.

Salpeter, M.M. *See* O'Malley, Moore, and Salpeter.

Salvesen, G.S. *See* Caulín, Salvesen, and Oshima.

Salzer, J.L. *See* Einheber, Zanazzi, Ching, Scherer, Milner, Peles, and Salzer.

— *See* Tang, Shen, DeBellard, Mukhopadhyay, Salzer, Crocker, and Filbin.

Sánchez-Madrid, F. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.

— *See* Serrador, Alonso-Lebrero, del Pozo, Furthmayr, Schwartz-Albiez, Calvo, Lozano, and Sánchez-Madrid.

Sánchez-Mateos, P. *See* del Pozo, Cabañas, Montoya, Ager, Sánchez-Mateos, and Sánchez-Madrid.

Sanders, L.C. *See* Dharmawardhane, Sanders, Martin, Daniels, and Bokoch.

Sanders, M. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.

Sanes, J.R. *See* Grady, Merlie, and Sanes.

— *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.

— *See* Patton, Miner, Chiu, and Sanes.

Santolini, J. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.

Santos, B., and Snyder, M. Targeting of chitin synthase 3 to polarized growth sites in yeast requires Chs5p and Myo2p. 136:95.

Sanz, J.M. *See* Chiozzi, Sanz, Ferrari, Falzoni, Aleotti, Buell, Collo, and Di Virgilio.

Sapperstein, S.K. *See* Chen, Sapperstein, Choi, and Michaelis.

Saris, N., Holkeri, H., Craven, R.A., Stirling, C.J., and Makarow, M. The Hsp70 homologue Lhs1p is involved in a novel function of the yeast endoplasmic reticulum, refolding and stabilization of heat-denatured protein aggregates. 137:813.

Sartorius, C. *See* Acakpo-Satchivi, Edelmann, Sartorius, Lu, Wahr, Watkins, Metzger, Leinwand, and Kucherlapati.

Sasaki, K. *See* Sakai, Sasaki, Ikegaki, Shirai, Ono, and Saito.

Sasaki, T. *See* Takaishi, Sasaki, Kotani, Nishioka, and Takai.

Sass, K.M. *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.

Satir, P. Keith Roberts Porter: 1912–1997. 138:223.

Sato, H., Nagai, T., Kuppuswamy, D., Narishige, T., Koide, M., Menick, D.R., and Cooper, G., IV. Microtubule stabilization in pressure overload cardiac hypertrophy. 139:963.

Satoh, A. *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.

— *See* Nakanishi, Obaishi, Satoh, Wada, Mandai, Satoh, Nishioka, Matsuura, Mizoguchi, and Takai.

Satoh, K. *See* Nakanishi, Obaishi, Satoh, Wada, Mandai, Satoh, Nishioka, Matsuura, Mizoguchi, and Takai.

Saumweber, H. *See* Buchenau, Saumweber, and Arndt-Jovin.

Saunders, R.D.C., do Carmo Avides, M., Howard, T., Gonzalez, C., and Glover, D.M. The *Drosophila* gene *abnormal spindle* encodes a novel microtubule-associated protein that associates with the polar regions of the mitotic spindle. 137:881.

Saunders, W., Hornack, D., Lengyel, V., and Deng, C. The *Saccharomyces cerevisiae* kinesin-related motor Kar3p acts at preanaphase spindle poles to limit the number and length of cytoplasmic microtubules. 137:417.

Savage, R.E. *See* McGill, Shimamura, Bates, Savage, and Fisher.

Savagner, P., Yamada, K.M., and Thiery, J.P. The zinc-finger protein slug causes desmosome dissociation, an initial and necessary step for growth factor–induced epithelial–mesenchymal transition. 137:1403.

Sawada, G.A. *See* Geng, Raub, Baker, Sawada, Ma, and Elhammer.

Scalettar, B.A. *See* Abney, Cutler, Fillbach, Axelrod, and Scalettar.

Schaar, B.T., Chan, G.K.T., Maddox, P., Salmon, E.D., and Yen, T.J. CENP-E function at kinetochores is essential for chromosome alignment. 139:1373.

Schäfer, R. *See* Sers, Emmenegger, Husmann, Bucher, Andres, and Schäfer.

Schaller, M. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.

Schapira, M. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.

Scheel, J., Pepperkok, R., Lowe, M., Griffiths, G., and Kreis, T.E. Dissociation of coatomer from membranes is required for brefeldin A–induced transfer of Golgi enzymes to the endoplasmic reticulum. 137:319.

Scheenen, W.J.J. *See* Montero, Alvarez, Scheenen, Rizzuto, Meldolesi, and Pozzan.

Schekman, R. *See* Corsi and Schekman.

Scherer, S. *See* Einheber, Zanazzi, Ching, Scherer, Milner, Peles, and Salzer.

Scherthan, H. *See* Bashkirov, Scherthan, Solinger, Buerstedde, and Heyer.

Schilling, J. *See* Aicher, Lerch, Müller, Schilling, and Ullrich.

Schimmöller, F. *See* Díaz, Schimmöller, and Pfeffer.

Schlesinger, P. *See* Abu-Amer, Ross, Schlesinger, Tondravi, and Teitelbaum.

Schlessinger, J. *See* Sakurai, Lustig, Nativ, Hemperly, Schlessinger, Peles, and Grumet.

Schliwa, M. *See* Felgner, Frank, Biernat, Mandelkow, Mandelkow, Ludin, Matus, and Schliwa.

Schmidt, A., Hannah, M.J., and Huttner, W.B. Synaptic-like microvesicles of neuroendocrine cells originate from a novel compartment that is continuous with the plasma membrane and devoid of transferrin receptor. 137:445. Correction. 137:1197.

Schmitt, B. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.

Schmitz, H., Reedy, M.C., Reedy, M.K., Tregear, R.T., and Taylor, K.A. Tomographic three-dimensional reconstruction of insect flight muscle partially relaxed by AMPPNP and ethylene glycol. 139:695.

Schneider, C. *See* Brancolini, Lazarevic, Rodriguez, and Schneider.

— *See* Caroni, Aigner, and Schneider.

Schnell, D.J. *See* Kouranov and Schnell.

Scholey, J.M. *See* Bi, Morris, Liao, Alderton, Scholey, and Steinhardt.

— *See* Morris and Scholey.

Schöpf, E. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.

Schreiber, A.D. *See* Green, Schreiber, and Brown.

Schroer, T.A. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.

Schubert, D. *See* Li, Maher, and Schubert.

Schuger, L., Skubitz, A.P.N., Zhang, J., Sorokin, L., and He, L. Laminin α1 chain synthesis in the mouse developing lung: Requirement for epithelial–mesenchymal contact and possible role in bronchial smooth muscle development. 139:553.

Schughart, K. *See* Cash, Bock, Schughart, Linney, and Underhill.

Schultz, G. *See* Zitt, Obukhov, Strübing, Zobel, Kalkbrenner, Lückhoff, and Schultz.

Schulze-Osthoff, K. *See* Ferrari, Wesselborg, Bauer, and Schulze-Osthoff.

Schumacher, C. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.

Schumacher, S., Volkmer, H., Buck, F., Otto, A., Tárnok, A., Roth, S., and Rathjen, F.G. Chicken acidic leucine-rich EGF-like domain containing brain protein (CALEB), a neural member of the EGF family of differentiation factors, is implicated in neurite formation. 136:895.

Schutz, A.R., Giddings, T.H., Jr., Steiner, E., and Winey, M. The yeast *CDC37* gene interacts with *MPS1* and is required for proper execution of spindle pole body duplication. 136:969.

Schwartz, J.-M. *See* Neujahr, Heizer, Albrecht, Ecke, Schwartz, Weber, and Gerisch.
Schwartz, M.A. Integrins, oncogenes, and anchorage independence. 139:575.
— *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
Schwartz, T.W. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Schwartz-Albiez, R. *See* Serrador, Alonso-Lebrero, del Pozo, Furthmayr, Schwartz-Albiez, Calvo, Lozano, and Sánchez-Madrid.
Schwarz, H. *See* Lauber, Waizenegger, Steinmann, Schwarz, Mayer, Hwang, Lukowitz, and Jürgens.
— *See* Wilsch-Bräuninger, Schwarz, and Nüsslein-Volhard.
Schwarz, T.L. *See* Burgess, Deitcher, and Schwarz.
Sciaky, N., Presley, J., Smith, C., Zaal, K.J.M., Cole, N., Moreira, J.E., Terasaki, M., Siggia, E., and Lippincott-Schwartz, J. Golgi tubule traffic and the effects of brefeldin A visualized in living cells. 139:1137.
Scott, S.V., Baba, M., Ohsumi, Y., and Klionsky, D.J. Aminopeptidase I is targeted to the vacuole by a nonclassical vesicular mechanism. 138:37.
— *See* Baba, Osumi, Scott, Klionsky, and Ohsumi.
— *See* Kim, Scott, Oda, and Klionsky.
Screaton, G.R. *See* Cáceres, Misteli, Screaton, Spector, and Krainer.
Screaton, R.A., Penn, L.Z., and Stanners, C.P. Carcinoembryonic antigen, a human tumor marker, cooperates with Myc and Bcl-2 in cellular transformation. 137:939.
Seaman, M.N.J., Marcusson, E.G., Cereghino, J.L., and Emr, S.D. Endosome to Golgi retrieval of the vacuolar protein sorting receptor, Vsp10p, requires the function of the *VPS29*, *VPS30*, and *VPS35* gene products. 137:79.
Sechi, A.S., Wehland, J., and Small, J.V. The isolated comet tail pseudopodium of *Listeria monocytogenes*: A tail of two actin filament populations, long and axial and short and random. 137:155.
Sedat, J.W. *See* Bass, Marshall, Sedat, Agard, and Cande.
Sedghinasab, M. *See* Mancini, Anderson, Caldwell, Sedghinasab, Paty, and Hockenbery.
Segev, N. *See* Jedd, Mulholland, and Segev.
Sehgal, R.N.M., Gumbiner, B.M., and Reichardt, L.F. Antagonism of cell adhesion by an α-catenin mutant, and of the Wnt-signaling pathway by α-catenin in *Xenopus* embryos. 139:1033.
Seki, T. *See* Nishijima, Nishitani, Seki, and Nishimoto.
Sekiguchi, K. *See* Manabe, Oh-e, Maeda, Fukuda, and Sekiguchi.
Seksek, O., Biwersi, J., and Verkman, A.S. Translational diffusion of macromolecule-sized solutes in cytoplasm and nucleus. 138:131.
Sellers, J.R. *See* Kelley, Sellers, Gard, Bui, Adelstein, and Baines.
Senger, D.L., and Campenot, R.B. Rapid retrograde tyrosine phosphorylation of trkA and other proteins in rat sympathetic neurons in compartmented cultures. 138:411.
Serra, R., Johnson, M., Filvaroff, E.H., LaBorde, J., Sheehan, D.M., Derynck, R., and Moses, H.L. Expression of a truncated, kinase-defective TGF-β type II receptor in mouse skeletal tissue promotes terminal chondrocyte differentiation and osteoarthritis. 139:541.
Serrador, J.M., Alonso-Lebrero, J.L., del Pozo, M.A., Furthmayr, H., Schwartz-Albiez, R., Calvo, J., Lozano, F., and Sánchez-Madrid, F. Moesin interacts with the cytoplasmic region of intercellular adhesion molecule-3 and is redistributed to the uropod of T lymphocytes during cell polarization. 138:1409.
Sers, C., Emmenegger, U., Husmann, K., Bucher, K., Andres, A.-C., and Schäfer, R. Growth-inhibitory activity and downregulation of the class II tumor-suppressor gene *H-rev107* in tumor cell lines and experimental tumors. 136:935.
Sesaki, H., Wong, E.F.S., and Siu, C.-H. The cell adhesion molecule DdCAD-1 in *Dictyostelium* is targeted to the cell surface by a nonclassical transport pathway involving contractile vacuoles. 138:939.
Sessa, W.C. *See* Liu, Hughes, and Sessa.
Severin, F.F. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Shabanowitz, J. *See* Hungerford, Hoeffler, Bowers, Dahm, Falchetto, Shabanowitz, Hunt, and Little.
Shapiro, I.M. *See* Kirsch, Nah, Shapiro, and Pacifici.
Sharp, D.J., Yu, W., Ferhat, L., Kuriyama, R., Rueger, D.C., and Baas, P.W. Identification of a microtubule-associated motor protein essential for dendritic differentiation. 138:833.
— *See* Yu, Sharp, Kuriyama, Mallik, and Baas.
Sharp, J.J. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Shattil, S.J. *See* Kashiwagi, Schwartz, Eigenthaler, Davis, Ginsberg, and Shattil.
Shaw, J.M. *See* Hermann, King, and Shaw.
Shaw, M.K. *See* Guild, Connelly, Shaw, and Tilney.
Shaw, S.L., Yeh, E., Maddox, P., Salmon, E.D., and Bloom, K. Astral microtubule dynamics in yeast: A microtubule-based searching mechanism for spindle orientation and nuclear migration into the bud. 139:985.
Sheehan, D.M. *See* Serra, Johnson, Filvaroff, LaBorde, Sheehan, Derynck, and Moses.
Sheff, D. *See* Daro, Sheff, Gomez, Kreis, and Mellman.
Shelby, R.D., Vafa, O., and Sullivan, K.F. Assembly of CENP-A into centromeric chromatin requires a cooperative array of nucleosomal DNA contact sites. 136:501.
Shen, Y. *See* Lin, Aplin, Shen, Chen, Schaller, Romer, Aukhil, and Juliano.
Shen, Y.J. *See* Tang, Shen, DeBellard, Mukhopadhyay, Salzer, Crocker, and Filbin.
Sheng, H. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
— *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Sheng, M. *See* Kim, Naisbitt, Hsueh, Rao, Rothschild, Craig, and Sheng.
Shevchenko, A. *See* McNagny, Pettersson, Rossi, Flamme, Shevchenko, Mann, and Graf.
Shi, Y. *See* Su, Shi, Stolow, and Shi.
Shi, Y.-B. *See* Su, Shi, Stolow, and Shi.
Shields, D. *See* Chen, Siddhanta, Austin, Hammond, Sung, Frohman, Morris, and Shields.
Shih, T.M., and Goldin, A.L. Topology of the *Shaker* potassium channel probed with hydrophilic epitope insertions. 136:1037.
Shima, D.T., Haldar, K., Pepperkok, R., Watson, R., and Warren, G. Partitioning of the Golgi apparatus during mitosis in living HeLa cells. 137:1211.
Shimamoto, T. *See* Kose, Imamoto, Tachibana, Shimamoto, and Yoneda.
Shimamura, A. *See* McGill, Shimamura, Bates, Savage, and Fisher.
Shirai, Y. *See* Sakai, Sasaki, Ikegaki, Shirai, Ono, and Saito.
Shirouzu, M. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Shore, G.C. *See* Ng, Nguyen, Kwan, Branton, Nicholson, Cromlish, and Shore.
Shultz, L. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Sibley, M.H. *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.
Siddhanta, A. *See* Chen, Siddhanta, Austin, Hammond, Sung, Frohman, Morris, and Shields.
Siebert, M. *See* Cramer, Siebert, and Mitchison.
Siggia, E. *See* Sciaky, Presley, Smith, Zaal, Cole, Moreira, Terasaki, Siggia, and Lippincott-Schwartz.
Siggia, E.D. *See* Ellenberg, Siggia, Moreira, Smith, Presley, Worman, and Lippincott-Schwartz.
Signoret, N., Oldridge, J., Pelchen-Matthews, A., Klasse, P.J., Tran, T., Brass, L.F., Rosenkilde, M.M., Schwartz, T.W., Holmes, W., Dallas, W., Luther, M.A., Wells, T.N.C., Hoxie, J.A., and Marsh, M. Phorbol esters and SDF-1 induce rapid endocytosis and down modulation of the chemokine receptor CXCR4. 139:651.
Silengo, L. *See* Belkin, Retta, Pletjushkina, Balzac, Silengo, Fassler, Koteliansky, Burridge, and Tarone.
Sillence, D.O. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Silletta, M.G. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
Silletti, S. *See* Felding-Habermann, Silletti, Mei, Siu, Yip, Brooks, Cheresh, O'Toole, Ginsberg, and Montgomery.
Silverstein, R.L. *See* Dawson, Pearce, Zhong, Silverstein, Frazier, and Bouck.
Simanis, V. *See* Spencer, Dowbenko, Cheng, Li, Brush, Utzig, Simanis, and Lasky.
Simcha, I. *See* Salomon, Sacco, Roy, Simcha, Johnson, Wheelock, and Ben-Ze'ev.
Simmons, W.W. *See* Aird, Edelberg, Weiler-Guettler, Simmons, Smith, and Rosenberg.
Simon, J.C. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Simon-Assmann, P. *See* Lorentz, Duluc, De Arcangelis, Simon-Assmann, Kedinger, and Freund.
Simpson, F., Peden, A.A., Christopoulou, L., and Robinson, M.S.

Characterization of the adaptor-related protein complex, AP-3. 137:835.
Singer, R.H. *See* Kislauskis, Zhu, and Singer.
Siomi, M.C., Eder, P.S., Kataoka, N., Wan, L., Liu, Q., and Dreyfuss, G. Transportin-mediated nuclear import of heterogeneous nuclear RNP proteins. 138:1181.
Siu, C.-H. *See* Felding-Habermann, Silletti, Mei, Siu, Yip, Brooks, Cheresh, O'Toole, Ginsberg, and Montgomery.
— *See* Sesaki, Wong, and Siu.
Sixma, J.J. *See* Heijnen, Oorschot, Sixma, Slot, and James.
Skov, S., Klausen, P., and Claesson, M.H. Ligation of major histocompatability complex (MHC) class I molecules on human T cells induces cell death through PI-3 kinase–induced c-Jun NH_2-terminal kinase activity: A novel apoptotic pathway distinct from Fas-induced apoptosis. 139:1523.
Skubitz, A.P.N. *See* Schuger, Skubitz, Zhang, Sorokin, and He.
Slater, C.R. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Sleeman, J. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Slot, J.W., Garruti, G., Martin, S., Oorschot, V., Posthuma, G., Kraegen, E.W., Laybutt, R., Thibault, G., and James, D.E. Glucose transporter (GLUT-4) is targeted to secretory granules in rat atrial cardiomyocytes. 137:1243.
— *See* Heijnen, Oorschot, Sixma, Slot, and James.
— *See* Liou, Geuze, Geelen, and Slot.
Sluder, G. *See* Wheatley, Hinchcliffe, Glotzer, Hyman, Sluder, and Wang.
Small, J.V. *See* Sechi, Wehland, and Small.
Smith, A.V., and Roeder, G.S. The yeast Red1 protein localizes to the cores of meiotic chromosomes. 136:957.
Smith, C., and Neher, E. Multiple forms of endocytosis in bovine adrenal chromaffin cells. 139:885.
— *See* Sciaky, Presley, Smith, Zaal, Cole, Moreira, Terasaki, Siggia, and Lippincott-Schwartz.
Smith, C.L. *See* Ellenberg, Siggia, Moreira, Smith, Presley, Worman, and Lippincott-Schwartz.
— *See* Wolter, Hsu, Smith, Nechushtan, Xi, and Youle.
Smith, D.J. *See* Airas, Niemelä, Salmi, Puurunen, Smith, and Jalkanen.
Smith, H. *See* Chang, Wong, Smith, and Liu.
Smith, T.W. *See* Aird, Edelberg, Weiler-Guettler, Simmons, Smith, and Rosenberg.
Snapp, E.L., and Landfear, S.M. Cytoskeletal association is important for differential targeting of glucose transporter isoforms in *Leishmania*. 139:1775.
Snapp, K.R. *See* Goetz, Greif, Ding, Camphausen, Howes, Comess, Snapp, Kansas, and Luscinskas.
Snell, W.J. *See* Wilson, Foglesong, and Snell.
Snider, W.D. *See* Miner, Patton, Lentz, Gilbert, Snider, Jenkins, Copeland, and Sanes.
Snyder, M. *See* Santos and Snyder.
Sodeik, B., Ebersold, M.W., and Helenius, A. Microtubule-mediated transport of incoming herpes simplex virus 1 capsids to the nucleus. 136:1007.
Sogo, L.F. *See* Berger, Sogo, and Yaffe.
Solinger, J.A. *See* Bashkirov, Scherthan, Solinger, Buerstedde, and Heyer.
Soll, J. *See* Lübeck, Heins, and Soll.
Söllner, T.H. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Sonnenberg, A. *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
Sorger, P.K. *See* Espelin, Kaplan, and Sorger.
Sorokin, L. *See* Schuger, Skubitz, Zhang, Sorokin, and He.
Southwick, F.S. *See* Laine, Zeile, Kang, Purich, and Southwick.
Spada, F. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Spann, T.P., Moir, R.D., Goldman, A.E., Stick, R., and Goldman, R.D. Disruption of nuclear lamin organization alters the distribution of replication factors and inhibits DNA synthesis. 136:1201.
Spector, D.L. *See* Cáceres, Misteli, Screaton, Spector, and Krainer.
— *See* Huang, Deerinck, Ellisman, and Spector.
Spencer, C. *See* Waser, Mesaeli, Spencer, and Michalak.
Spencer, S., Dowbenko, D., Cheng, J., Li, W., Brush, J., Utzig, S., Simanis, V., and Lasky, L.A. PSTPIP: A tyrosine phosphorylated cleavage furrow–associated protein that is a substrate for a PEST tyrosine phosphatase. 138:845.
Spertini, O. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.
Spiegelmann, G.B. *See* Tuxworth, Cheetham, Machesky, Spiegelmann, Weeks, and Insall.
Spiess, M. *See* Wahlberg and Spiess.
Springer, T.A. *See* Alon, Chen, Puri, Finger, and Springer.
— *See* Clark, Erickson, and Springer.
Srebrow, A. *See* Boudreau, Andrews, Srebrow, Ravanpay, and Cheresh.
Srinivasan, M. *See* Kerscher, Holder, Srinivasan, Leung, and Jensen.
Stafford, W.F. *See* Mullins, Stafford, and Pollard.
Stahl, P.D. *See* Mukhopadhyay, Barbieri, Funato, Roberts, and Stahl.
Stam, J.C. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
Stang, E. *See* Parton, Way, Zorzi, and Stang.
— *See* Rojo, Pepperkok, Emery, Kellner, Stang, Parton, and Gruenberg.
Stanley, J.R. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Stanners, C.P. *See* Screaton, Penn, and Stanners.
Starr, D.A., Williams, B.C., Li, Z., Etemad-Moghadam, B., Dawe, R.K., and Goldberg, M.L. Conservation of the centromere/kinetochore protein ZW10. 138:1289.
Stauffer, T.P., and Meyer, T. Compartmentalized IgE receptor–mediated signal transduction in living cells. 139:1447.
Stearns, T. Motoring to the finish: Kinesin and dynein work together to orient the yeast mitotic spindle. 138:957.
— *See* Carminati and Stearns.
— *See* Tian, Lewis, Feierbach, Stearns, Rommelaere, Ampe, and Cowan.
— *See* Vogel, Stearns, Rieder, and Palazzo.
Steegmaier, M. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Steinberg, T.H. *See* Jørgensen, Geist, Civitelli, and Steinberg.
— *See* Koval, Harley, Hick, and Steinberg.
Steiner, E. *See* Schutz, Giddings, Steiner, and Winey.
Steinhardt, R.A. *See* Bi, Morris, Liao, Alderton, Scholey, and Steinhardt.
— *See* McNeil and Steinhardt.
Steinmann, T. *See* Lauber, Waizenegger, Steinmann, Schwarz, Mayer, Hwang, Lukowitz, and Jürgens.
Steinmetz, M.O., Goldie, K.N., and Aebi, U. A correlative analysis of actin filament assembly, structure, and dynamics. 138:559.
Stenberg, R.M. *See* Ishov, Stenberg, and Maul.
Stephan, H. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.
Stepp, J.D., Huang, K., and Lemmon, S.K. The yeast adaptor protein complex, AP-3, is essential for the efficient delivery of alkaline phosphatase by the alternate pathway to the vacuole. 139:1761.
Sterne, G.D., Coulton, G.R., Brown, R.A., Green, C.J., and Terenghi, G. Neurotrophin-3–enhanced nerve regeneration selectively improves recovery of muscle fibers expressing myosin heavy chains 2b. 139:709.
Sternsdorf, T., Jensen, K., and Will, H. Evidence for covalent modification of the nuclear dot–associated proteins PML and Sp100 by PIC1/SUMO-1. 139:1621.
—, **Jensen, K., Züchner, D., and Will, H.** Cellular localization, expression, and structure of the nuclear dot protein 52. 138:435.
Steven, A.C. *See* Castón, Trus, Booy, Wickner, Wall, and Steven.
Stevens, T.H. *See* Bryant and Stevens.
— *See* Fischer von Mollard, Nothwehr, and Stevens.
— *See* Piper, Bryant, and Stevens.
Stewart, R.J. *See* Pereira, Dalby, Stewart, Doxsey, and Goldstein.
Sthandier, O. *See* Anastasi, Giordano, Sthandier, Gambarotta, Maione, Comoglio, and Amati.
Stick, R. *See* Spann, Moir, Goldman, Stick, and Goldman.
Stirling, C.J. *See* Saris, Holkeri, Craven, Stirling, and Makarow.
Stolow, M.A. *See* Su, Shi, Stolow, and Shi.
Stoppelli, M.P. *See* Franco, Iaccarino, Chiaradonna, Brandazza, Iavarone, Mastronicola, Nolli, and Stoppelli.
Straub, T. *See* Meyer, Kjeldsen, Straub, Knudsen, Hickson, Kikuchi, Kreipe, and Boege.
Straub, V., Rafael, J.A., Chamberlain, J.S., and Campbell, K.P. Animal models for muscular dystrophy show different patterns of sarcolemmal disruption. 139:375.
Strübing, C. *See* Zitt, Obukhov, Strübing, Zobel, Kalkbrenner, Lückhoff, and Schultz.
Stryker, J. *See* Ayscough, Stryker, Pokala, Sanders, Crews, and Drubin.
— *See* Halverson, Baum, Stryker, Carbon, and Clarke.
Su, T.T., and O'Farrell, P.H. Chromosome association of minichromosome maintenance proteins in *Drosophila* mitotic cycles. 139:13.
Su, Y., Shi, Y., Stolow, M.A., and Shi, Y.-B. Thyroid hormone induces apoptosis in primary cell cultures of tadpole intestine: Cell type specificity and effects of extracellular matrix. 139:1533.

Subramani, S. *See* Wiemer, Wenzel, Deerinck, Ellisman, and Subramani.
Subramaniam, V.N. *See* Zhang, Wong, Tang, Xu, Peter, Subramaniam, and Hong.
Subtil, A., Delepierre, M., and Dautry-Varsat, A. An α-helical signal in the cytosolic domain of the interleukin 2 receptor β chain mediates sorting towards degradation after endocytosis. 136:583.
Sudbeck, B.D. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.
Sugimoto, A. *See* Kitayama, Sugimoto, and Yamamoto.
Sugimoto, N. *See* Katahira, Inoue, Horiguchi, Matsuda, and Sugimoto.
Sugiyama, J.E., Glass, D.J., Yancopoulos, G.D., and Hall, Z.W. Laminin-induced acetylcholine receptor clustering: An alternative pathway. 139:181.
Sullivan, K.F. *See* Shelby, Vafa, and Sullivan.
Sun, H.-q., Lin, K.-m., and Yin, H.L. Gelsolin modulates phospholipase C activity in vivo through phospholipid binding. 138:811.
Sun, J. *See* Famiglietti, Sun, DeLisser, and Albelda.
Sun, X.-M. *See* MacFarlane, Cain, Sun, Alnemri, and Cohen.
Sung, T.-C. *See* Chen, Siddhanta, Austin, Hammond, Sung, Frohman, Morris, and Shields.
Sutoh, K. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Svitkina, T.M., Verkhovsky, A.B., McQuade, K.M., and Borisy, G.G. Analysis of the actin–myosin II system in fish epidermal keratocytes: Mechanism of cell body translocation. 139:397.
Sweeney, M. *See* Yu, Hiatt, Chan, Sweeney, and Dawe.
Szilard, R.K. *See* Eitzen, Szilard, and Rachubinski.

T

Tacchini-Cottier, F. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Tachibana, C. *See* Holst, Tachibana, and Winther.
Tachibana, T. *See* Kose, Imamoto, Tachibana, Shimamoto, and Yoneda.
Takada, S. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Takahashi, N., Kadowaki, T., Yazaki, Y., Miyashita, Y., and Kasai, H. Multiple exocytotic pathways in pancreatic β cells. 138:55.
Takahashi, Y. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Takai, Y. *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
— *See* Nakanishi, Obaishi, Satoh, Wada, Mandai, Satoh, Nishioka, Matsuura, Mizoguchi, and Takai.
— *See* Takaishi, Sasaki, Kotani, Nishioka, and Takai.
Takaishi, K., Sasaki, T., Kotani, H., Nishioka, H., and Takai, Y. Regulation of cell–cell adhesion by Rac and Rho small G proteins in MDCK cells. 139:1047.
Takase, M. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Takei, Y., Kondo, S., Harada, A., Inomata, S., Noda, T., and Hirokawa, N. Delayed development of nervous system in mice homozygous for disrupted microtubule-associated protein 1B (MAP1B) gene. 137:1615.
Takeichi, M. *See* Radice, Ferreira-Cornwell, Robinson, Rayburn, Chodosh, Takeichi, and Hynes.
Takenaka, K., Gotoh, Y., and Nishida, E. MAP kinase is required for the spindle assembly checkpoint but is dispensable for the normal M phase entry and exit in *Xenopus* egg cell cycle extracts. 136:1091.
Takeuchi, K. *See* Kondo, Takeuchi, Doi, Yonemura, Nagata, Tsukita, and Tsukita.
Tam, P.P.L. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Tanaka, E.M., Gann, A.A.F., Gates, P.B., and Brockes, J.P. Newt myotubes reenter the cell cycle by phosphorylation of the retinoblastoma protein. 136:155.
Tanaka, S. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Tang, B.L. *See* Zhang, Wong, Tang, Xu, Peter, Subramaniam, and Hong.
Tang, S., Shen, Y.J., DeBellard, M.E., Mukhopadhyay, G., Salzer, J.L., Crocker, P.R., and Filbin, M.T. Myelin-associated glycoprotein interacts with neurons via a sialic acid binding site at ARG118 and a distinct neurite inhibition site. 138:1355.
Tardy, Y. *See* Giuffrè, Cordey, Monai, Tardy, Schapira, and Spertini.
Tárnok, A. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.
Tarone, G. *See* Belkin, Retta, Pletjushkina, Balzac, Silengo, Fassler, Koteliansky, Burridge, and Tarone.
Tatu, U., and Helenius, A. Interactions between newly synthesized glycoproteins, calnexin and a network of resident chaperones in the endoplasmic reticulum. 136:555.
Tauber, R. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Taxis, S. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Taya, S.-i. *See* Yamamoto, Harada, Kano, Taya, Canaani, Matsuura, Mizoguchi, Ide, and Kaibuchi.
Taylor, K.A. *See* Schmitz, Reedy, Reedy, Tregear, and Taylor.
Taylor-Papadimitriou, J. *See* Whitehouse, Burchell, Gschmeissner, Brockhausen, Lloyd, and Taylor-Papadimitriou.
Teitelbaum, S.L. *See* Abu-Amer, Ross, Schlesinger, Tondravi, and Teitelbaum.
Tempst, P. *See* Paek, Orci, Ravazzola, Erdjument-Bromage, Amherdt, Tempst, Söllner, and Rothman.
Terada, K., Kanazawa, M., Bukau, B., and Mori, M. The human dnaJ homologue dj2 facilitates mitochondrial protein import and luciferase refolding. 139:1089.
Terasaki, M., Miyake, K., and McNeil, P.L. Large plasma membrane disruptions are rapidly resealed by Ca^{2+}-dependent vesicle–vesicle fusion events. 139:63.
— *See* Carroll, Ramarao, Mehlmann, Roche, Terasaki, and Jaffe.
— *See* Sciaky, Presley, Smith, Zaal, Cole, Moreira, Terasaki, Siggia, and Lippincott-Schwartz.
Terenghi, G. *See* Sterne, Coulton, Brown, Green, and Terenghi.
Terlecky, S.R. *See* Agarraberes, Terlecky, and Dice.
Termeer, C.C. *See* Weiss, Sleeman, Renkl, Dittmar, Termeer, Taxis, Howells, Hofmann, Köhler, Schöpf, Ponta, Herrlich, and Simon.
Terrian, D.M. *See* Prekeris and Terrian.
Theriot, J.A. Accelerating on a treadmill: ADF/Cofilin promotes rapid actin filament turnover in the dynamic cytoskeleton. 136:1165.
Thibault, G. *See* Slot, Garruti, Martin, Oorschot, Posthuma, Kraegen, Laybutt, Thibault, and James.
Thiery, J.P. *See* Savagner, Yamada, and Thiery.
Thomas, G. *See* Liu, Thomas, Warren, Enns, Cunningham, Hartwig, and Thomas.
Thomas, L. *See* Liu, Thomas, Warren, Enns, Cunningham, Hartwig, and Thomas.
Thömmes, P. *See* Mahbubani, Chong, Chevalier, Thömmes, and Blow.
Thomsen, G.H. *See* Tian, Gong, Thomsen, and Lennarz.
Thornell, L.-E. *See* Li, Mericskay, Agbulut, Butler-Browne, Carlsson, Thornell, Babinet, and Paulin.
Thuerauf, D.J. *See* Zechner, Thuerauf, Hanford, McDonough, and Glembotski.
Tian, G., Lewis, S.A., Feierbach, B., Stearns, T., Rommelaere, H., Ampe, C., and Cowan, N.J. Tubulin subunits exist in an activated conformational state generated and maintained by protein cofactors. 138:821.
Tian, J., Gong, H., Thomsen, G.H., and Lennarz, W.J. Gamete interactions in *Xenopus laevis*: Identification of sperm binding glycoproteins in the egg vitelline envelope. 136:1099.
Tickle, C. *See* Makarenkova, Becker, Tickle, and Warner.
Tidswell, M. *See* Abitorabi, Pachynski, Ferrando, Tidswell, and Erle.
Tilney, L.G. *See* Guild, Connelly, Shaw, and Tilney.
Tinsley, J.M. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Tisdale, E.J., Plutner, H., Matteson, J., and Balch, W.E. p53/58 binds COPI and is required for selective transport through the early secretory pathway. 137:581.
Titus, M.A. *See* Novak and Titus.
Todokoro, K. *See* Nagata, Muro, and Todokoro.
Tokumoto, M. *See* Tokumoto, Yamashita, Tokumoto, Katsu, Horiguchi, Kajiura, and Nagahama.
Tokumoto, T., Yamashita, M., Tokumoto, M., Katsu, Y., Horiguchi, R., Kajiura, H., and Nagahama, Y. Initiation of cyclin B degradation by the 26S proteasome upon egg activation. 138:1313.
Tomasetto, C. *See* Okada, Tomasetto, Lutz, Bellocq, Rio, and Basset.
Tondravi, M.M. *See* Abu-Amer, Ross, Schlesinger, Tondravi, and Teitelbaum.
Torpier, G. *See* Dehouck, Fenart, Dehouck, Pierce, Torpier, and Cecchelli.

Torres, M. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Tournebize, R. *See* Heald, Tournebize, Habermann, Karsenti, and Hyman.
Toyoshima, F., Moriguchi, T., and Nishida, E. Fas induces cytoplasmic apoptotic responses and activation of the MKK7-JNK/SAPK and MKK6-p38 pathways independent of CPP32-like proteases. 139:1005.
Tran, P.T., Walker, R.A., and Salmon, E.D. A metastable intermediate state of microtubule dynamic instability that differs significantly between plus and minus ends. 138:105.
Tran, T. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Trapp, B.D., Nishiyama, A., Cheng, D., and Macklin, W. Differentiation and death of premyelinating oligodendrocytes in developing rodent brain. 137:459.
Tregear, R.T. *See* Schmitz, Reedy, Reedy, Tregear, and Taylor.
Trimbur, G.M. *See* Fath, Trimbur, and Burgess.
Trinick, J. *See* Burgess, Walker, White, and Trinick.
Trojanowski, J.Q. *See* Zhang, Tu, Abtahian, Trojanowski, and Lee.
Trono, D. *See* Foti, Mangasarian, Piguet, Lew, Krause, Trono, and Carpentier.
Trowbridge, I.S. *See* Odorizzi and Trowbridge.
Troyanovsky, S.M. *See* Chitaev and Troyanovsky.
Trugman, G. *See* Lelongt, Trugman, Murphy, and Ronco.
Trus, B.L. *See* Castón, Trus, Booy, Wickner, Wall, and Steven.
Tsukita, S. *See* Itoh, Nagafuchi, Moroi, and Tsukita.
— *See* Kondo, Takeuchi, Doi, Yonemura, Nagata, Tsukita, and Tsukita.
— *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
— *See* Sakakibara, Furuse, Saitou, Ando-Akatsuka, and Tsukita.
Tu, P.-h. *See* Zhang, Tu, Abtahian, Trojanowski, and Lee.
Turkewitz, A.P. *See* Chilcoat and Turkewitz.
Tuvia, S. *See* Garver, Ren, Tuvia, and Bennett.
Tuxworth, R.I., Cheetham, J.L., Machesky, L.M., Spiegelmann, G.B., Weeks, G., and Insall, R.H. *Dictyostelium* RasG is required for normal motility and cytokinesis, but not growth. 138:605.

U

Uitto, J. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
Ullrich, A. *See* Aicher, Lerch, Müller, Schilling, and Ullrich.
Underhill, T.M. *See* Cash, Bock, Schughart, Linney, and Underhill.
Utzig, S. *See* Spencer, Dowbenko, Cheng, Li, Brush, Utzig, Simanis, and Lasky.

V

Vadas, M. *See* Litwin, Clark, Noack, Furze, Berndt, Albelda, Vadas, and Gamble.
Vaduva, G., Martin, N.C., and Hopper, A.K. Actin-binding verprolin is a polarity development protein required for the morphogenesis and function of the yeast actin cytoskeleton. 139:1821.
Vafa, O. *See* Shelby, Vafa, and Sullivan.
Valcárcel, J. *See* Gama-Carvalho, Krauss, Chiang, Valcárcel, Green, and Carmo-Fonseca.
Valentine, J.S. *See* Longo, Ellerby, Bredesen, Valentine, and Gralla.
Valle, G. *See* DeMarini, Adams, Fares, De Virgilio, Valle, Chuang, and Pringle.
Vallee, R.B. *See* Burkhardt, Echeverri, Nilsson, and Vallee.
van Adelsberg, J. *See* van't Hof, Malik, Vijayakumar, Qiao, van Adelsberg, and Al-Awqati.
van Bergen en Henegouwen, P.M.P. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
van Delft, S., Schumacher, C., Hage, W., Verkleij, A.J., and van Bergen en Henegouwen, P.M.P. Association and colocalization of Eps15 with adaptor protein-2 and clathrin. 136:811. Correction. 137:259.
Van Den Abbeele, J. *See* Webb, Carnall, Vanhamme, Rolin, Van Den Abbeele, Welburn, Pays, and Carrington.
van den Eijnden-Schrauwen, Y. *See* Emeis, van den Eijnden-Schrauwen, van den Hoogen, de Priester, Westmuckett, and Lupu.
van den Hoogen, C.M. *See* Emeis, van den Eijnden-Schrauwen, van den Hoogen, de Priester, Westmuckett, and Lupu.
van der Kammen, R.A. *See* Michiels, Stam, Hordijk, van der Kammen, Ruuls-Van Stalle, Feltkamp, and Collard.
— *See* van Leeuwen, Kain, van der Kammen, Michiels, Kranenburg, and Collard.
van der Rest, M. *See* Rousselle, Keene, Ruggiero, Champliaud, van der Rest, and Burgeson.
Vandevoorde, V., Haegeman, G., and Fiers, W. Induced expression of trimerized intracellular domains of the human tumor necrosis factor (TNF) p55 receptor elicits TNF effects. 137:1627.
Vanhamme, L. *See* Webb, Carnall, Vanhamme, Rolin, Van Den Abbeele, Welburn, Pays, and Carrington.
van Hengel, J., Gohon, L., Bruyneel, E., Vermeulen, S., Cornelissen, M., Mareel, M., and van Roy, F. Protein kinase C activation upregulates intercellular adhesion of α-catenin–negative human colon cancer cell variants via induction of desmosomes. 137:1103.
van Horck, F.P.G. *See* Gebbink, Kranenburg, Poland, van Horck, Houssa, and Moolenaar.
van IJzendoorn, S.C.D., Zegers, M.M.P., Kok, J.W., and Hoekstra, D. Segregation of glucosylceramide and sphingomyelin occurs in the apical to basolateral transcytotic route in HepG2 cells. 137:347.
van Leeuwen, F.N., Kain, H.E.T., van der Kammen, R.A., Michiels, F., Kranenburg, O.W., and Collard, J.G. The guanine nucleotide exchange factor Tiam1 affects neuronal morphology; opposing roles for the small GTPases Rac and Rho. 139:797.
van Leusden, M.R. *See* Borradori, Koch, Niessen, Erkeland, van Leusden, and Sonnenberg.
van Roy, F. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.
van 't Hof, W., Malik, A., Vijayakumar, S., Qiao, J., van Adelsberg, J., and Al-Awqati, Q. The effect of apical and basolateral lipids on the function of the band 3 anion exchange protein. 139:941.
van 't Hof, W., and Resh, M.D. Rapid plasma membrane anchoring of newly synthesized $p59^{fyn}$: Selective requirement for NH_2-terminal myristoylation and palmitoylation at cysteine-3. 136:1023.
Vartanian, T., Goodearl, A., Viehöver, A., and Fischbach, G. Axonal neuregulin signals cells of the oligodendrocyte lineage through activation of HER4 and Schwann cells through HER2 and HER3. 137:211.
Vater, R. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Vaux, D. *See* Fricker, Hollinshead, White, and Vaux.
Vecchi, M., and Carpenter, G. Constitutive proteolysis of the ErbB-4 receptor tyrosine kinase by a unique, sequential mechanism. 139:995.
Vega-Salas, D.E. *See* Salas, Rodriguez, Viciana, Vega-Salas, and Hauri.
Verkhovsky, A.B. *See* Svitkina, Verkhovsky, McQuade, and Borisy.
Verkleij, A.J. *See* van Delft, Schumacher, Hage, Verkleij, and van Bergen en Henegouwen.
Verkman, A.S. *See* Seksek, Biwersi, and Verkman.
Verma, S. *See* Walczak, Verma, and Mitchison.
— *See* Welch, DePace, Verma, Iwamatsu, and Mitchison.
Vermeulen, S. *See* van Hengel, Gohon, Bruyneel, Vermeulen, Cornelissen, Mareel, and van Roy.
Verschueren, H. *See* Magez, Geuskens, Beschin, del Favero, Verschueren, Lucas, Pays, and de Baetselier.
Vestweber, D. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Viciana, A.L. *See* Salas, Rodriguez, Viciana, Vega-Salas, and Hauri.
Viehöver, A. *See* Vartanian, Goodearl, Viehöver, and Fischbach.
Vijayakumar, S. *See* van't Hof, Malik, Vijayakumar, Qiao, van Adelsberg, and Al-Awqati.
Vincent, A. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Vleminckx, K., Wong, E., Guger, K., Rubinfeld, B., Polakis, P., and Gumbiner, B.M. Adenomatous polyposis coli tumor suppressor protein has signaling activity in *Xenopus laevis* embryos resulting in the induction of an ectopic dorsoanterior axis. 136:411.
Vogel, J.M., Stearns, T., Rieder, C.L., and Palazzo, R.E. Centrosomes isolated from *Spisula solidissima* oocytes contain rings and an unusual stoichiometric ratio of α/β tubulin. 137:193.
Voit, R. *See* Falciola, Spada, Calogero, Längst, Voit, Grummt, and Bianchi.
Volkmer, H. *See* Schumacher, Volkmer, Buck, Otto, Tárnok, Roth, and Rathjen.

W

Wada, M. *See* Mandai, Nakanishi, Satoh, Obaishi, Wada, Nishioka, Itoh, Mizoguchi, Aoki, Fujimoto, Matsuda, Tsukita, and Takai.
— *See* Nakanishi, Obaishi, Satoh, Wada, Mandai, Satoh, Nishioka, Matsuura, Mizoguchi, and Takai.

Wagner, E.F. *See* Sabapathy, Pepper, Kiefer, Möhle-Steinlein, Tacchini-Cottier, Fetka, Breier, Risau, Carmeliet, Montesano, and Wagner.
Wahl, J.K., III *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.
Wahlberg, J.M., and Spiess, M. Multiple determinants direct the orientation of signal–anchor proteins: The topogenic role of the hydrophobic signal domain. 137:555.
Wahr, P.A. *See* Acakpo-Satchivi, Edelmann, Sartorius, Lu, Wahr, Watkins, Metzger, Leinwand, and Kucherlapati.
Waizenegger, I. *See* Lauber, Waizenegger, Steinmann, Schwarz, Mayer, Hwang, Lukowitz, and Jürgens.
Walch-Solimena, C., Collins, R.N., and Novick, P.J. Sec2p mediates nucleotide exchange on Sec4p and is involved in polarized delivery of post-Golgi vesicles. 137:1495.
Walczak, C.E., Verma, S., and Mitchison, T.J. XCTK2: A kinesin-related protein that promotes mitotic spindle assembly in *Xenopus laevis* egg extracts. 136:859.
Walker, M.L. *See* Burgess, Walker, White, and Trinick.
Walker, R.A. *See* Tran, Walker, and Salmon.
Wall, J.S. *See* Castón, Trus, Booy, Wickner, Wall, and Steven.
Wan, L. *See* Siomi, Eder, Kataoka, Wan, Liu, and Dreyfuss.
Wang, F. *See* Weaver, Petersen, Wang, Larabell, Briand, Damsky, and Bissell.
Wang, P.J., and Huffaker, T.C. Stu2p: A microtubule-binding protein that is an essential component of the yeast spindle pole body. 139:1271.
Wang, S. *See* Graham, Johnson, Wang, Sibley, Gupta, and Kramer.
Wang, X.M., Zhai, Y., and Ferrell, J.E., Jr. A role for mitogen-activated protein kinase in the spindle assembly checkpoint in XTC cells. 137:433.
Wang, Y.-l. *See* Wheatley, Hinchcliffe, Glotzer, Hyman, Sluder, and Wang.
Ward, D.M., Leslie, J.D., and Kaplan, J. Homotypic lysosome fusion in macrophages: Analysis using an in vitro assay. 139:665.
Warnaar, S.O. *See* Litvinov, Balzar, Winter, Bakker, B.-de Bruijn, Prins, Fleuren, and Warnaar.
Warner, A.E. *See* Makarenkova, Becker, Tickle, and Warner.
Warren, G. *See* Shima, Haldar, Pepperkok, Watson, and Warren.
Warren, R.A. *See* Liu, Thomas, Warren, Enns, Cunningham, Hartwig, and Thomas.
Warren, S.L. *See* Du and Warren.
— *See* Kim, Du, Bregman, and Warren.
Waser, M., Mesaeli, N., Spencer, C., and Michalak, M. Regulation of calreticulin gene expression by calcium. 138:547.
Waterham, H.R., Russell, K.A., de Vries, Y., and Cregg, J.M. Peroxisomal targeting, import, and assembly of alcohol oxidase in *Pichia pastoris*. 139:1419.
Waterman-Storer, C.M., and Salmon, E.D. Actomyosin-based retrograde flow of microtubules in the lamella of migrating epithelial cells influences microtubule dynamic instability and turnover and is associated with microtubule breakage and treadmilling. 139:417.
Watkins, S.C. *See* Acakpo-Satchivi, Edelmann, Sartorius, Lu, Wahr, Watkins, Metzger, Leinwand, and Kucherlapati.
Watson, R. *See* Shima, Haldar, Pepperkok, Watson, and Warren.
Watt, F.M. *See* Ruhrberg, Hajibagheri, Parry, and Watt.
Watts, C. *See* Ferrari, Knight, Watts, and Pieters.
Way, M. *See* Parton, Way, Zorzi, and Stang.
Weaver, V.M., Petersen, O.W., Wang, F., Larabell, C.A., Briand, P., Damsky, C., and Bissell, M.J. Reversion of the malignant phenotype of human breast cells in three-dimensional culture and in vivo by integrin blocking antibodies. 137:231.
Webb, H., Carnall, N., Vanhamme, L., Rolin, S., Van Den Abbeele, J., Welburn, S., Pays, E., and Carrington, M. The GPI-phospholipase C of *Trypanosoma brucei* is nonessential but influences parasitemia in mice. 139:103.
Weber, I. *See* Neujahr, Heizer, Albrecht, Ecke, Schwartz, Weber, and Gerisch.
— *See* Niewöhner, Weber, Maniak, Müller-Taubenberger, and Gerisch.
Webster, M.K. *See* Chen, Webster, Meyer, and Donoghue.
Webster, P. *See* Burleigh, Caler, Webster, and Andrews.
— *See* Rodríguez, Webster, Ortego, and Andrews.
Wedlich, D. *See* Kreft, Berndorff, Böttinger, Finnemann, Wedlich, Hortsch, Tauber, and Geßner.
Weeds, A. *See* McGough, Pope, Chiu, and Weeds.
Weeks, G. *See* Tuxworth, Cheetham, Machesky, Spiegelmann, Weeks, and Insall.
Wehland, J. *See* Sechi, Wehland, and Small.
Weidle, U.H. *See* Bloch, Forsberg, Lentini, Brakebusch, Martin, Krell, Weidle, Addicks, and Fässler.
Weidman, P. *See* Mironov, Weidman, and Luini.
Weigert, R. *See* Mironov, Colanzi, Silletta, Fiucci, Flati, Fusella, Polishchuk, Mironov, Di Tullio, Weigert, Malhotra, Corda, De Matteis, and Luini.
Weiler-Guettler, H. *See* Aird, Edelberg, Weiler-Guettler, Simmons, Smith, and Rosenberg.
Weiss, A. *See* Huby, Iwashima, Weiss, and Ley.
Weiss, J.M., Sleeman, J., Renkl, A.C., Dittmar, H., Termeer, C.C., Taxis, S., Howells, N., Hofmann, M., Köhler, G., Schöpf, E., Ponta, H., Herrlich, P., and Simon, J.C. An essential role for CD44 variant isoforms in epidermal Langerhans cell and blood dendritic cell function. 137:1137.
Welburn, S. *See* Webb, Carnall, Vanhamme, Rolin, Van Den Abbeele, Welburn, Pays, and Carrington.
Welch, M.D., DePace, A.H., Verma, S., Iwamatsu, A., and Mitchison, T.J. The human Arp2/3 complex is composed of evolutionary conserved subunits and is localized to cellular regions of dynamic actin filament assembly. 138:375.
Welgus, H.G. *See* Pilcher, Dumin, Sudbeck, Krane, Welgus, and Parks.
Wells, T.N.C. *See* Signoret, Oldridge, Pelchen-Matthews, Klasse, Tran, Brass, Rosenkilde, Schwartz, Holmes, Dallas, Luther, Wells, Hoxie, and Marsh.
Wente, S.R. *See* Bucci and Wente.
— *See* Iovine and Wente.
Wenzel, T. *See* Wiemer, Wenzel, Deerinck, Ellisman, and Subramani.
Werb, Z. *See* Lochter, Galosy, Muschler, Freedman, Werb, and Bissell.
Wesselborg, S. *See* Ferrari, Wesselborg, Bauer, and Schulze-Osthoff.
Wessling-Resnick, M. *See* Gutierrez, Yu, Rivera, and Wessling-Resnick.
West, A.E., Neve, R.L., and Buckley, K.M. Targeting of the synaptic vesicle protein synaptobrevin in the axon of cultured hippocampal neurons: Evidence for two distinct sorting steps. 139:917.
West, M.A., Bright, N.A., and Robinson, M.S. The role of ADP-ribosylation factor and phospholipase D in adaptor recruitment. 138:1239.
Westerfield, M. *See* Du, Devoto, Westerfield, and Moon.
Westmuckett, A. *See* Emeis, van den Eijnden-Schrauwen, van den Hoogen, de Priester, Westmuckett, and Lupu.
Wheatley, S.P., Hinchcliffe, E.H., Glotzer, M., Hyman, A.A., Sluder, G., and Wang, Y.-l. CDK1 inactivation regulates anaphase spindle dynamics and cytokinesis in vivo. 138:385.
Wheelock, M.J. *See* Lewis, Wahl, Sass, Jensen, Johnson, and Wheelock.
— *See* Salomon, Sacco, Roy, Simcha, Johnson, Wheelock, and Ben-Ze'ev.
Whitaker-Menezes, D. *See* Koch, Mahoney, Ishikawa, Pulkkinen, Uitto, Shultz, Murphy, Whitaker-Menezes, and Stanley.
White, H.D. *See* Burgess, Walker, White, and Trinick.
White, J.M. *See* Hernandez, Peters, Delos, Young, Agard, and White.
White, N. *See* Fricker, Hollinshead, White, and Vaux.
Whitehouse, C., Burchell, J., Gschmeissner, S., Brockhausen, I., Lloyd, K.O., and Taylor-Papadimitriou, J. A transfected sialyltransferase that is elevated in breast cancer and localizes to the medial/*trans*-Golgi apparatus inhibits the development of core-2–based O-glycans. 137:1229.
Whyte, M.K.B. *See* McCarthy, Whyte, Gilbert, and Evan.
Wickner, R.B. *See* Castón, Trus, Booy, Wickner, Wall, and Steven.
Wickner, W. *See* Mayer and Wickner.
— *See* Xu, Mayer, Muller, and Wickner.
Wiemer, E.A.C., Wenzel, T., Deerinck, T.J., Ellisman, M.H., and Subramani, S. Visualization of the peroxisomal compartment in living mammalian cells: Dynamic behavior and association with microtubules. 136:71.
Wier, E. *See* Amling, Neff, Tanaka, Inoue, Kuida, Wier, Philbrick, Broadus, and Baron.
Wilkerson, C.G. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Will, H. *See* Sternsdorf, Jensen, and Will.
— *See* Sternsdorf, Jensen, Züchner, and Will.
Williams, B.C. *See* Starr, Williams, Li, Etemad-Moghadam, Dawe, and Goldberg.
Williams, M.W. *See* Zhou, Birkenmeier, Williams, Sharp, Barker, and Bloch.
Wilsch-Bräuninger, M., Schwarz, H., and Nüsslein-Volhard, C. A sponge-like structure involved in the association and transport of maternal products during *Drosophila* oogenesis. 139:817.
Wilson, J.M., and Colton, T.L. Targeting of an intestinal apical endosomal protein to endosomes in nonpolarized cells. 136:319.
Wilson, N.F., Foglesong, M.J., and Snell, W.J. The *Chlamydomonas* mating type plus fertilization tubule, a prototypic cell fusion

organelle: Isolation, characterization, and in vitro adhesion to mating type minus gametes. 137:1537.
Winey, M. *See* Schutz, Giddings, Steiner, and Winey.
Winokur, S.T. *See* Xia, Winokur, Kuo, Altherr, and Bredt.
Winter, M.J. *See* Litvinov, Balzar, Winter, Bakker, B.-de Bruijn, Prins, Fleuren, and Warnaar.
Winther, J.R. *See* Holst, Tachibana, and Winther.
Wismar, J. *See* Lenz-Böhme, Wismar, Fuchs, Reifegerste, Buchner, Betz, and Schmitt.
Witke, W. *See* Lu, Witke, Kwiatkowski, and Kosik.
Witman, G.B. *See* Koutoulis, Pazour, Wilkerson, Inaba, Sheng, Takada, and Witman.
Wolins, N., Bosshart, H., Küster, H., and Bonifacino, J.S. Aggregation as a determinant of protein fate in post-Golgi compartments: Role of the luminal domain of furin in lysosomal targeting. 139:1735.
Wolter, K.G., Hsu, Y.-T., Smith, C.L., Nechushtan, A., Xi, X.-G., and Youle, R.J. Movement of Bax from the cytosol to mitochondria during apoptosis. 139:1281.
Wong, C. *See* Chang, Wong, Smith, and Liu.
Wong, E. *See* Vleminckx, Wong, Guger, Rubinfeld, Polakis, and Gumbiner.
Wong, E.F.S. *See* Sesaki, Wong, and Siu.
Wong, M.L. *See* Lingappa, Hill, Wong, and Hegde.
Wong, S.H. *See* Zhang, Wong, Tang, Xu, Peter, Subramaniam, and Hong.
Wong, V., and Gumbiner, B.M. A synthetic peptide corresponding to the extracellular domain of occludin perturbs the tight junction permeability barrier. 136:399.
Wood, S.J. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Worman, H.J. *See* Ellenberg, Siggia, Moreira, Smith, Presley, Worman, and Lippincott-Schwartz.
Wu, M. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Wu, R.-R., and Couchman, J.R. cDNA cloning of the basement membrane chondroitin sulfate proteoglycan core protein, bamacan: A five domain structure including coiled-coil motifs. 136:433.
Wulfkuhle, J.D. *See* Pestonjamasp, Pope, Wulfkuhle, and Luna.
Wylie, C. *See* García-Castro, Anderson, Heasman, and Wylie.

X

Xi, X.-G. *See* Wolter, Hsu, Smith, Nechushtan, Xi, and Youle.
Xia, G.-X. *See* Carlier, Laurent, Santolini, Melki, Didry, Xia, Hong, Chua, and Pantaloni.
Xia, H., Winokur, S.T., Kuo, W.-L., Altherr, M.R., and Bredt, D.S. Actinin-associated LIM protein: Identification of a domain interaction between PDZ and spectrin-like repeat motifs. 139:507.
Xiao, Z., Zhang, N., Murphy, D.B., and Devreotes, P.N. Dynamic distribution of chemoattractant receptors in living cells during chemotaxis and persistent stimulation. 139:365.
Xie, H.-q., Laird, D.W., Chang, T.-H., and Hu, V.W. A mitosis-specific phosphorylation of the gap junction protein connexin43 in human vascular cells: Biochemical characterization and localization. 137:203.
Xiong, W.-c., and Parsons, J.T. Induction of apoptosis after expression of PYK2, a tyrosine kinase structurally related to focal adhesion kinase. 139:529.
Xu, J., and Clark, R.A.F. A three-dimensional collagen lattice induces protein kinase C-ζ activity: Role in α_2 integrin and collagenase mRNA expression. 136:473.
Xu, Y. *See* Zhang, Wong, Tang, Xu, Peter, Subramaniam, and Hong.
Xu, Z., Mayer, A., Muller, E., and Wickner, W. A heterodimer of thioredoxin and I^B_2 cooperates with Sec18p (NSF) to promote yeast vacuole inheritance. 136:299.

Y

Yaffe, M.P. *See* Berger, Sogo, and Yaffe.
— *See* Fisk and Yaffe.
Yamada, K.M. *See* Savagner, Yamada, and Thiery.
Yamagishi, T. *See* Nakajima, Miyazono, Kato, Takase, Yamagishi, and Nakamura.
Yamamoto, M. *See* Kitayama, Sugimoto, and Yamamoto.
Yamamoto, T., Harada, N., Kano, K., Taya, S.-i., Canaani, E., Matsuura, Y., Mizoguchi, A., Ide, C., and Kaibuchi, K. The ras target AF-6 interacts with ZO-1 and serves as a peripheral component of tight junctions in epithelial cells. 139:785.
Yamashita, M. *See* Tokumoto, Yamashita, Tokumoto, Katsu, Horiguchi, Kajiura, and Nagahama.
Yan, H. *See* Hua, Yan, and Newport.
Yancopoulos, G.D. *See* Sugiyama, Glass, Yancopoulos, and Hall.
Yang, J., Liu, J., and DeFranco, D.B. Subnuclear trafficking of glucocorticoid receptors in vitro: Chromatin recycling and nuclear export. 137:523.
Yang, L., Guan, T., and Gerace, L. Integral membrane proteins of the nuclear envelope are dispersed throughout the endoplasmic reticulum during mitosis. 137:1199.
—, **Guan, T., and Gerace, L.** Lamin-binding fragment of LAP2 inhibits increase in nuclear volume during the cell cycle and progression into S phase. 139:1077.
Yang, S., Ayscough, K.R., and Drubin, D.G. A role for the actin cytoskeleton of *Saccharomyces cerevisiae* in bipolar bud-site selection. 136:111.
Yang, S.S., Yeh, E., Salmon, E.D., and Bloom, K. Identification of a mid-anaphase checkpoint in budding yeast. 136:345.
Yang, Z.-h., Gallicano, G.I., Yu, Q.-C., and Fuchs, E. An unexpected localization of basonuclin in the centrosome, mitochondria, and acrosome of developing spermatids. 137:657.
Yaniv, M. *See* Reyes, Muchardt, and Yaniv.
Yao, X., Anderson, K.L., and Cleveland, D.W. The microtubule-dependent motor centromere–associated protein E (CENP-E) is an integral component of kinetochore corona fibers that link centromeres to spindle microtubules. 139:435.
Yazaki, Y. *See* Takahashi, Kadowaki, Yazaki, Miyashita, and Kasai.
Yeaman, C., Le Gall, A.H., Baldwin, A.N., Monlauzeur, L., Le Bivic, A., and Rodriguez-Boulan, E. The *O*-glycosylated stalk domain is required for apical sorting of neurotrophin receptors in polarized MDCK cells. 139:929.
Yee, A.G. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Yeh, E. *See* Shaw, Yeh, Maddox, Salmon, and Bloom.
— *See* Yang, Yeh, Salmon, and Bloom.
Yen, T.J. *See* Schaar, Chan, Maddox, Salmon, and Yen.
Yin, H.L. *See* Sun, Lin, and Yin.
Yip, P.M. *See* Felding-Habermann, Silletti, Mei, Siu, Yip, Brooks, Cheresh, O'Toole, Ginsberg, and Montgomery.
Yokoyama, S. *See* Adachi, Takahashi, Hasebe, Shirouzu, Yokoyama, and Sutoh.
Yoneda, Y. *See* Kose, Imamoto, Tachibana, Shimamoto, and Yoneda.
Yonemura, S. *See* Kondo, Takeuchi, Doi, Yonemura, Nagata, Tsukita, and Tsukita.
Yoshida, O. *See* Nishiyama, Itoh, Kaneko, Kishishita, Yoshida, and Fujita.
Yoshitake, Y. *See* Dempsey, Meise, Yoshitake, Nishikawa, and Coffey.
Yost, C. *See* Larabell, Torres, Rowning, Yost, Miller, Wu, Kimelman, and Moon.
Youle, R.J. *See* Wolter, Hsu, Smith, Nechushtan, Xi, and Youle.
Young, C. *See* Deconinck, Potter, Tinsley, Wood, Vater, Young, Metzinger, Vincent, Slater, and Davies.
Young, J.A.T. *See* Hernandez, Peters, Delos, Young, Agard, and White.
Yu, H. *See* Blocker, Severin, Burkhardt, Bingham, Yu, Olivo, Schroer, Hyman, and Griffiths.
Yu, H.-G., Hiatt, E.N., Chan, A., Sweeney, M., and Dawe, R.K. Neocentromere-mediated chromosome movement in maize. 139:831.
Yu, J. *See* Gutierrez, Yu, Rivera, and Wessling-Resnick.
Yu, Q.-C. *See* Lo, Yu, Degenstein, Chen, and Fuchs.
— *See* Yang, Gallicano, Yu, and Fuchs.
Yu, W., Kim, J., and Ossowski, L. Reduction in surface urokinase receptor forces malignant cells into a protracted state of dormancy. 137:767.
—, **Sharp, D.J., Kuriyama, R., Mallik, P., and Baas, P.W.** Inhibition of a mitotic motor compromises the formation of dendrite-like processes from neuroblastoma cells. 136:659.
— *See* Sharp, Yu, Ferhat, Kuriyama, Rueger, and Baas.
Yuan, R., Primakoff, P., and Myles, D.G. A role for the disintegrin domain of cyritestin, a sperm surface protein belonging to the ADAM family, in mouse sperm–egg plasma membrane adhesion and fusion. 137:105.
Yurchenco, P.D. *See* Cohen, Jacobson, Yurchenco, Morris, and Carbonetto.

Zaal, K.J.M. *See* Sciaky, Presley, Smith, Zaal, Cole, Moreira, Terasaki, Siggia, and Lippincott-Schwartz.
Zanazzi, G. *See* Einheber, Zanazzi, Ching, Scherer, Milner, Peles, and Salzer.
Zanotti, S. *See* Rauch, Polzar, Stephan, Zanotti, Paddenberg, and Mannherz.
Zechner, D., Thuerauf, D.J., Hanford, D.S., McDonough, P.M., and Glembotski, C.C. A role for the p38 mitogen-activated protein kinase pathway in myocardial cell growth, sarcomeric organization, and cardiac-specific gene expression. 139:115.
Zegers, M.M.P., and Hoekstra, D. Sphingolipid transport to the apical plasma membrane domain in human hepatoma cells is controlled by PKC and PKA activity: A correlation with cell polarity in HepG2 cells. 138:307.
— *See* van IJzendoorn, Zegers, Kok, and Hoekstra.
Zeile, W. *See* Laine, Zeile, Kang, Purich, and Southwick.
Zerwes, H.-G. *See* Zöllner, Lenter, Blanks, Borges, Steegmaier, Zerwes, and Vestweber.
Zhai, Y. *See* Wang, Zhai, and Ferrell.
Zhang, B., Tu, P.-h., Abtahian, F., Trojanowski, J.Q., and Lee, V.M.-Y. Neurofilaments and orthograde transport are reduced in ventral root axons of transgenic mice that express human SOD1 with a G93A mutation. 139:1307.
Zhang, J. *See* Schuger, Skubitz, Zhang, Sorokin, and He.
Zhang, J.-X. *See* Hebert, Zhang, Chen, Foellmer, and Helenius.
Zhang, N. *See* Xiao, Zhang, Murphy, and Devreotes.
Zhang, T., Wong, S.H., Tang, B.L., Xu, Y., Peter, F., Subramaniam, V.N., and Hong, W. The mammalian protein (rbet1) homologous to yeast Bet1p is primarily associated with the pre-Golgi intermediate compartment and is involved in vesicular transport from the endoplasmic reticulum to the Golgi apparatus. 139:1157.
Zhao, Y.-d. *See* Hasson, Gillespie, Garcia, MacDonald, Zhao, Yee, Mooseker, and Corey.
Zheng, T. *See* Murphy, Zheng, and Nicchitta.
— *See* Nicchitta and Zheng.
Zhong, R. *See* Dawson, Pearce, Zhong, Silverstein, Frazier, and Bouck.
Zhou, D., Birkenmeier, C.S., Williams, M.W., Sharp, J.J., Barker, J.E., and Bloch, R.J. Small, membrane-bound, alternatively spliced forms of ankyrin 1 associated with the sarcoplasmic reticulum of mammalian skeletal muscle. 136:621.
Zhou, S. *See* Kwan, Pang, Zhou, Cowan, Kong, Pfordte, Olsen, Sillence, Tam, and Cheah.
Zhou, X. *See* Cimato, Ettinger, Zhou, and Aletta.
Zhu, X. *See* Muller, Zhu, and Lindberg.
Zhu, X.-c. *See* Kislauskis, Zhu, and Singer.
Ziemiecki, A. *See* Kueng, Nikolova, Djonov, Hemphill, Rohrbach, Boehlen, Zuercher, Andres, and Ziemiecki.
Zigmond, S.H., Joyce, M., Borleis, J., Bokoch, G.M., and Devreotes, P.N. Regulation of actin polymerization in cell-free systems by GTPγS and Cdc42. 138:363.
Zimmerberg, J. *See* Chernomordik, Leikina, Frolov, Bronk, and Zimmerberg.
Zitt, C., Obukhov, A.G., Strübing, C., Zobel, A., Kalkbrenner, F., Lückhoff, A., and Schultz, G. Expression of TRPC3 in Chinese hamster ovary cells results in calcium-activated cation currents not related to store depletion. 138:1333.
Zobel, A. *See* Zitt, Obukhov, Strübing, Zobel, Kalkbrenner, Lückhoff, and Schultz.
Zöllner, O., Lenter, M.C., Blanks, J.E., Borges, E., Steegmaier, M., Zerwes, H.-G., and Vestweber, D. L-Selectin from human, but not from mouse neutrophils binds directly to E-selectin. 136:707.
Zorzi, N. *See* Parton, Way, Zorzi, and Stang.
Züchner, D. *See* Sternsdorf, Jensen, Züchner, and Will.
Zuercher, G. *See* Kueng, Nikolova, Djonov, Hemphill, Rohrbach, Boehlen, Zuercher, Andres, and Ziemiecki.

SUBJECT INDEX VOLUMES 136–139

α1–5, expression, developmental transitions, chromosomal localizations of, 137:685
α3, novel isoform of, 137:685
α6β4, required for stable adhesion of epidermis to basement membrane, 137:729
Abnormal spindle, encodes a microtubule-associated protein, gene product involved in spindle microtubule dynamics, spindle abnormalities in mutants, 137:881
ABP-280
  directs intracellular trafficking of furin, modulates proprotein processing in endocytic pathway, 139:1719
  MAP2c reorganizes microtubules and microfilaments into cytological structures in, 136:845
Abp1p/Cbp1p, shares structural and functional homologies with CENP-B, 136:487
Acanthamoeba, localization of the Arp2/3 complex to actin-rich structures in, 136:331
Acanthosis nigricans (Crouzon syndrome), activating mutations responsible for, 137:619
Acetylcholine receptors
  laminin-1 induces clustering of, 139:181
  stabilization of, 138:159
Acetylcholine transporters (vesicular), differential localization in PC12 cells, 139:907
Acetylcholinesterase molecules, collagen-tailed, specific binding sites on the neuromuscular synapse, molecular "parking lot" for insertion and removal of, biogenesis and distribution of, amphibians vs. aves, 136:367
Achondroplasia (Crouzon syndrome), activating mutations responsible for, 137:619
Acrosome (of developing spermatid), localization of basonuclin in, 137:657
Actin
  Arp2/3 complex promotes assembly of, 138:375
  dynamics regulated by Rac and Rho GTPases, 138:913
  exposure of free barbed ends and assembly of, assembly terminated by capping protein, 139:1243
  fimbrin induces conformational change in, 139:387
  interactions with verprolin, 139:1821
  mediates mitochondrial inheritance in yeast, 137:141
  in mitosis, 139:1793
  Myo2p colocalizes with, 137:1309
  polymerization in cell-free systems, 138:363
  Rac and Rho required for reorganization of, 137:1421
  Rac induces rapid polymerization of, 138:913
  role in establishment and maintenance of cell polarity, 137:399
  rotation of motor domain over, 139:695
  survival of *Chlamydomonas* without, novel actin-like protein as substitute for, 137:649
β-Actin, messenger RNA localization and protein synthesis augment cell motility, 136:1263
Actin cytoskeleton
  changes during apoptosis, 139:759
  effects of verprolin on, 139:1821
  entry of free capping protein into, 139:1243
  α6β4 integrin associates with, 139:1873
  LI-cadherin not firmly connected to, 136:1109
  linked to plasma membrane by afadin, 139:517
  Mdm20p and Tpm1p establish molecular and functional heterogeneity of, 137:141
  role of Arp2/3 complex in the regulation of, 136:331
Actin depolymerizing factor
  enhances rate of actin filament turnover, uses ATP hydrolysis to enhance filament dynamics, increases rate of actin-based motility of *Listeria monocytogenes*, 136:1307
  responsible for turnover of actin filaments in *Listeria monocytogenes* tails, 136:1323
Actin depolymerizing factor/cofilin, promotes rapid actin filament turnover in dynamic cytoskeleton, 136:1165
Actin filament cables (in *Drosophila* nurse cells), modular composition of, 138:783
Actin filaments
  actin depolymerizing factor enhances the turnover rate of, 136:1307
  actin depolymerizing factor/cofilin promotes rapid turnover of, 136:1165
  actin polymerizing factor responsible for turnover rate of, in *Listeria monocytogenes* tails, 136:1323
  binding of ZO-1 to, 138:181
  cross-link to form cables in *Drosophila* nurse cells, 138:783
  disruption of *BEE1* causes changes in the organization of, 136:649
  high turnover rate in budding yeast, 137:399
  IQGAP binds and cross-links, IQGAP1 regulates binding activity of, 137:1555
  organized by MAP2c into an isotropic array, 136:845
  supervillin and assembly of, 139:1255
Actin ring, construction via protein–protein interactions, 137:169
Actin-associated LIM protein, mutated in fascioscapulohumeral muscular dystrophy, 139:507
Actin-based cytoskeleton, dissociation from plasma membranes, 139:749
Actin-binding LIM protein, molecular characterization of, role in establishing and maintaining cellular function, retina-specific isoform of, 138:575
α-Actinin, CRP1 interacts with, 139:157
α-Actinin-2, PDZ domain of actin-associated LIM protein binds to spectrin-like repeats of, 139:507
Actin–myosin system, in fish keratocytes, 139:397
Activated aortic endothelium, monocyte adhesion to, 136:945
Active dicentric chromosome, kinetics of spindle elongation in cells with, 136:345
Actomyosin ATPase cycle, biochemical transitions in, 139:683
Acto-myosin system
  interaction with Ras pathway, 137:1309
  regulation of cytokinesis through, 137:891
ADAM family, a second member involved in sperm–egg adhesion, 137:105
Adaptor protein-2, association and colocalization of Eps15 with, 136:811
Adaptor proteins 1 and 2, bind the CD3γ L-based motif, DxxxL sequence a united motif for the binding of, 138:271
Adaptor-related protein-3 complex, characterization of, involvement in trafficking to lysosomes, associated with Golgi region of the cell, 137:835
Adaptors, AP-1 and AP-2, recruitment onto plasma membrane, targeting to endosomes, role of ADP ribosylation factor and phospholipase D in recruitment of, 138:1239
Adenomatous polyposis coli protein
  interactions with β-catenin regulate epithelial tubulogenesis, 137:1651
  regulation of β-catenin binding to, NH_2-terminal–deleted β-catenin colocalizes prominently with, COOH-terminal–deleted β catenin colocalizes poorly with, 136:693
Adenomatous polyposis coli tumor suppression protein, signaling activity in *Xenopus laevis*, as part of the Wnt/β-cadherin signaling pathway, association with signaling by β-cadherin, lack of signaling activity in truncated mutants of, signaling activity regulates dorsoanterior axis from *Xenopus* embryos, influence on β-cadherin, 136:411
Adherens junction
  cell–cell, afadin links actin cytoskeleton to plasma membrane at, 139:517
  role in the formation of desmosomes, plakoglobin as a structural component of, 136:919
  supervillin in actin filament assembly at, 139:1255
Adhesion molecules
  cross-talk between, 137:1663
  cytokine-independent pathway for induction of, 139:219
Adhesion receptors, redistribution to uropods, 138:1409
Adhesion weakened by loss of, 136:1349
ADP ribosylation factor
  modulates phospholipase D activity, regulates vesicle budding from the *trans*-Golgi network, 138:495
  role in adaptor recruitment, 138:1239
  role in synaptic vesicle budding, 138:505

ADP-ribosylation, role in maintenance of Golgi structure, role in Golgi disassembling activity of brefeldin A, 139:1109
ADP-ribosylation factor 6, regulates plasma membrane recycling pathway, 139:49
Adrenal chromaffin cells, multiple forms of endocytosis in, 139:885
AF-6 (ALL-1 fusion partner from chromosome 6), interaction with ZO-1, participation in regulation of cell–cell contacts, as component of tight junctions in epithelial cells, 139:785
a-factor, biogenesis of, biosynthetic intermediates of, requirement for the NH_2-terminal processing of, additional unpredicted step during the NH_2-terminal processing of the precursor, 136:251
a-factor precursor, *STE24* required for the first NH_2-terminal proteolytic cleavage during biogenesis of, 136:271
Afadin, isolation and characterization of, links actin cytoskeleton to plasma membrane at cell–cell adherens junction, 139:517
Aggregation, as determinant of protein fate in post-Golgi compartments, and luminal domain of furin, 139:1735
Agrin
  binds to laminins, localization to synaptic basal lamina, 137:671
  clustering of dystroglycan induced by, mobile when unclustered, 136:1047
  signaling pathway vs. that of laminin-1, 139:181
Akt kinase, and survival of superior cervical neurons, 139:809
Alcohol oxidase, peroxisomal targeting/import/assembly in *Pichia pastoris*, 139:1419
Alkaline phosphatase
  adaptor protein complex AP-3 essential for delivery of, 139:1761
  follows a *VPS45/27*-independent route to vacuoles, 138:531
Alternative splicing
  modulation of integrin adhesive function by, 139:1583
  SR protein modular domains and, 138:225
Amebas (*Naegleria gruberi*), differentiation into flagellates, 137:871
Aminopeptidase I
  transport to vacuole, maturation of, concentration in vesicles, 138:37
  transported to vacuole via two distinct selective pathways, 139:1687
  vacuolar import of, oligomerization of, maintained as dodecamer throughout its import, transport through cytoplasm-to-vacuole targeting pathway, 137:609
Amphiphysin, isoforms of, help define distinct domains of cortical cytoplasm, 137:1355
Amphiphysin II, localization in brain and muscle, 137:1355
Amphiphysin/Rvs family, role in endocytosis and actin function, 137:1355
β-Amyloid precursor protein, β-secretase cleavage of, NH_2-terminal fragment of, 138:671
Amyotrophic lateral sclerosis, mouse model of, impaired axonal transport in, motor neuron dysfunction/degeneration in, 139:1307
Anaphase
  CDK1 regulates spindle dynamics during, 138:385
  chromosome movement during, 139:1
  increased stability of kinetochore microtubules at onset of, 137:1567
  megakaryocyte regulatory mechanism in, 139:449
  RAD9-dependent delay during, progression from early to late, 136:345
Anchorage independence, and oncogenes, 139:575
Androgen, ablation triggers apoptosis, 137:909
Angiogenesis
  CD36 essential for the inhibition of, 138:707
  Hox D3 regulates endothelial cell gene expression during, 139:257
  β1 integrin essential for, 139:265
Ankyrin
  binding abolished by tyrosine phosphorylation of neurofascin, 137:703
  dynein binds to Golgi membranes independently of, 139:1169
Ankyrin 1 (small forms), as integral membrane proteins of the sarcoplasmic reticulum, link the sarcoplasmic reticulum to the contractile apparatus, 136:621
Ankyrin-3, isoforms lacking the NH_2-terminal repeat associate with lysosomes, 136:1059
Ankyrin-3–positive vesicles, contain lysosomal-associated glycoprotein 1, 136:1059
Anoikis, Jun–NH_2-terminal kinase activation and, 139:1017
Antigen 1E12, intracellular localization of, defines primordial cell restricted to smooth muscle lineage, as member of α-actinin family of cytoskeletal proteins, differential expression pattern in contractile vs. noncontractile cells, 137:925
Antigen-presenting cells, use full endocytic system for antigen processing/loading, 139:639
Antioxidant pathways, induced by neuroprotective action of cycloheximide, 136:1137
Anti-xNup98, effect on the export of multiple classes of RNA, does not inhibit import of karyophilic proteins or small nuclear ribonucleoproteins, 136:241
AP-1 and AP-2 adaptors, recruitment onto plasma membrane, targeting to endosomes, role of ADP ribosylation factor and phospholipase D in recruitment of, 138:1239
Apical domain, epidermal growth factor precursor localizes to, 138:747
Apical lipids, effect on function of band 3 anion exchange protein, 139:941
Apical membrane cytoskeleton, role in organization of apical pole in epithelial cells, expressed in epithelia, 137:359
Apical pole, organization in epithelial cells, role of apical membrane cytoskeleton in the organization of, 137:359
Apical sorting, of neurotrophin receptors, 139:929
Apical sphingolipid transport, regulated by protein kinases A and C, 138:307
Apoptosis
  activation of proteases during, blocked by Z-VAD.FMK, 137:469
  amphibian vs. mammalian, induced by thyroid hormone, blocked by extracellular matrix, 139:1533
  basic machinery present in yeast, 139:729
  change in intracellular localization of Bax during, 139:1281
  in Colo-205 cells, mitochondrial abnormalities and, 138:449
  CPP32-like proteases and, 139:1005
  detachment-induced, Jun–NH_2-terminal kinase activation and, 139:1017
  dismantling cell–cell contacts during, 139:759
  ezrin/radixin/moesin protein–based microvillar breakdown in, 139:749
  induced by disparate mechanisms, role of interleukin-1β–converting enzyme–related proteases in, partial blocking by inhibition of interleukin-1β–converting enzyme–related proteases, 136:215
  induced by major histocompatibility complex class I ligation, phosphoinositide-3 kinase–induced c-Jun NH_2-terminal kinase activity in, 139:1523
  induced by matrix metalloproteinase suppression, 139:279
  induced by presenilin-2, 139:485
  induced by PYK2, 139:529
  induced by TRAIL, TRAIL complements activity of CD95L system in, 137:221
  inhibited by Bcl-2, 138:1219
  intermediate filament reorganization during, 138:1379
  nerve cell, glutamate-induced, mediated by cGMP, 139:1317
  neuronal, 139:809
  p28 and, 139:327
  p53-independent, 138:167
  regulatory effects on NF-κβ target genes involved in, 139:1635
  Src homology 2 domains in, Src homology 2–phosphotyrosine interactions in, 137:1117
  transformed fibroblasts triggered into, 138:901
  triggered by androgen ablation, 137:909
Arabidopsis, KNOLLE protein and cytokinesis in, 139:1485
Arginine 118, role in sialic acid–dependent binding of myelin-associated glycoprotein to neurons, 138:1355
Arp2/3 complex
  sequence and localization, promotes actin assembly in lamellipodia, role in lamellipodial protrusion, role in *Listeria monocytogenes* motility, 138:375
  structural and topological models of, actin-binding activity of, localization to actin-rich structures in *Acanthamoeba*, role in cytoskeletal function, 136:331
Aspartic acid 127, included in the CD3γ L-based motif, 138:271
Astral microtubules, and spindle alignment in yeast, 139:985
ATP
  calcium waves mediated by, 139:497
  stabilizes acetylcholine receptors, 138:159
ATP (extracellular)
  activates NF-κβ, 139:1635
  elicits changes in intracellular calcium concentration, 138:987
ATP hydrolysis, used by actin depolymerizing factor to enhance actin filament dyamics, 136:1307
Atrial cardiomyocytes, GLUT-4 targeted to secretory granules in, 137:1243
Atrial natriuretic factor secretory granules, entry of GLUT-4 into, 137:1243
AtT-20 cells, passive sorting in, 138:45

Autophagic pathways
overlap with cytoplasm–vacuole/lysosome pathway, 139:1687
convergence with endocytic pathways, 136:61
Autophagic vacuoles, initial, convergence of autophagic and endocytic pathways upon the formation of, 136:61
Avian leukosis and sarcoma virus, liposome binding of envelope glycoprotein of, 139:1455
Axial bud site selection, microtubules not involved in, 136:111
Axial core, assembly of, assembly independent of DNA decatenation, assembly required in final steps of chromosome condensation, 136:29
Axonal–glial signaling, role of neuregulin in, 137:211
Axons
impaired transport in, 139:1307
oligodendrocyte survival depends on myelination of, 137:459
reciprocal signaling between glia and, 139:1495
B lymphocytes, use conventional endocytic compartments for major histocompatibility complex class II presentation, 139:639
bal mice, lack of desmoglein 3 in, typical pemphigus vulgaris lesions in, desmoglein 3 gene mutation in, 137:1091
Band 3 anion exchange protein, effect of apical and basolateral lipids on function of, 139:941
BAP31, controls cellubrevin export from endoplasmic reticulum, 139:1397
Basement membrane
Cdx2 expression modulated by components of, 139:1553
distribution of type IV collagen in, 137:1171
localization of agrin to, 137:671
role of basement membrane chondroitin sulfate proteoglycan core protein (banacam) in the physiology of, 136:433
Basement membrane chondroitin sulfate proteoglycan core protein (banacam), cDNA cloning of, structure of, structure indicative of role in basement membrane physiology, structural similarities to proteins in other phyla, distinctive structural features of, localization and glycosaminoglycan modification of, 136:433
Basolateral lipids, effect on function of band 3 anion exchange protein, 139:941
Basonuclin, in spermatogenesis, localization in centrosome, mitochondria, and acrosome of developing spermatids, 137:657
Bax, change in intracellular localization during apoptosis, 139:1281
BAX, role in neuronal cell death, 139:205
BC_3H1 cells, mediation of excitation–contraction coupling in, 137:859
Bcl-2
in apoptosis, 137:1117
association of p28 Bap31 with, 139:327
carcinoembryonic antigen cooperates with, 137:939
family members fused to green fluorescent protein, 139:1281
maintains calcium homeostasis in endoplasmic reticulum, inhibits apoptosis induction by thapsigargin, 138:1219
and regulation of chondrocyte maturation during skeletal development, location in signaling pathway that regulates skeletal development, 136:205
stimulates antioxidant protection in *sod1Δ* yeast, delays death of wild-type yeast, 137:1581
bcl-2 gene, induced by neuroprotective action of cycloheximide, 136:1137
Bcl-X_L, association of p28 Bap31 with, 139:327
BEE1, defects in budding and cytokinesis caused by disruption of, 136:649
Bee1 protein
role in the assembly of actin filaments at the cell cortex, 136:649
role in controlling actin polymerization at cell cortex, 138:95
BHKp23, identification, localization, and characterization of, 139:1119
Biglycan, expression in nervous tissue, involvement in nuclear processes, 139:851
Biosynthetic pathways, basolateral sorting of transferrin receptor in (vs. in endocytic pathways), 137:1255
Biosynthetic protein transport, transmembrane protein p23 involved in, 139:1119
BiP, stimulated ATPase activity of, recruitment to translocon in *Saccharomyces cerevisiae*, 137:1483
Bipolar bud site selection, role for the actin cytoskeleton of *Saccharomyces cerevisiae* in, microtubules not involved in, 136:111
Bipolar spindles, kinesin-related protein KLP38B and assembly of, 139:1361
Blastocyst, γ subunit (of sodium pump) essential for development of, 139:1545
Blastomeres, role of α-catenin in adhesion of, 139:1033
Blood vessels, human neural cell adhesion molecule expression on, 139:1567
Blood–brain barrier, transcytosis of low density lipoprotein across, 138:877
Blown fuse, cloning and expression pattern of, required for myoblast fusion, encodes novel cytoplasmic protein in unfused myoblasts, 136:1249
Bradykinin, effects on calreticulin promoter activity, 138:547
Brain myosin V, tail domain forms a stable complex with synaptic vesicle membrane proteins, tail coupled to organelles in brain nerve terminals, 137:1589
Brain nerve terminals, brain myosin V tail coupled to organelles in, 137:1589
Breast cancer, elevated α2,3 sialyltransferase levels in, 137:1229
Brefeldin A
delivery of βγ subunits to detergent-insoluble domains unaffected by, 137:305
effects on transferrin- and endotubin-containing endosomes, effect on the transcytotic pathway in epithelial cells, redistribution of endotubin staining after treatment with, 136:319
Golgi tubule traffic and effects of, 139:1137
induces transfer of Golgi–endoplasmic reticulum membrane fusion, 137:319
inhibits synaptic vesicle formation, 138:505
role of ADP-ribosylation in Golgi disassembling activity of, 139:1109
Brush border myosin–I, structure of, 139:683
Budding, disruption of *BEE1* causes defects in, 136:649
Budding yeast, high rate of actin filament turnover in, effect of latrunculin-A on, 137:399
Bullous pemphigoid antigen 180, localization in hemidesmosomes, 136:1333
Ca^{2+}
accumulation in an inositol 1,4,5-triphosphate– and thapsigargin-insensitive Ca^{2+} pool, 136:355
activation during exocytosis, subplasmalemmal signals in exocytosis, 136:597
homeostasis in endoplasmic reticulum, 139:601
intracellular, stress response to depletion of, 138:547
phospholipase Cγ mediates its release during fertilization, 138:1303
signals shaped and generated by mitochondria, 137:633
Ca^{2+} network, mitochondrial participation in, 136:833
Ca^{2+} signaling, *Trypanosoma cruzi* oligopeptidase B required for, 136:609
Ca^{2+} storage compartment, insensitivity to mitochondrial couplers, distribution in the cell cytosol, 136:355
$[Ca^{2+}]$, increase triggers lysosomal exocytosis, 137:93
$[Ca^{2+}]_i$, extracellular ATP-mediated increase in, 138:987
Caco2 cells, *Cdx2* expression in, 139:1553
Cadherin
binding of ZO-1 molecules to, 138:181
function regulated by Rho and Rac, 137:1421
β-Cadherin, influence of adenomatous polyposis coli tumor suppression protein on, 136:411
Cadherin/catenin superfamily, LAR and PTPσ colocalize with cell adhesion proteins of, 138:681
Cadherins, promote skeletal muscle differentiation, increase expression of sarcomeric myosin, 138:1323
Caenorhabditis elegans
characterization of α1(IV) collagen gene (*emb-9*) mutations in, 137:1185
type IV collagen distribution in, 137:1171
Calcium
Bcl-2 maintains homeostasis of, 138:1219
regulates calreticulin gene, 138:547
Calcium release units, early differentiation of, mediate excitation–contraction coupling in BC_3H1 cells, 137:859
Calcium signaling, ATP- and gap junction–mediated, 139:497
Calcium wave transmission, and oleamide, 139:1785
CALEB, properties of, role in the formation of neurites, binds to tenascin-C and -R, restricted to developing and adult nervous system, associated with glial and neuronal surfaces, 136:895
Calmodulin, regulates actin-binding activity of IQGAP1, 137:1555
Calnexin
individual influenza hemagglutinin glycans have distinct roles in binding of, 139:613
oligomeric properties of, as part of an endoplasmic reticulum protein network, interaction with other endoplasmic reticulum chaperones, 136:555

Calreticulin, individual influenza hemagglutinin glycans have distinct roles in binding of, 139:613
Calreticulin gene, regulation of expression, 138:547
Calreticulin promoter, bradykinin affects activity of, 138:547
cAMP, decreased levels of CHO/MKLP1 in the presence of, 136:659
Cancer cell lines, perinucleolar compartment in, 137:965
CAN/Nup214, novel nucleoporin associated with, 137:989
CAP-23, overexpression in transgenic mice, induces nerve sprouting and growth of synaptic structures, complementary and synergistic activity with GAP-23, 136:679
CapG, overexpression inhibits phospholipase C, interaction with PIP_2, 138:811
Capping protein, entry into cytoskeleton, terminates actin polymerization transient, 139:1243
Carboxy-terminal domain–derived proteins, overexpression of, in vivo phosphorylation and accumulation of, 136:5
Carcinoembryonic antigen, cooperates with Myc and Bcl-2 in cellular transformation, contributes to malignancy in myoblasts, 137:939
Carcinoma migration, α6β4 integrin function in, 139:1873
Cardiac hypertrophy (pressure overload), microtubule stabilization in, 139:963
Cardiocytes (hypertrophied), microtubules in, 139:963
Cardiomyocytes, von Willebrand factor gene upregulated in the presence of, 138:1117
Cartilage, role of transferrin in the neurovascularization of, 136:1375
Cartilage matrix components, abnormal compartmentalization of, 136:459
Caseinolytic protease C, role in transporting precursor protein into chloroplasts, 136:983
Caspase cleavage, initiates processing of intermediate filaments during apoptosis, 138:1379
Caspases
  orchestrate changes in actin cytoskeleton during apoptosis, 139:759
  role in TRAIL-induced apoptosis, 137:221
Caspr, as component of paranodal junctions, function during myelination, role in reciprocal axonal–glial signaling, 139:1495
Catalytic enzyme, cell–cycled modulation of activity of, 136:775
α-Catenin
  activation of protein kinase C can bypass the need for (to establish tight intercellular adhesion), 137:1103
  essential for proper morphogenesis of embryo, modulator of β-catenin signaling, role in adhesion of *Xenopus* blastomeres, 139:1033
β-Catenin
  association with the intracellular domain of LAR, 138:681
  caspase-dependent proteolytic cleavage of, 139:759
  α-catenin modulates signaling, 139:1033
  degradation by plakoglobin overexpression, and ubiquitin-proteasome system, translocation into nucleus, 139:1325
  enriched in dorsal regions of early *Xenopus* embryo, as an asymmetrically localized dorsal-determining factor in *Xenopus laevis*, endogenous form regulated in a Wnt-independent manner, *Xenopus* glycogen synthase kinase-3 signaling pathway triggers dorso-ventral differences in, 136:1123
  interactions with adenomatous polyposis coli protein regulate epithelial tubulogenesis, 137:1651
  localization mutants of, functions in specification of dorsal cell fate in *Xenopus*, 139:229
  NH_2-terminal deletion of, NH_2 terminus regulates binding to adenomatous polyposis coli protein and E-cadherin, subcellular distribution unaffected by deletion of its COOH terminus, 136:693
Catenins
  binding of ZO-1 to, 138:181
  LI-cadherin not associated with, 136:1109
Cations, γ subunit (of sodium pump) and active transport of, 139:1545
Caveolae, role in transcellular transport of low density lipoprotein across brain epithelium, 138:877
Caveolin-3, role in the formation of T tubules during muscle differentiation, 136:137
CBF3–centromere complex, organization of, 139:1383
CD3γ L-based motif, regulation and function of, as binding site for adaptor proteins 1 and 2, includes aspartic acid 127, 138:271
CD4, promotes clathrin-coated pit formation generation via Nef, 139:37
CD34, relation to MEP21, 138:1395
CD36, mediates inhibitory effects of thrombospondin-1, 138:707
CD44 adhesion molecules, moesin interacts with, 138:1409
CD44 isoforms, role in function of Langerhans cells and blood dendritic cells, 137:1137
CD73, functional and structural properties of, ligand-induced shedding of, and control of lymphocyte–endothelial cell interaction, cosignaling role in T cell activation and proliferation, role in mediating adhesion of different cell types, different functions of structurally identical molecules expressed on different cells and tissues, 136:421
Cdc25B, starts $p34^{cdc2}$/cyclin B activation, functions as trigger for mitosis, stabilization may disturb cell cycle control at G_2/M transition, 138:1105
CDC37, interaction with *MPS1* required for spindle pole body duplication, role in G1 phase control, as multicopy suppressor of the *mps1-1* temperature-sensitive phenotype, 136:969
Cdc42, induces actin polymerization, 138:363
CDK1, regulates cell division, 138:385
Cdk2 kinase, negatively regulates DNA replication during S phase, 137:183
CDL95 system, activity complemented by TRAIL in triggering apoptosis, 137:221
cdo, molecular cloning and characterization of, 138:203
CDO, loss of function may play role in oncogenesis, 138:203
Cdx2, role in extracellular matrix–mediated intestinal cell differentiation, expression in Caco2 cells, modulated by basement membrane components, provokes pleitrophic effects, 139:1553
Cell
  osmotic state regulates fusion, 138:961
  wounding of, 137:1
Cell adhesion
  cadherin-based, ZO-1 as functional component in, 138:181
  α-catenin regulation of, COOH terminus essential for proper function of, 139:1033
  interaction of cells with chondroadherin during, 138:1159
  role of ICAP-1 in, 138:1149
  talin in, 138:349
Cell body, translocation of, 139:397
Cell cortex
  Bee1 protein controls actin polymerization at, 138:95
  microtubules interact with, 138:629
Cell cycle progression, anchorage-dependent, 136:3
Cell cycle time, varies inversely with PDGF concentration, 138:1367
Cell differentiation, phosphatidylinositol 3-kinase as negative regulator of, 137:1127
Cell division
  dynamic rearrangement of structural protein 4.1 during, 137:275
  involvement of glypican and biglycan in, 139:851
Cell dumping, in *Drosophila* nurse cells, 138:783
Cell fusion
  P2 purinoreceptors and, 138:697
  regulated by osmotic balance, regulated by Pkc1p in response to osmotic disequilibrium, negatively regulated by protein kinase C, Fps1p required for, 138:961
Cell growth, temperature-dependent regulation of, 137:899
Cell membrane, random access of dense core vesicles to, contribution of clear vesicles to area increase, 139:1709
Cell migration
  impaired by overexpression of myosin I, 136:633
  leukocytes, chemoattractant-directed, 139:1349
  regulation during epithelial tubulogenesis, 137:1651
  supported by tenascin, 137:755
Cell morphogenesis, role of ezrin in, 138:423
Cell motility
  augmented by β-actin messenger RNA localization and protein synthesis, 136:1263
  RasG required for, 138:605
  regulated by *DdPIK1* and *DdPIK2* genes in *Dictyostelium*, 136:1271
  regulated by mitogen-activated protein kinase, 137:481
  role of ezrin in, 138:423
  vinculin proteolysis and, 138:1255
Cell nucleus, dynamic organization of perinucleolar compartment in, 137:965
Cell polarity, role of actin in establishment and maintenance of, 137:399
Cell proliferation, KLP38B required for, 138:395
Cell shape, regulated by *DdPIK1* and *DdPIK2* genes in *Dictyostelium*, 136:1271
Cell signaling, role of ezrin in, 138:423
Cell surface, delivery of mutant Pma1 to, 138:731
Cell surface membrane proteins, polarized distribution of, 138:747

Cell–cell adherens junction, afadin links actin cytoskeleton to plasma membrane at, 139:517
Cell–cell adhesion
cadherin-mediated, modulated by epithelial cell adhesion molecule, 139:1337
desmoglein–desmocollin interaction contributes to, 138:193
LI-cadherin–mediated does not require cytoplasmic interactions or intact actin cytoskeleton, 136:1109
regulation by Rac and Rho small G proteins, 139:1047
supervillin and, 139:1255
Cell–cell contacts
dismantled during apoptosis, 139:759
roles of Ras and AF-6 in, 139:785
Cell–cell fusion, early lipid-dependent stage mediated by influenza hemagglutinin, 136:81
β cells, multiple exocytic pathways in, 138:55
Cellubrevin, export from endoplasmic reticulum, 139:1397
Cellular function, role of actin-binding LIM protein in, 138:575
Cellular fusion proteins, mechanisms of, 139:1455
Cellular integrity, role of utrophin in the maintenance of, 136:871
Cellular junctions, neurexin functions at, 137:793
Cellular transformation, carcinoembryonic antigen cooperates with Myc and Bcl-2 in, 137:939
Cellular uropod, role in recruitment of T lymphocytes, 137:493
CENP-A, assembly into centromeric chromatin, molecular requirements for localization to centromeres, histone fold domain structure of, expression uncoupled from that of histone H3, 136:501
CENP-B, shares structural and functional homologies with Abp1p/Cbp1p, 136:487
CENP-E function, essential for chromosome alignment, 139:1373
Central nervous system
glypican and biglycan in, 139:851
role of γ-subspecies of protein kinase C in, 139:1465
Centriols, possible role of topoisomerase IIα in the replicational cycle of, 136:775
Centromere function, *Schizosaccharomyces pombe* proteins with roles in, 136:487
Centromere-associated protein, links kinetochores to spindle microtubules, 139:435
Centromeric DNA, mechanism for the molecular recognition of, 136:501
Centrosomes
contribute to microtubule minus ends focusing at mitotic spindle poles, 138:1055
of developing spermatid, localization of basonuclin in, 137:657
function of IAK1 during duplication of, 138:643
isolation from a specific time point in the meiotic cell cycle, role of β-tubulin in the structure of, 137:193
from *Xenopus* egg extracts, influence spindle pole formation and bipolarity, 138:615
Ceramide
in apoptosis, 137:1117
and cycling of *cis*-Golgi network marker infectious bronchitis virus M, 139:1411
Cerebral cortex, defective formation in *PEX2*-deficient mice, 139:1293
CF1K (chromosome fragments with one kinetochore), congress to the spindle equator, 136:229
cGMP, mediates nerve cell apoptosis, 139:1317
Chemoattractant, leukocyte migration directed by, 139:1349
Chemoattractant receptors, dynamic distribution during chemotaxis, 139:365
Chemokine receptor CXCR4, endocytosis and down modulation of, 139:651
Chemokines, mediate inhibition of human immunodeficiency virus, 139:651
Chemotaxis
chemoattractant receptors during, 139:365
combinatorial control of, 139:1349
Chick, developing, novel protein in the nervous system of, 136:895
Chinese hamster ovary cells
acetylcholine transport activity in, 139:907
sorting functions of early endosomes in, 139:1747
TRPC3 expression in, 138:1333
Chitin, role of septin in spatial localization of, 139:75
Chitin synthase 3, polarization to cortical sites in yeast, polarization to bud formation and cytokinesis sites in yeast, 136:95
Chlamodomonas reinhardtii, phosphoregulation of an inner dynein arm complex in, 136:177
Chlamydomonas, actin mutant of, survival without actin, 137:649
Chlamydomonas mating type plus gamete, fertilization tubules isolated from, 137:1537
Chlamydomonas reinhardtii ODA3 gene, encodes a outer dynein arm docking protein, insertional alleles for loci of, 137:1069
Chlamydomonas reinhardtii outer arm dynein, Tctex-2 homologue in, 137:1081
Chloroplastic envelope membranes, protein transport complexes in, interact to form contact sites, 136:983
Chloroplasts
reexport machinery for inner envelope proteins in, 137:1279
transport of preproteins into stroma of, protein import into, 139:1677
CHO/MKLP1, concentrated within the midzone region of the mitotic spindle during mitosis, redistributes specifically to the dendrite-like processes, inhibition of expression, increased levels in the presence of retinoic acid, decreased levels in the presence of cAMP, 136:659
CHO1/MKLP1, expression in postmitotic neurons, establishes nonuniform microtubule polarity pattern of dendrites, transports microtubules from cell body to developing dendrite, 138:833
Chondroadherin, integrin α2β1 is a receptor for, interaction of cells with, 138:1159
Chondrocytes
differentiation of, 139:541
hypertrophic, release transferrin as angiogenic molecule, 136:1375
regulation of maturation during skeletal development, Bcl-2 and the maturation of, 136:205
Chondrogenesis, function of retinoic acid receptor-α in, 136:445
Ch5p, requirement for chitin synthase 3 polarization to cortical sites in yeast, 136:95
Chromaffin cells, ultrastructure of, 139:1709
Chromatin
compartmentalization of large-scale domains of, 139:1597
degradation of, 137:37
dynamics in interphase nuclei, 137:1459
high mobility group 1 protein excluded from, 137:19
interaction with minichromosome maintenance protein, 139:13
KLP38B required for condensation of, 138:395
recycling of, 137:523
role of SWI/SNF complex in the remodeling of, 137:263
Chromosome condensation, assembly of axial core required in final steps of, 136:29
Chromosome congression, single kinetochore simultaneously supports the function of two sister kinetochores during, 136:229
Chromosome segregation
affected by a centromere DNA-binding protein from fission yeast, 136:487
conservation of ZW10 protein function in, 138:1289
function of IAK1 during, 138:643
Chromosomes
CENP-E function and alignment of, 139:1373
high mobility group 1 protein associated with, 137:19
Kar3p and synapsis of, 139:459
kinesin-related protein KLP38B and bipolar attachment of, segregation during mitosis, 139:1361
neurocentromere-mediated movement of, effect of poleward arm motility on segregation of, 139:831
structure in interphase, 139:1597
Ciliogenesis, kinesin II functions during, 138:1009
cis-Golgi, role of COPI in the maintenance/function of, 136:789
cis-Golgi network, cycling pathway for marker of, 139:1411
cis-Golgi network/intermediate compartment membranes, regulated by transmembrane protein p23, 139:1119
Cisternal progression, protein transport by, 138:481
c-Jun, phosphatidylinositol 3-kinase acts independently or downstream of, 139:809
c-Jun NH_2-terminal kinase, phosphoinositide-3 kinase–induced activity in apoptosis, 139:1523
Class II–peptide complexes, transit through endocytic organelles, transported to plasma membrane, 139:1433
Clathrin, association and colocalization of Eps15 with, 136:811
Clathrin-coated pits, Nef initiates nucleation of, receptors trigger formation of, 139:37
Clathrin-coated vesicles, formation in *trans*-Golgi network, 137:335
Clear vesicles, size and intracellular distribution of, contribution to cell membrane area increase, 139:1709
Cleavage, β-secretase, NH_2-terminal fragment of amyloid precursor protein generated by, 138:671
Cleavage furrow, inner centromere protein as early component of, 136:1169

Clostridium perfringens enterotoxin receptor, molecular cloning and functional characterization of, required for target cell recognition and pore formation in cell membrane, 136:1239
ε-Coat proteins, inhibits sorting/recycling functions of early endosomes, 139:1747
Coat proteins, participation in synaptic vesicle budding, 138:505
Coatomer, dissociation from membranes required for transfer of Golgi enzymes to endoplasmic reticulum, 137:319
Cofactor B, isolation, characterization, and functional analysis of, 138:821
Cofilin, changes the twist of F-actin, 138:771
Cold-induced growth suppression, mediated by cold-inducible RNA-binding protein, 137:899
Cold-inducible RNA-binding protein, mediates cold-induced growth suppression, involvement in temperature-dependent regulation of cell growth, 137:899
Collagen fibers, decorin regulates the formation of, abnormal in decorin-deficient mice, 136:729
Collagen gene
  α1(IV), mutations in *Caenorhabditis elegans* characterized, mutation affects type IV collagen distribution, 137:1185
  α2(IV), mutation affects type IV collagen distribution, 137:1185
Collagen II, integrin α2β1 as receptor for, 138:1159
Collagen IV, distribution changes during primordial germ cell migration, 138:471
Collagen X, role in distribution of matrix vesicles and proteoglycans, phenotypic consequences of deficiency in, 136:459
Collagen type VII, binds to laminin 5, 138:719
Collagenase I, activity required for keratinocyte migration, used by keratinocytes to cleave collagen to gelatin, induction in keratinocytes mediated by α2β1 integrin–dermal collagen interaction, 137:1445
Collagenase type I metalloproteinase, role of protein kinase C-ζ in the expression of collagen gel, as activator of protein kinase C-ζ, 136:473
Collagenase type IV, production in embryonic kidney, 136:1363
Colo-205 cells, apoptosis in, proliferation of dysfunctional mitochondria in, enterocytic differentiation in, 138:449
βγ Complex, formation of, 137:305
Connexin43, mitosis-specific phosphorylation of, 137:203
Connexin46, retained as monomers in *trans*-Golgi compartment of osteoblastic cells, 137:847
Contactin/Nr-CAM complex, receptor tyrosine phosphatase β binds to, 136:907
Contractile apparatus, linked to the sarcoplasmic reticulum by small forms of ankyrin 1, 136:621
Contractile vacuoles, transport of DdCAD-1 through, take soluble DdCAD-1 into their lumen, protein-targeting function for, 138:939
COOH-terminal translocation, promoted by short hydrophobic signal domains, 137:555
COPI
  direct role in Golgi–endoplasmic reticulum retrieval and maintenance/function of *cis*-Golgi, not required for anterograde transport through the secretory pathway, 136:789
  p53/58 mediates the binding of, 137:581
COP-I proteins, and biogenesis of multivesicular endosomes, dissection of membrane association and function, 139:1183
COPII-coated vesicles in the endoplasmic reticulum, packaging of cargo proteins into, 136:789
Core-2–based O-glycans, development inhibited by α2,3 sialyltransferase, 137:1229
Cornified envelope, periplakin and envoplakin and assembly of, 139:1835
Cortical actin
  moesin required for the polymerization of, 138:927
  assembly sites in budding yeast, Bee1 controls polymerization of, 138:95
Cortical actin cytoskeleton, function in budding yeast, role of Bee1 protein in the assembly of, 136:649
Cortical actin structures, localization of PAK1 to, 138:1265
Cortical cytoplasm, amphiphysin isoforms help define distinct domains of, 137:1355
Cortical cytoskeleton–associated protein 23 (CAP-23), overexpression in transgenic mice, induces nerve sprouting and growth of synaptic structures, complementary and synergistic activity with growth-associated protein 43 (GAP-23), 136:679
Cortical microfilaments, cytochalasin D–sensitive colocalization of IQGAP1 with, 137:1555
CPP32-like proteases, not required for JNK/SAPK and p38 signaling pathway activation, not required for apoptotic cytoplasmic events, required for apoptotic nuclear events, 139:1005
CRP1, interacts with α-actinin, affects muscle differentiation, 139:157
C-src/microtubule association, induced by substrate recognition by osteoclast precursors, 137:247
Cyclin B, 26S proteasome initiates degradation of, 138:1313
Cyclin E, promotes chromosome binding of minichromosome maintenance proteins, 139:13
Cyclin-dependent kinases, role in cell cycle regulation of the replication licensing system, 136:125
Cyclins, roles in controlling minichromosome maintenance protein–chromatin interaction, 139:13
Cycloheximide, neuroprotective action of, 136:1137
Cyritestin, disintegrin domain of, role in sperm–egg adhesion and fusion, functions with fertilin β in sperm–egg adhesion, 137:105
Cysteine palmitoylation, as important constituent of a Golgi-targeting signal, 137:1525
Cysteine-rich proteins, regulate myogenesis, 139:157
Cytokinesis
  Dictyostelium GAPA protein involved in completion of, 137:891
  disruption of *BEE1* causes defects in, 136:649
  effect of CDK1 inactivation on, 138:385
  functional role of inner centromere protein in, 136:1169
  and KNOLLE protein, 139:1485
  potential role of PSTPIP in, 138:845
  RasG required for, 138:605
  talin in, 138:349
Cytomegalovirus, human, nuclear changes after infection with, immediate early transcripts, 138:5
Cytoplasm
  apoptotic events in, 139:1005
  organization of interface with nuclear pore complex, 137:989
  resists chromosome movement, 139:1
  solute diffusion in, 138:131
  transport of nuclear-encoded preproteins from, 139:1677
  transportin localizes to, 138:1181
  zyxin shuttles between nucleus and, 138:1139
Cytoplasmic dynein, role in microtubule-mediated movement of purified membrane organelle, 137:113
Cytoplasm-to-vacuole targeting pathway, aminopeptidase I transport by, 137:609
Cytoplasm–vacuole/lysosome pathway, overlaps with autophagic pathway, 139:1687
Cytoskeletal binding, anchors iso-2 transporter within pellicular membrane, 139:1775
Cytoskeleton
  actin depolymerizing factor/cofilin promotes rapid actin filament turnover in, 136:1165
  link to membrane receptors, 138:1409
  microtubular, iso-2 transporter associates with, 139:1775
  role of *Drosophila myoblast city* in the organization of, 138:589
  role of moesin, ezrin, and radixin in organization of, 138:927
  roles of actin polymerization and extracellular matrix in changes to, 138:913
Cytosol
  distribution of an inositol 1,4,5-triphosphate– and thapsigargin-insensitive Ca^{2+} pool in, 136:355
  export of nuclear proteins from, 138:1139
  transfer of free oligosaccharides from, 136:45
Cytosolic chaperone system, conservation of (bacteria, yeast, mammals), 139:1089
Cytosolic proteins (purified), endoplasmic reticulum–Golgi transport reconstituted with, 139:1097
Cytosol–vacuole protein degradation pathway, novel vesicles in, 136:803
Dacapo, inhibits minichromosome maintenance protein–chromatin association, 139:13
DdCAD-1, transport via contractile vacuoles, 138:939
DdPIK1 and *DdPIK2* genes, protein products encoded by, regulate endocytosis, cell shape, and cell motility in *Dictyostelium*, 136:1271
Decorin, role in regulating collagen fibrillogenesis, deficiency in, 136:729
Degradation of interleukin 2 receptor β chain, sorting signal for, 136:583
Delta pH protein transport system, targeting determinants for, proposed evolutionary basis for, 136:823
Dendrites, CHO1/MKLP1 establishes nonuniform microtubule polarity pattern of, 138:833

Dendritic cells, role of CD44 isoforms in the function of, 137:1137
Dense core vesicles, size and intracellular distribution of, random access to cell membrane, 139:1709
Deoxyribonuclease I, expression in regressing rat prostate, nuclear relocation of, 137:909
Dermal collagen, interaction with α2β1 integrin, 137:1445
Desmin, essential for structural integrity in skeletal muscle, not required for primary muscle formation or regeneration, 139:129
Desmocollin, interaction between desmoglein and, 138:193
Desmoglein, interaction between desmocollin and, 138:193
Desmoglein 3, critical for adhesion in deep stratified squamous epithelia, lacking in *bal* mice, pemphigus vulgaris autoantibodies interfere with adhesive function of, 137:1091
Desmoplakin, role in organizing desmosomal cadherin–plakoglobin complex, 139:773
Desmosomal cadherin–plakoglobin complex, role of desmoplakin in organization of, 139:773
Desmosomal cadherins, heterophilic interaction between, and cell–cell adhesion, 138:193
Desmosomal plaque, hierarchy of protein interactions that occur in, 139:773
Desmosomes
  cornified envelope precursor associated with, 139:1835
  induction in α-catenin–negative cells by protein kinase C, 137:1103
  role of adherens junction in the formation of, signaling role of plakoglobin in the organization of, plakoglobin as a structural component of, 136:919
  slug causes dissociation of, 137:1403
Dictyostelium
  actin and myosin II in mitotic cells of, 139:1793
  capping protein terminates actin assembly in, 139:1243
  endocytosis, cell shape, and cell motility regulated by *DdPIK1* and *DdPIK2* genes, 136:1271
  talin-null cells of, 138:349
Dictyostelium discoideum, actin polymerization in, 138:363
Dictyostelium GAPA protein, regulates late cytokinesis, 137:891
Dictyostelium RasG, required for motility and cytokinesis but not for growth, 138:605
Differential glycosylation, of Tractin, of LeechCAM, of neural cellular adhesion molecules, effect on neural proteins, 138:143
Differentiation-specific mRNAs, role in formation of microtubule systems, 137:871
Dihydropyridine receptors, incorporation into tetrads, 137:859
Dim1p, essential for entry into mitosis, role in chromosome segregation during mitosis, role in mitotic spindle function/formation, 137:1337
Dipeptidyl aminopeptidase A, requirements for localization to yeast *trans*-Golgi network, slow exit from the *trans*-Golgi network, 136:287
Dithiothreitol, protein disulfide isomerase mutations caused sensitivity to (in endoplasmic reticulum), 138:1229
dj2, as functional partner DnaJ homologue of hsc70, 139:1089
Dm_0 gene, P element insertional mutation of, 137:1001
DNA decatenation, not required to restructure chromatin for chromosome formation, 136:29
DNA ligase I, targeting to replication foci, 139:579
DNA replication
  negatively regulated by Cdk2 kinase during S phase, 137:183
  targeting of DNA ligase I to sites of, 139:579
DNA replication factors, altered by disrupted organization of nuclear lamins, 136:1201
DnaJ homologue dj2, dual roles of, facilitates mitochondrial protein import and protein folding, 139:1089
Dorsal cells, β-catenin and fate of, 139:229
Dorsal closure, role of *Drosophila myoblast city* in, 138:589
Dorsal root ganglion neurons, express multiple neuregulin isoforms, 137:211
Drosophila
  abnormal spindle gene in, 137:881
  dynamic nuclear distribution of protein Hrb57A during the embryonic development of, 137:291
  mitotic chromosome segregation in, 139:1361
  mutated lamin Dm_0 gene in, 137:1001
  myoblast fusion in, 138:337
  myosin light chain mutants in, 139:1805
  new member of kinesin superfamily in, 138:395
  sponge bodies in ovaries of, association/transport of maternal products during oogenesis in, 139:817
  studies on kinesin-like protein 67A in, 136:1081
  syntaxin1 in the cellularization of, 138:861
Drosophila kelch, function of, 138:799
Drosophila myoblast city, cloning and characterization of, role in myoblast fusion, dorsal closure, and cytoskeletal organization, 138:589
Drosophila nurse cells, modular actin cables in, 138:783
Drosophila oocytes, spindle dynamics during meiosis in, 137:1321
Duchenne muscular dystrophy, pathogenic mechanisms of (vs. those of congenital muscular dystrophy), 139:375
DxxxL sequence, as a united motif for adaptor protein binding, 138:271
dyn1 kip3 cells, Kip2p antagonizes a positioning mechanism acting in, 138:1041
Dynactin, role in microtubule-mediated movement of purified membrane organelle, 137:113
Dynamic instability, three-state conformational cap model of, metastable intermediate state between elongation and shortening states of, 138:105
Dynamitin, induces organelle redistribution, 139:469
Dynein
  binds to tightly bound Golgi peripheral membrane proteins, binds to extracted membranes independently of spectrin and ankyrin, 139:1169
  interacts with microtubules to produce dynamic cortical interaction, 138:629
  Kip3p contributes to spindle positioning in the absence of, 138:1041
  Kip3p performs overlapping/dependent functions with, 138:1023
  propels herpes simplex virus I caspids from the cell periphery to the nucleus, 136:1007
  works with kinesin to orient yeast mitotic spindle, 138:957
Dystroglycan, clustering induced by laminin vs. agrin, 136:1047
Dystrophin, association of family members with syntrophin isoforms, 138:81
Dystrophin–dystrobrevin complex, association with two syntrophin isoforms, 138:81
Dystrophin–glycoprotein complex, alterations in, 139:375
Early secretory pathway, p53/58 required for selective transport through, 137:581
EB-1, able to substitute for fission yeast Mal3 function, 139:717
EBP50, associates with members of ezrin-radixin-moesin family, 139:169
E-cadherin, regulation of β-catenin binding to, 136:693
EDA exon, modulates fibronectin function, 139:295
Egg vitelline envelope, sperm-binding proteins in, 136:1099
Elonation phase of DNA replication, altered by disorganized nuclear lamin organization, 136:1201
emb-9, characterization of 11 mutations in, 137:1185
Embryo, α-catenin essential for proper morphogenesis of, 139:1033
Embryogenesis, cadherin-mediated cell–cell interactions in, 138:1323
Embryonic development (sea urchin), critical role of kinesin II in, 138:1009
Embryonic stem cells, leukemia inhibitory factor–regulated signaling in, 138:1207
Endocardial cushion tissue, storage of latent transforming growth factor-β protein-1 during the formation of, 136:193
Endocrine system, role of phosphatidylinositol 3-kinase in the development of, 137:1127
Endocytic pathways
  basolateral sorting of transferrin receptor in (vs. in biosynthetic pathways), 137:1255
  ε-coat proteins and, 139:1747
  convergence with autophagic pathways, 136:61
  immunoelectron microscopy characterization of, in antigen-presenting cells, 139:639
  proprotein processing in, 139:1719
Endocytosis
  in adrenal chromaffin cells, 139:885
  of interleukin 2 receptor β chain, sorting signal for, 136:583
  regulates cell surface expression of CXCR4, 139:651
  role of amphiphysin/Rvs family in, 137:1355
  role of GTPases in, regulated by sequential actions of Rab5 and Rab7 in *Xenopus* oocyte, 136:1227
$β_3$-Endonexin, affinity modulation of integrin $α_{IIb}β_3$ by, 137:1433
Endoplasmic reticulum
  affected by protein disulfide isomerase mutations, 138:1229
  Bcl-2 maintains calcium homeostasis in, 138:1219
  brefeldin A induces fusion to Golgi enzymes, 137:319
  Ca^{2+} homeostasis in, 139:601

cellubrevin export from, anterograde membrane protein transport to Golgi complex from, 139:1397
dispersion of nuclear proteins throughout, 137:1199
interaction of resident chaperones with calnexin, 136:555
intranuclear membrane channels derived from, 136:531
laminin B receptor (fused to green fluorescent protein) mobile in membrane of, 138:1193
protein translocation into, 137:1483
regulation of ribosome–membrane junction in, 139:1697
role of ERS-24 in vesicular transport between Golgi and, 137:1017
subcompartment expressing a thapsigargin-insensitive Ca^{2+}-ATPase, 136:355
targeting of P4501A1 to, 139:589
yeast, conformational repair of proteins in, 137:813
Endoplasmic reticulum compartments, tension-driven membrane flow between Golgi compartments and, 139:1137
Endoplasmic reticulum membrane, novel stage of ribosome/nascent chain association with, 136:1213
Endoplasmic reticulum–Golgi interface, membrane dynamics at, 138:1
Endoplasmic reticulum–Golgi trafficking, possible role of COPI in, 136:789
Endoplasmic reticulum–Golgi transport, reconstituted with purified cytosolic proteins, 139:1097
Endoplasmic reticulum/intermediate compartment, β-secretase cleavage of β-amyloid precursor protein in, 138:671
Endosomal pathway, multiple steps regulated by *Dictyostelium DdPIK1* and *DdPIK2*, 136:1271
Endosomal traffic, novel genes involved in, 138:731
Endosomes
ε-coat proteins inhibit sorting/recycling functions of, 139:1747
targeting of adaptors to, 138:1239
transport of mannose-6-phosphate receptor from, 138:283
Endothelial cell junction, regulates endothelial adhesiveness, 139:219
Endothelial cells
CD36 mediates inhibitory effects of thrombospondin-1 on, 138:707
cytokine-independent pathway for induction of, 139:219
interaction with lymphocytes controlled by CD73, 136:421
novel tissue-specific pathways that regulate function of, 138:1117
role of *Hox* genes in behavior of, 139:257
transferrin promotes chemotaxis and chemoinvasion of, 136:1375
Endothelial nitric oxide synthase, Golgi targeting signal of, novel role for fatty acylation in specific compartmentalization of, 137:1525
Endothelin-1, increases expression of sarcomeric myosin, 139:1477
Endothelioma cell, vs. plasminogen activator/plasmin system in tumor induction, 137:953
Endotubin, targets endosomes in nonpolarized cells, redistribution of staining after treatment with brefeldin A, 136:319
Envoplakin, periplakin forms complexes with, and assembly of cornified envelope, 139:1835
Epidermal basement membrane, α3β1 integrin required for the establishment/maintenance of, stable adhesion to epidermis relies on α6β4 integrin, 137:729
Epidermal growth factor precursor, biosynthesis, sorting, and processing of, 138:747
Epidermal growth factor receptors, role of Eps15 in the internalization of, Eps15 binding site of, 136:811
Epidermis, stable adhesion to epidermal basement membrane relies on α6β4 integrin, distinct roles of α6β4 and α3β1 integrins in, 137:729
Epithelial cell adhesion molecule (Ep-CAM), modulates cadherin-mediated cell–cell interactions, cadherin-modulating properties of, and development of a proliferative, metaplastic cell phenotype, 139:1337
Epithelial cells
AF-6 (ALL-1 fusion partner from chromosome 6) as component of tight junctions in, 139:785
detachment-induced apoptosis in, 139:1017
effect of brefeldin A on the transcytotic pathway in, 136:319
epithelial cell adhesion molecule expression and malignant proliferation of, 139:1337
intestinal, *Cdx2* in, 139:1553
lysosomes as Ca^{2+}-regulated vesicles in, 137:93
organization of the apical pole in, expression of apical membrane cytoskeleton in, 137:359
reorganization of intermediate filaments during apoptosis of, 138:1379
Rho and Rac required for establishment of cadherin function in, cadherin-dependent cell–cell contact formation in, remodeling of actin filaments in, 137:1421
thyroid hormone induces gene regulation/proliferation/apoptosis of, 139:1533
tight intercellular adhesion by, 137:1103
Epithelial tubulogenesis, regulated by β-catenin–adenomatous polyposis coli protein interactions, 137:1651
Epithelial–mesenchymal conversion, triggered by stromelysin-1, 139:1861
Epithelial–mesenchymal interactions, stimulate synthesis of laminin α1 chain, 139:553
Epithelial–mesenchymal transition, slug induces first phase of, slug necessary for, 137:1403
Eps15, association and colocalization with adaptor protein-2 and clathrin, role in the internalization of epidermal growth factor receptors via the coated vesicle pathway, function in coated pits and vesicles, 136:811
ErbB-4 receptor kinase, constitutive proteolysis of, 139:995
ERS-24, role in vesicular transport between endoplasmic reticulum and Golgi, 137:1017
E-selectin
dynamic adhesion of P-selectin glycoprotein ligand-1 to, 137:509
human L-selectin binds directly to, mouse L-selectin does not bind to, rolling of transfectants supported by human L-selectin, 136:707
Euchromatin, immobile in Swiss 3T3 and HeLa cells during interphase, 137:1459
Eukaryote chromosomes, elasticity and structure of, 139:1
Eukaryotes
functional role of ZW10 protein conserved in, 138:1289
use different mitochondrial motors adapted for different microtubule functions, 136:1081
Excitation–contraction coupling, mediated by BC_3H1 cells, 137:859
Exocytic pathways, in β cells, involving large dense-core vesicles, involving small-clear vesicles, 138:55
Exocytic vesicles, phosphatidylinositol-3-phosphatase required for the formation of, 139:339
Exocytosis
aspects of chromaffin cell ultrastructure pertinent to, 139:1709
in β cells, 138:55
microdomain Ca^{2+} activation during, subplasmalemmal Ca^{2+} signals in, 136:597
in ΔPGM1 cells, role of phosphoglucomutase-like proteins in, 139:1197
stimulation of α-SNAP and, 139:875
vesicles recruited to release sites of, 138:999
Exogenous proteins, entry into regulated secretory pathway, 138:45
Exoribonuclease mXRN1p, mammalian, active in RNA turnover, preference for G4 RNA tetraplex substrates, 136:761
Extracellular matrix
and anchorage-dependent cell cycle progression, 136:3
dictates phenotype of mammary epithelial cells, 137:231
role during frog morphogenesis, inhibits epithelial apoptosis, 139:1533
role in Rac- and Rho-stimulated cytoskeletal changes, 138:913
Eye lens, chromatin degradation in, 137:37
Ezrin
role in control of cell shape, motility, and signaling, as downstream target of hepatocyte growth factor, 138:423
role in cytoskeletal organization, 138:927
Ezrin-radixin-moesin family, EBP50 associates with members of, 139:169
Ezrin/radixin/moesin proteins, role in apoptosis, depletion from plasma membrane, 139:749
F9 cells, function of retinoid X receptor/retinoic acid receptor heterodimers in, 139:735
f dynein complex, phosphoregulation of, 136:177
f dynein inner arm, as target for regulation during phototaxis, 136:177
F-actin
cofilin changes the twist of, 138:771
rearrangement induced by propeptides derived from the nerve growth factor precursor, 136:389
F-actin filaments, assembly, structure, and dynamics of, 138:559
Fas, induces cytoplasmic apoptotic responses, 139:1005
Fascioscapulohumeral muscular dystrophy, mutation in, 139:507
Fatty acylation, novel role in specific compartmentalization of endothelial nitric oxide synthase to Golgi complex, 137:1525
Fcγ receptor, role of glycan phosphoinositol anchor in synergy of, of human polymorphonuclear neutrophils, 139:1209
Females (mammalian), meiotic disjunction in, 139:1611

Fertilin β, functions with cyritestin in sperm–egg adhesion, 137:105
Fertilization, phospholipase Cγ mediates Ca^{2+} release during, 138:1303
Fertilization tubules, isolated from *Chlamydomonas* mating type plus gamete, proteins associated with, bind to activated mating type minus mating structures, failed binding to unactivated mating type minus mating structures, protease-sensitive adhesion molecules on, 137:1537
FGFR3, activating mutations in the transmembrane domain of, 137:619
Fiber cells, denucleation of, 137:37
Fibroblast growth factor 4, directs gap junction expression in developing limb, controls functional communication in mesenchyme, 138:1125
Fibroblast locomotion, heart, role of graded polarity actin filaments in the generation of motile force during, 136:1287
Fibroblasts
  dual integrin signaling pathways in, 136:1385
  lysosomes as Ca^{2+}-regulated vesicles in, 137:93
  mouse, cold-induced growth suppression in, 137:899
  transformation-selective apoptosis in, 138:901
Fibronectin
  distribution changes during primordial germ cell migration, 138:471
  functional modulation by EDA segment, 139:295
Filopodia
  delayed retraction in *Gsn*$^-$ (gelsolin-null) mice, 138:1279
  α6β4 integrin associates with actin cytoskeleton in, α6β4 integrin participates in formation/stabilization of, 139:1873
Fimbrin, induces conformational change in actin, 139:387
Fission yeast *dim1*$^+$, encodes polypeptide essential for mitosis, essential for G_2/M progression, 137:1337
Flagellar dynein, regulated by phosphorylation of the 138-kD intermediate chain of inner arm dynein I1, 136:167
Flagellar membrane, diversion of iso-1 transporter into, 139:1775
Fluid shear, threshold levels promote leukocyte adhesion through selectins, minimum rate required for P- and L-selectin–dependent leukocyte rolling, 136:717
Focal adhesion, weakened by loss of tensin, 136:1349
Focal adhesion kinase
  integrin-mediated activation of mitogen-activated protein kinase is independent of, 136:1385
  structural relationship to PYK2, required for cell survival, 139:529
Fps1p, required for cell fusion, 138:961
Free barbed ends, exposure results in actin assembly, 139:1243
Free polymannose oligosaccharides, in HepG2 cells, novel trafficking pathway for, transfer into lysosomes, final degradation in the lysosome, 136:45
Fructose-1,6-biphosphatase, association with intracellular structures in wild-type cells, imported into associated vesicles before entering the vacuole, 136:803
Furin
  intracellular trafficking of, 139:1719
  luminal domain of, and lysosomal targeting, aggregation occurs in *trans*-Golgi network, 139:1735
Fusion pore formation, role of membrane-permeable cationic amphipaths in, promoted by positive spontaneous curvatures of inner membrane leaflets, 136:995
Fusion proteins (cellular/viral), mechanisms of, conversion of ectodomain from hydrophilic to hydrophobic entity, 139:1455
FXFXD motif of the dipeptidyl aminopeptidase A tail, confers Golgi localization, directs retrieval of dipeptidyl aminopeptidase A from a post-Golgi compartment, 136:287
Fyn, synthesis and myristoylation on soluble ribosomes, palmitoylation and plasma membrane anchoring, partitioning into detergent-insoluble membrane subdomains, 136:1023
G1 phase, role of *CDC37* in the control of, 136:969
G protein–coupled receptor, fusion with green fluorescent protein, 139:365
Gametes, interactions in *Xenopus laevis*, 136:1099
GAP-23, overexpression in transgenic mice, induces ultraterminal sprouting and growth of synaptic structures, complementary and synergistic activity with CAP-23, 136:679
Gap junction
  calcium waves mediated by, 139:497
  fibroblast growth factor 4 directs expression of, 138:1125
Gap junction channels, inactivated by oleamide, 139:1785
Gap junction protein, mitosis-specific phosphorylation of, 137:203
Gap1p, transport from Golgi to plasma membrane controlled by Sec13p and nitrogen source, 137:1469
GDP, exchanged for GTP on Ran, 139:313
Gelsolin
  overexpression inhibits phospholipase C, interaction with PIP_2, 138:811
  role in neurite elongation, functions in initiation of filopodial interaction, 138:1279
Germ cells, and virus protection, 139:865
Gin4 kinase, activation during mitosis, functions with Nap1 to control mitotic events, 138:119
GK domain, guanylate kinase–associated protein binds to, as site for protein–protein interaction, 136:669
GKAP, primary structure of, binds to the GK domain of PSD-95, major constituent of postsynaptic density, 136:669
GLFG nucleoporin, subfamily involved in nuclear export, 137:797
Glia, reciprocal signaling between axons and, 139:1495
Glial cells, oleamide and gap junction communication in, oleamide and calcium wave transmission in, 139:1785
Glucocorticoid receptors, subnuclear trafficking of, 137:523
Glucose, transport in platelets stimulated by thrombin, 138:323
Glucose transporter isoforms, differential targeting of, 139:1775
Glucosylceramide, segregation of, localization in apical region of cells, 137:347
GLUT-3, translocation in platelets, localization to α-granules, 138:323
GLUT-4, targeted to secretory granules in atrial cardiomyocytes, recycling via *trans*-Golgi reticulum, 137:1243
Glutathione, apoptosis caused by depletion of, 139:1317
Glycan phosphoinositol anchor, role in Fcγ receptor synergy, 139:1209
Glycans (in influenza hemagglutinin), have distinct roles in calnexin/calreticulin binding and posttranslational folding, 139:613
Glypican, expression in nervous tissue, involvement in nuclear processes, 139:851
Golgi
  role of ERS-24 in vesicular transport between endoplasmic reticulum and, 137:1017
  role of NAD^+ and ADP-ribosylation in structural maintenance, 139:1109
  SEC13 controls sorting of Gap1p in, 137:1469
Golgi apparatus, partitioning during mitosis, 137:1211
Golgi compartments, tension-driven membrane flow between endoplasmic reticulum compartments and, 139:1137
Golgi complex
  anterograde membrane protein transport from endoplasmic reticulum to, 139:1397
  compartmentalization of endothelial nitric oxide synthase to, 137:1525
Golgi enzymes, fusion to endoplasmic reticulum membrane induced by brefeldin A, 137:319
Golgi membranes
  molecular motors bind to, 139:1169
  myosin II isolated to, 138:291
Golgi region, adaptor-related protein-3 complex associated with, 137:835
Golgi tubule traffic, and effects of brefeldin A, 139:1137
Golgi–endoplasmic reticulum retrieval, role of COPI in, 136:789
Golgi-targeting signal, N-myristoylation and cysteine palmitoylation as important constituents of, 137:1525
gp69/64 glycoproteins, mediate sperm–egg binding in *Xenopus* fertilization, 136:1099
GPI-phospholipase C, effect on parasitemia, role in hydrolysis of GPI anchor of variant surface glycoprotein, 139:103
Graded polarity actin filament bundles, structure and dynamics in locomoting heart fibroblasts, role in generation of motile force during heart fibroblast locomotion, 136:1287
α-Granules, localization of GLUT-3 to, 138:323
Green fluorescent protein
  Bcl-2 family members fused to, 139:1281
  fusion with G protein–coupled receptor, 139:365
  and γ-subspecies of protein kinase C, 139:1465
Green fluorescent protein–peroxisomal targeting signal 1 fusion protein, in the visualization of peroxisomes, 136:71
Growth cone nonsynaptic receptor, role of KIF2 in distribution of, 138:657
Growth factors, role in stimulating cyclin D– and E–dependent kinase activities, 136:3
Growth-associated protein 43 (GAP-23), overexpression in transgenic mice, induces ultraterminal sprouting and growth of synaptic structures, complementary and synergistic activity with cortical cytoskeleton–associated protein 23 (CAP-23), 136:679

Gsn$^-$ (gelsolin-null) mice, delayed retraction of filopodia in, 138:1279
GTP
exchanged from GDP on Ran, 139:313
as regulator of preprotein recognition, 139:1677
GTPase-activating protein, as key regulator in neuronal morphology, 139:797
GTPγS, induces actin polymerization, 138:363
Guanine nucleotide exchange factor, as key regulator in neuronal morphology, 139:797
Guanylate kinase–associated protein (GKAP), primary structure of, binds to the GK domain of PSD-95, major constituent of postsynaptic density, 136:669
Guanylyl cyclase (soluble), required for apoptosis caused by glutathione depletion, 139:1317
Hair-cell myosin isozymes, specific functions for, 137:1287
Heart fibroblast locomotion, role of graded polarity actin filaments in the generation of motile force during, 136:1287
Heat shock, dynamic nuclear distribution of protein Hrb57A during, 137:291
Heat-denatured protein, Lhs1p involved in stabilization against proteolysis of, 137:813
hedgehog gene family, positive and negative regulation of muscle cell identity by members of, 139:145
HeLa cells
coexistence of high and low Ca^{2+} compartments in, 139:601
interphase euchromatin and heterochromatin immobile in, 137:1459
partitioning of Golgi apparatus in, 137:1211
Helicobacter pylori VacA, acid-induced polymerization of, oligomeric structure of, 138:759
Hematopoietic progenitors, defined by thrombonuclin, 138:1395
Hemidesmosomes, localization of bullous pemphigoid antigen 180 in, 136:1333
Heparan sulfate proteoglycans, as arterial ligands for monocyte L-selectin, 136:945
Hepatocyte growth factor receptor, ezrin as downstream target of, 138:423
Hepatocyte growth factor/scatter factor, role in *motogenic* and growth properties of myogenic cells, 137:1057
HepG2 cells
apical to basolateral transcytosis in, 137:347
apical sphingolipid transport in, 138:307
transfer of free polymannose oligosaccharides from cytosol to lysosomes in, 136:45
HER2 and HER3, phosphorylation in Schwann cells induced by neuregulin, 137:211
HER4, phosphorylation in oligodendrocyte lineage cells induced by neuregulin, 137:211
Herbimycin A, induces proliferation of dysfunctional mitochondria in Colo-205 cells, 138:449
Herpes simplex virus I, incoming caspids bind to microtubules, dynein propels caspids from cell periphery to the nucleus, 136:1007
Heterochromatin, immobile in Swiss 3T3 and HeLa cells during interphase, 137:1459
Heterogeneous ribonucleoproteins, transportin mediates nuclear import of, 138:1181
Heteromeric G proteins, assembly and intracellular targeting of the βγ subunits of, 137:305
Heteromeric laminins 8–11, identification of, 137:685
High mobility group 1 protein, subcellular localization of, exclusion from chromatin in vivo, association with chromatin and chromosomes during interphase and metaphase, 137:19
Histone H1, prevents high mobility group 1 protein from binding to nucleosomes, 137:19
Histone H3, unique aspects within the nucleosome, 136:501
HIV capsids, formation involves *trans*-acting host factors, multi-step pathway for the biogenesis of, formation involves *trans*-acting host factors, disruption of assembly process at different points, 136:567
HLA-DM, selective recruitment of, 139:1433
hnRNP1 A1, M9 transport signal of, role in mRNA export from nucleus, 137:27
Hop1, colocalization with Red1, localization depends on Red1, 136:957
Hox D3, induces angiogenic phenotype, 139:257
Hox genes, expression of, role in endothelial cell behavior, 139:257
HRAS-transformed cells, growth-inhibitory effects of *H-rev107* overexpression on, 136:935
H-rev107 gene, growth inhibitory activity and downregulation of, expression in normal tissues, 136:935
Human β cardiac myosin heavy chain, mutations affect sarcomeric structure, 137:131
Human immunodeficiency virus, chemokine-mediated inhibition of, 139:651
Human monocytic tumor cells, activation of proteases during apoptosis in, 137:469
Human neural cell adhesion molecule L1, single immunoglobulin-like domain of, interaction with multiple integrins, role in vascular and thrombogenic processes, and neoplastic/inflammatory diseases, 139:1567
Hydrophobic signal domain, topogenic role of, translocations promoted by, 137:555
Hypertrophic cardiomyopathy, mutations display normal sarcomeric assembly, 137:131
Hypertrophic chondrocytes, production of mineralization-competent matrix vesicles in, expression of type I collagen in, 137:1149
Hypertrophy (cardiac), microtubule stabilization in, 139:963
IAK1, function during centrosome duplication, spindle organization, and chromosome segregation, as member of subfamily of serine/threonine kinase superfamily, 138:643
ICE-related protease, role in TRAIL-induced apoptosis, 137:221
ida5, structural defects in, mutation in actin-encoding gene, 137:649
IgE receptor, signal transduction mediated by, and selective activation of Syk and PLC-γ1, 139:1447
Ii chain, controls transport of major histocompatibility complex class II molecules to and from lysosomes, 137:51
Immature granules, procathepsins L and B in, as continuation of *trans*-Golgi network, 137:595
Immediate early transcripts, of human cytomegalovirus, 138:5
Importin-β, similarities of RanBP7 to, 138:65
Importin β, translocation through nuclear pore complex, 139:841
Infectious bronchitis virus M, localization of, 139:1411
Inflammation, regulatory effects of NF-κβ target genes involved in, 139:1635
Inflammatory disease, human neural cell adhesion molecule expression and, 139:1567
Influenza hemagglutinin, as mediator of lipid-dependent stage of cell–cell fusion, 136:81
Influenza virus, membrane fusion to liposome, fusion intermediates induced by, 137:1041
Inner arm dynein I1, 138-kD intermediate chain of, required for regulation of motility, flagellar dynein regulated by the phosphorylation of, phosphorylation changes and regulation of dynein-driven microtubule sliding, regulation modulates flagellar waveform, regulation of the phosphorylation of, 136:167
Inner centromere protein, early component of cleavage furrow in vertebrate somatic cells, distribution in mitotic heterokaryons, functional role in cytokinesis, 136:1169
Inner ear, distribution of four unconventional myosin isozymes in, 137:1287
Inner envelope proteins, reexport machinery for, 137:1279
Inner membrane, translocation of precursors across, 137:377
Inner membrane leaflets, positive spontaneous curvatures promote pore formation, 136:995
Insect flight muscle (partially relaxed), three-dimensional reconstruction of, 139:695
Integrin
α_2, role of protein kinase C-ζ in the expression of, 136:473
α2β1, interaction with dermal collagen, 137:1445
α2β1, as a receptor for chondroadherin (compared to collagen II), 138:1159
α3β1, required for establishment/maintenance of epidermal basement membrane, 137:729
α6β4, and carcinoma cell migration, associates with actin cytoskeleton, 139:1873
α6β4, effect on subcellular distribution of bullous pemphigoid antigen 180, 136:1333
$\alpha_{IIb}\beta_3$, affinity modulation by β_3-endonexin, 137:1433
$\alpha_v\beta_3$, tenascin-C interacts with, 139:279
β1, cross-talk between lymphocyte function–associated antigen-1 and, 138:1437
β_1, ICAP-1 binds to the cytoplasmic domain of, 138:1149
β1, essential for teratoma growth and angiogenesis, 139:265
β1 and β3, control N-cadherin activity, 137:1663
β1- and β4-, influence mammary tissue morphogenesis, regulate cell growth and signal transduction, 137:231

β1D, reinforces matrix–cytoskeleton link in muscle cells, 139:1583
Integrin adhesion complexes, activation of Rac or Rho leads to formation of, 138:913
Integrin antibodies, reverse malignant phenotype of mammary epithelial cells, 137:231
Integrin cytoplasmic domain–associated protein-1 (ICAP-1), interaction with β_1 integrins, role in integrin-dependent cell adhesion, 138:1149
Integrin signaling, connection to oncogenesis, 139:575
Integrin β4 subunit, regulates localization of bullous pemphigoid antigen 180 in hemidesmosomes, 136:1333
Integrins, vascular/platelet, human neural cell adhesion molecule L1 interacts with, 139:1567
Intercellular adhesion molecule-3, moesin interacts with, 138:1409
Interleukin 2 receptor β chain, sorting signal for the endocytosis and degradation of, 136:583
Interleukin-1β–converting enzyme family proteases, in apoptosis, 137:1117
Interleukin-1β–converting enzyme–like proteases, activation during execution phase of apoptosis, 137:469
Interleukin-1β–converting enzyme–related proteases, role in apoptosis induced by disparate mechanisms, inhibition of, 136:215
Intermediate compartment (pre-Golgi), mammalian protein rbet1 associated with, 139:1157
Intermediate filaments
  reorganization during epithelial cell apoptosis, 138:1379
  role in organization of apical domain and related membrane cytoskeleton, 137:359
Interphase
  chromosome structure in, 139:1597
  targeting of inner nuclear membrane protein in, 138:1193
Interphase nuclei, chromatin dynamics in, chromosome confinement to domains in, 137:1459
Intestinal epithelium, *Cdx1* and *Cdx2* homebox genes play distinct roles in, 139:1553
Intracellular Ca^{2+}, TRPC3 activated by rise in, 138:1333
Intracellular transport, alternative models of, 138:481
Intralysosomal hsc73, role in hsc73-stimulated pathway of lysosomal proteolysis, recognition of denatured and native forms of, 137:825
Intramembrane particles, localization at membrane fusion sites, 137:1041
Invariant chain, degradation of, 139:1433
IQGAP, related *Dictyostelium* protein regulates late cytokinesis, 137:891
IQGAP1, binds and cross-links actin filaments, calmodulin regulates the actin-binding activity of, cytochalasin D–sensitive colocalization of, 137:1555
Iron, SFT as component of transport of, 139:895
Iso-1 transporter, flagellar targeting signal of, 139:1775
Iso-2 transporter, localization within pellicular membrane, associates with microtubular cytoskeleton, 139:1775
JNK/SAPK signaling pathway, Fas-induced activation of, 139:1005
Jun–NH_2-terminal kinase, detachment-induced apoptosis and activation of, 139:1017
Kap95p, recycling of, mutation of its nuclear export signal, 137:797
Kar3p
  Kip3p performs overlapping/dependent functions with, 138:1023
  role in meiosis I, and chromosome synapsis, 139:459
Kar3p motor, regulates microtubules in preanaphase spindle, 137:417
KAR5, cloning and characterization of, encodes novel protein with central role in nuclear membrane fusion, 139:1063
Kar5p, required for completion of nuclear membrane fusion, role in organization of membrane fusion complex, 139:1063
Karyopherin, Sxmp1 as, 139:1655
Karyopherin α, recycling of, 139:313
Karyophilic proteins, anti-xNup98 does not inhibit nuclear import of, 136:241
Kelch repeat domain, necessary for ring canal localization, 138:799
Keratin 18, caspase cleavage of, 138:1379
Keratin filaments, cornified envelope precursor associated with, 139:1835
Keratinocyte cell adhesion, loss due to disruption of pemphigus vulgaris antigen (desmoglein 3) gene, 137:1091
Keratinocytes
  actin–myosin II system in, dynamics of myosin II in, 139:397
  collagenase I activity required for migration of, bind tightly to collagen, 137:1445
  overlapping roles of α6β4 and α3 and β1 integrins in, 137:729
Kidney
  matrix metalloproteinases 2 and 9 produced in early stages of morphogenesis, production of type IV collagenases in embryonic stage, 136:1363
  tensin required for proper functioning of, progressive degeneration in tensin-null mice, 136:1349
KIF2, function in mammalian neurons, role in distribution of growth cone nonsynaptic membrane receptor, consequences of suppression in PC12 cells, 138:657
Kinectin, role in microtubule-mediated movement of purified membrane organelle, 137:113
Kinesin
  role in microtubule-mediated movement of purified membrane organelle, 137:113
  role in vesicle recruitment for Ca^{2+}-regulated exocytosis, 138:999
  works with dynein to orient yeast mitotic spindle, 138:957
Kinesin II, function during ciliogenesis, critical role in sea urchin embryonic development, 138:1009
Kinesin heavy chain, in vivo cargo-binding function of, 138:999
Kinesin-like protein 67A, characterization of, as a plus end–directed mitochondrial motor in *Drosophila*, 136:1081
Kinesin-related protein, association with a protein phosphatase, 138:395
Kinesin-related protein KLP38B, and bipolar attachment of chromosomes, and bipolar spindle assembly, required for normal chromosome segregation during, and generation of polar ejection force in mitosis, 139:1361
Kinetochore microtubule, poleward movement of kinetochore not positively correlated with, increased stability at anaphase onset, 137:1567
Kinetochores
  CENP-E function at, 139:1373
  in chromosome congression, consist of multiple independently regulated domains, behavior of, 136:229
  fiber maturation in PtK_1 cells, poleward movement not positively correlated with kinetochore microtubule number, 137:1567
  link to spindle microtubules, 139:435
  organization in *Saccharomyces cerevisiae*, 139:1383
KIP3, required for nuclear migration in *Saccharomyces cerevisiae*, 138:1023
Kip2p, participates in normal spindle positioning, antagonizes a positioning mechanism acting in *dyn1 kip3* cells, 138:1041
Kip3p
  contributes to spindle positioning in absence of dynein, 138:1041
  required for first phase of nuclear migration, location of, performs overlapping/dependent functions with Kar3p and dynein, 138:1023
KLP38B, new member of kinesin superfamily in *Drosophila*, binds type 1 serine/threonine phosphoprotein phosphatase, required for mitotic chromatin condensation and cell proliferation, 138:395
knolle mutant cells, cytokinetic defects in, 139:1485
KNOLLE protein, involvement in cytokinetic vesicle fusion, as cytokinesis-specific syntaxin, 139:1485
K-ras^{Val12}, promotes p53-independent apoptosis, effect on postmitotic villus enterocytes, 138:167
L1 gene, expression controled by neural restrictive silencer element and RE-1 silencing transcription factor/neural restrictive silencer factor, 138:1343
L-A virus, structure of, 138:975
Lama3 gene, cloning of novel α3 isoform encoded by, 137:685
Lamella, microtubule interaction with actomyosin-based retrograde flow in, 139:417
Lamellae, α6β4 integrin associates with actin cytoskeleton in, α6β4 integrin participates in formation/stabilization of, 139:1873
Lamellipodia
  Arp2/3 complex promotes actin assembly in, Arp2/3 participates in protrusion of, 138:375
  retrograde flow in, 139:397
Lamina-associated polypeptide 2 (LAP-2), laminin-binding fragment of, function in regulating nuclear lamina dynamics, 139:1077
Laminin
  clustering of dystroglycan induced by, 136:1047
  distribution changes during primordial germ cell migration, 138:471
Laminin-1
  induces acetylcholine receptor clustering, signaling pathway vs. that of agrin, 139:181
  α6β4 integrin and carcinoma migration in, 139:1873
Laminin 5, collagen type VII binds the NC-1 domain of, 138:719

Laminin 11, as critical organizer of synaptic development, 139:1507
Laminin B receptor (fused to green fluorescent protein), immobilized in nuclear envelope, mobile within endoplasmic reticulum membranes, localization to inner nuclear membrane during interphase, 138:1193
Laminin α1 chain, synthesis controlled by epithelial–mesenchymal interactions, bronchial smooth muscle development and synthesis of, 139:553
Laminin α chains, expression, developmental transitions, chromosomal locations of α1–5, identification of heterotrimers 1–8, cloning of novel α3 isoform, 137:685
Laminins
  agrin binds to, 137:671
  in neuromuscular junctions, 139:1507
Laminins 8–11, heteromeric, identification of, 137:685
Lamins, essential for structural organization of cell nucleus, 137:1001
Langerhans cells, role of CD44 isoforms in the function of, 137:1137
LAR, subcellular localization of, association of plakoglobin and β-catenin with the intracellular domain of, 138:681
Large dense-core vesicles, exocytic pathways involving, 138:55
Latent transforming growth factor-β protein-1, extracellular fibrillar structure of, role in storage of transforming growth factor-β, storage during the formation of endocardial cushion tissue, 136:193
Latent transforming growth factor-β–binding protein 1, domains involved in cross-linking and formation of transforming growth factor-β by transglutaminase, as substrate for transglutaminase, 136:1151
Latrunculin-A, effects on budding yeast, 137:399
Lck (tyrosine kinase p56^{lck}), cell type–specific variation in the distribution of, palmitoylation sites influence targeting of, 137:1029
LeechCAM, differential glycosylation of, 138:143
Leishmania, differential targeting of glucose transporter isoforms in, 139:1775
Leukemia inhibitory factor, mediates regulation of STAT3, 138:1207
Leukocyte adhesion, mediated by P-, E-, and L-selectin, enhanced by a threshold level of fluid shear stress, 136:717
Leukocyte integrin cytoplasmic membrane, role in initial adhesion under flow and microvillus localization, 139:563
Leukocyte integrin transmembrane domain, role in initial adhesion under flow and microvillus localization, 139:563
Leukocyte integrins, differences in localization to microvilli, 139:563
Leukocyte microvilli, assembly of multimolecular complexes on, 139:563
Leukocytes, combinatorial control of chemotaxis, 139:1349
Lhs1p, involved in conformational repair of heat-damaged protein in endoplasmic reticulum, 137:813
LI-cadherin, not associated with catenins, not firmly connected to actin cytoskeleton, adhesive function does not require cytoplasmic interactions, adhesive function complementary to that of coexpressed classical cadherins, 136:1109
Ligand specificity, regulated by region of exon 14 in PECAM-1, 138:1425
Limb bud, fibroblast growth factor 4 directs gap junction expression in, 138:1125
Limb development, function of retinoic acid receptor-α in, 136:445
LIP1 and LIP2 ProNGF peptides, induce F-actin rearrangement and Trk phosphorylation, 136:389
Lipids (polarized), role in changing function of unpolarized proteins, 139:941
Liposome, membrane fusion to influenza virus, 137:1041
Listeria monocytogenes
  actin depolymerizing factor increases rate of actin-based motility in, 136:1307
  activation and degradation of phospholipase C during infection by, regulation of pathogenesis of, 137:1381
  isolated comet tail pseudopodium of, 137:155
  role of Arp2/3 complex in the motility of, 138:375
Listeria monocytogenes tails, turnover of actin filaments in, caused by *Xenopus* actin depolymerizing factor/cofilin, 136:1323
LMA1, as a factor in the trafficking of yeast vacuoles, second subunit of, works with Sec18p to promote yeast vacuole fusion, 136:299
Locomoting fibroblasts, identification of graded polarity actin filament bundles in, 136:1287
Low density lipoprotein, transcytosis across blood–brain barrier, 138:877
L-selectin
  in human vs. mouse neutrophils, isolated by an E-selectin–immunoglobulin affinity probe, supports rolling of E-selectin transfectants, as a preferred E-selectin ligand, 136:707
  kinetics of tethers (vs. those of E- and P-selectin), shear threshold requirement for rolling through, 138:1169
  mediates monocyte attachment to activated aortic endothelium, heparan sulfate proteoglycans serve as arterial ligands for, 136:945
Luciferase, human DnaJ homology dj2 and refolding of, 139:1089
Lumen-targeting domains, elements that determine pathway-specific transport, 136:823
Lymphocyte function–associated antigen-1, cross-talk between β1 integrins and, 138:1437
Lymphocyte rolling, supported by tenascin, 137:755
Lymphocytes, interaction with endothelial cells controlled by CD73, 136:421
Lysosomal enzyme, sorting in secretory granules, 137:595
Lysosomal proteins, intralysosomal hsc73 required for degradation of, 137:825
Lysosomal proteolysis, role of lysosomal hsc73 in, 137:825
Lysosomal-associated glycoprotein 1, in ankyrin-3–positive vesicles, 136:1059
Lysosome, components required for homotypic fusion of, 139:665
Lysosome-associated membrane protein-2 (LAMP-2), COOH domain targeting signals of, steady-state subcellular distribution of its variants, 137:1161
Lysosomes
  adaptor-related protein-3 complex involved in trafficking to, 137:835
  association with isoforms of ankyrin-3 lacking the NH_2-terminal repeat, 136:1059
  as Ca^{2+}-regulated vesicles, fusion with plasma membrane, 137:93
  as site for the final degradation of free oligosaccharides, 136:45
  targeting of furin to, 139:1735
  transport of major histocompatibility complex class II molecules to and from, 137:51
M9, as sensor for transcription-dependent nuclear transport, 138:1181
M phase, mitogen-activated protein kinase is dispensable for the entry and exit of, 136:1091
M9 transport signal (of hnRNP A1), involvement in the nuclear export of mRNA, function in mRNA export vs. hnRNP A1 protein transport, 137:27
Macrophage-derived multinucleated giant cells, involvement of P2Z/P2X$_7$ in the formation of, 138:697
Macrophages
  homotypic lysosome fusion in, 139:665
  P2Z/P2X$_7$ involved in fusion of, 138:697
Madin-Darby canine kidney cells
  basolateral sorting of transferrin receptor in, 137:1255
  and detachment-induced apoptosis, 139:1017
  regulation of cell–cell adhesion in, 139:1047
  steady-state distribution of, membrane proteins in, 138:747
Maize, neurocentromeres in, 139:831
Major histocompatibility class II compartments, consist of two distinct organelles, 139:1433
Major histocompatibility class II molecules, antigenic peptide loading of, 139:1433
Major histocompatibility complex class I, apoptosis induced by ligation of, 139:1523
Major histocompatibility complex class II compartments, as conventional endocytic compartments, 139:639
Major histocompatibility complex class II molecules, transport to and from lysosomes, 137:51
Mal3, role in regulating microtubule integrity and maintenance of cell form, EB-1 can substitute for function of, 139:717
mal3$^+$ gene product, EB-1 able to substitute for complete loss of, role in regulating/maintaining microtubule array integrity, 139:717
Malignancies, epithelial cell adhesion molecule and development/progression of, 139:1337
Malignant cells, forced into state of dormancy by reduction in surface urokinase receptor, 137:767
Malignant phenotype, reversed by integrin antibodies, 137:231
Mammalian protein rbet1, association with intermediate compartment, involved in endoplasmic reticulum–Golgi apparatus vesicular transport, 139:1157
Mammary epithelial cells, integrin antibodies reverse malignant phenotype of, 137:231
Mammary epithelium, effect of matrix metalloproteinases on, epithelial–mesenchymal conversion in, development of premalignant phenotype in, 139:1861

Mammary gland, development in P-cadherin–deficient mice, negative growth control in, role of P-cadherin in cell proliferation and differentiation, 139:1025
Mammary tissue, β1- and β4-integrins influence morphogenesis of, 137:231
Mannose-6-phosphate receptor
and formation of clathrin-coated vesicles in *trans*-Golgi network, 137:335
p40 acts with Rab9 to stimulate the transport of, 138:283
MAP1B gene, disruption of, essential for normal time course development of nervous system, 137:1615
MAP2c, as actin gelation protein, role in early process formation at the interface between microtubules and microfilaments, 136:845
Matrix adhesion, loss triggers transformed fibroblasts into apoptosis, 138:901
Matrix metalloproteinase 2, produced in early stages of kidney morphogenesis, 136:1363
Matrix metalloproteinase 9, required for renal organogenesis, produced in early stages of kidney morphogenesis, 136:1363
Matrix metalloproteinases
direct effects on mammary epithelium, in development and neoplastic conversion, 139:1861
expression during skin wound healing, 137:67
induction upregulates tenascin-C expression, suppression induces apoptosis, 139:279
Matrix vesicles, role of collagen X in the distribution of, 136:459
MDM20, and actin-mediated mitochondrial transport, required for formation and stabilization of actin cables, 137:141
Mdm1p, functions in nuclear and mitochondrial inheritance, 138:485
Mdm20p, and molecular and functional heterogeneity of actin cytoskeleton, 137:141
Megakaryocytes, polyploidization of, regulatory mechanism in anaphase, 139:449
Meiosis
lacks chromosome-mediated checkpoint control in females, 139:1611
spindle dynamics during, 137:1321
Meiosis I, Kar3p essential for, 139:459
Meiotic chromosomes, Red1 protein associated with axial cores of, 136:957
Meiotic nondisjunction, high incidence in human females, 139:1611
Meiotic prophase, telomere positioning before and during, 137:5
Meiotic spindle, dynamics in *Drosophila* oocytes, Nonclaret disjunctional microtubule motor required for elongation and stability of, 137:1321
Membrane flow (tension-driven), between Golgi and endoplasmic reticulum compartments, 139:1137
Membrane fusion, between influenza virus and liposome, localization of intramembrane particles, fusion intermediates, influenza-induced, 137:1041
Membrane fusion complex, role of Kar5p in organization of, 139:1063
Membrane proteins, anterograde transport from endoplasmic reticulum to Golgi complex, 139:1397
Membrane receptors, link to cytoskeleton, 138:1409
Membrane recycling, compensatory endocytosis as mechanism responsible for, 139:885
Membrane ruffling, membrane localization of Tiam1 required for the induction of, 137:387
Membrane trafficking, required for cellularization of syncytial blastoderm, 138:861
Membrane type-1 matrix metalloproteinase, stromal activator of pro-gelatinase A, 137:67
Membrane-associated Tiam1, mediates Rac signaling, 137:387
Membrane-permeable cationic amphipaths, promote fusion pore formation, 136:995
Membranous tubules, protein transport via, 138:481
Mem12p, role in mitochondrial morphology and inheritance, conserved homologue in *Schizosaccharomyces pombe*, 136:545
MEP21 protein, sequencing of, relation to CD34, 138:1395
Mesenchyme, fibroblast growth factor 4 controls functional communication in, 138:1125
met kinase, effect of its activation on myogenic differentiation, 137:1057
Metaphase chromosomes, composition of, 139:1
Metaphase/anaphase transition, lack of chromosome-mediated checkpoint control at, 139:1611
Mice
cadherin-mutant, mammary gland development in, 139:1025
G93A SOD1 mutant, impaired axonal transport in, 139:1307
MyHCIIb- and MyHCIId/x-null, growth and muscle defects in, 139:1219
PEX2-deficient, abnormal brain development in, 139:1293
postsynaptic abnormalities resulting from utrophin deficiency in, 136:883
renal consequences of tensin loss in, 136:1349
subtle neuromuscular defects resulting from utrophin deficiency in, 136:871
targeted disruption of pemphigus vulgaris antigen (desmoglein 3) gene in, 137:1091
Microfilaments, interaction with MAP2c, 136:845
Microglial cells, effects of extracellular ATP on NF-κβ activation, 139:1635
Microsomal protein P4501A1, targeting to mitochondria and endoplasmic reticulum, different NH_2-terminal–truncated versions of, 139:589
Microspheres, attachment and rolling mediated by P-selectin glycoprotein ligand-1, 137:509
Microtubule arrays, number and length influenced by spindle pole motor, 137:417
Microtubule ends, Stu2p in attachment, organization, and/or dynamics of, 139:1271
Microtubule minus ends, focused at mitotic spindle poles, 138:1055
Microtubule mRNAs, colocalization in *Naegleria gruberi*, 137:871
Microtubule systems, differentiation-specific mRNAs involved in formation of, 137:871
Microtubule-associated protein, encoded by *abnormal spindle* gene, 137:881
Microtubule-associated protein 2, increases microtubule rigidity, contribution to formation/maintenance of neuronal processes, 138:1067
Microtubule-associated protein 4, in pressure-hypertrophied myocardium, 139:963
Microtubule-associated proteins, and regulation of microtubule dynamics, 139:975
Microtubules
association of peroxisomal compartment with, 136:71
dynamic instability of, metastable intermediate state between elongation and shortening at both ends, differential stability of severed ends, 138:105
dynamics in migrating cells, turnover in migrating cells, interaction with actomyosin-based retrograde flow, 139:417
flexural rigidity of, 138:1067
in hypertrophied cardiocytes, stabilization of, 139:963
incoming hepes simplex virus I bind to, 136:1007
interact with dynein to produce dynamic cortical interaction, 138:629
interaction with MAP2c, 136:845
molecular requirements for phagosome movement along, 137:113
neurocentromeres mobilized on, 139:831
not involved in axial or bipolar bud site selection, 136:111
nucleation in centrosomes of *Spisula solidissima*, 137:193
organization affected by CDK1 inactivation, 138:385
role of β-tubulin in the nucleation of, 137:193
Schizosaccharomyces pombe Mal3 required for integrity of, 139:717
transported by CHO1/MKLP1, 138:833
turnover influenced by Kar3p acting at the spindle poles, 137:417
XMAP310 and rescue of, role of microtubule-associated proteins in dynamics of, 139:975
Microvilli
breakdown during early phase of apoptosis, 139:749
differences in localization of leukocyte integrins to, 139:563
Microvillus localization, role of leukocyte integrin transmembrane and cytoplasmic domains in, 139:563
Migrating cells, microtubule dynamics in, microtubule turnover in, 139:417
Mineralization, initiated by hypertrophic chondrocytes, 137:1149
Minichromosome maintenance protein, interaction with chromatin, cyclin E promotes chromosome binding of, 139:13
Minus end–directed motor proteins, mobilize neurocentromeres on microtubules, 139:831
Mitochondria
buffer Ca^{2+} that enters T cells, modulate rate of capacitative Ca^{2+} entry, 137:633
of developing spermatid, localization of basonuclin in, 137:657
herbimycin A induces proliferation of dysfunctional, 138:449
participation in the intercellular Ca^{2+} network, 136:833
role of kinesin-like protein 67A in the localization of, 136:1081
targeting of P4501A1 to, 139:589
third protein of the outer membrane, role of Mem12p in the morphology and inheritance of, 136:545

Mitochondrial inheritance, Mdm1p functions in, 138:485
Mitochondrial inner membrane, insertion of proteins into, 139:1663
Mitochondrial protein import, relationship with multiple conductance channel, 137:377
Mitochondrial protein P450MT2, novel pathway for biogenesis of, exists in two electrophoretically separable molecular forms, 139:589
Mitochondrial proteins
  human DnaJ homologue dj2 facilitates import of, 139:1089
  verprolin and sorting/function of, 139:1821
Mitogen-activated protein kinase
  activation alone induces mitotic arrest, required for spindle assembly checkpoint, dispensable for M phase entry and exit, 136:1091
  integrin-mediated activation independent of focal adhesion kinase, 136:1385
  regulates cell motility, myosin light chain kinase as substrate for, 137:481
  role in spindle assembly checkpoint, 137:433
Mitosis
  actin and myosin II in, 139:1793
  activation of mitogen-activated protein kinase alone induces arrest of, 136:1091
  Cdc25B functions as trigger for, 138:1105
  completion of, 139:13
  dispersion of nuclear proteins throughout endoplasmic reticulum during, 137:1199
  effect of CDK1 inactivation on, 138:385
  fission yeast *dim1*$^{+}$ encodes a polypeptide essential for, role of Dim1p in chromosome segregation during, 137:1337
  Gin4 kinase activated during, 138:119
  KLP38B required for chromatin condensation in, 138:395
  mitochondrial association of a plus end–directed microtubule motor expressed during, 136:1081
  normal chromosome segregation during, generation of polar ejection force in, 139:1361
  partitioning of Golgi apparatus during, 137:1211
  phosphorylation of connexin43 during, coordination of molecular and cellular events accompanying, 137:203
  precursor cells must reach threshold size prior to, 138:1367
  regulated progression from early to late anaphase during, 136:345
  role of IAK1 in centrosome and mitotic spindle function during, 138:643
  targeting of inner nuclear membrane protein in, 138:1193
Mitotic cells, connexin43 localized in compartments of, 137:203
Mitotic chromosomes, mechanical study of, 139:1
Mitotic cyclins, degradation of, 139:13
Mitotic events, controled by Nap1 and Gin4 kinase, 138:119
Mitotic heterokaryons, distribution of inner centromere protein in, 136:1169
Mitotic spindle
  force exerted by, 139:1
  positioning in *Saccharomyces cerevisiae*, Kip2p and Kip3p participate in, 138:1041
  role of Dim1p in function/formation of, 137:1337
  role of XCTK2 in the establishment and structural integrity of, 136:859
  yeast, oriented by kinesin and dynein, 138:957
MKK6, regulates myocardial cell hypertrophy, 139:115
Moesin
  required for stress fiber formation and cortical actin polymerization, role in cytoskeletal organization, 138:927
  role in redistribution of adhesion molecules to cellular uropod, 138:1409
Molecular motors, bind to Golgi membranes, 139:1169
Monoamine transporters (vesicular), differential localization in PC12 cells, 139:907
Monocytes, adhesion to activated aortic endothelium, 136:945
Morphogenesis, verprolin required for, 139:1821
Motor activity (minus-end–directed), dynamitin and, 139:469
Motor axons, respond to different laminin heterotrimers, 139:1507
Motor domain, positioning compared to that of regulatory domain, binds actin with varying orientations, 139:695
Motor neurons, dysfunction/degeneration in familial amyotrophic lateral sclerosis, affected by *SOD1* mutation, 139:1307
Motor proteins, contribute to microtubule minus ends focusing at mitotic spindle poles, 138:1055
Mouse, blastocyst development in, 139:1545
Mouse embryonic heart, storage of latent transforming growth factor-β protein-1 during formation of the endocardial cushion tissue of, 136:193
Mouse fibroblasts, cold-induced growth suppression in, 137:899
MPS1, interaction with *CDC37*, 136:969
mps1-1 temperature-sensitive phenotype, *CDC37* as a multicopy suppressor of, 136:969
mRNA
  localization in *Drosophila* oocytes, 139:817
  role of M9 transport signal of hnRNP A1 in nuclear export of, 137:27
mRNA-binding proteins, two parallel pathways in import of, 139:1645
Mtr10p, mediates novel pathway to nucleus, responsible for nuclear import of Np13p, 139:1645
Multiple conductance channel, Tim23p required for the normal activity of, precursors translocated through the pore of, relationship with mitochondrial protein import, 137:377
Multivesicular endosomes, biogenesis coupled to early endosome organization, biogenesis depends on COP-I proteins, 139:11883
Muscle ankyrin repeat domain, as key nuclear cofactor in novel local signaling pathways to muscle, 139:1231
Muscle atrophy, potential role of neurotrophin-3 in prevention of, 139:709
Muscle cells
  β1D integrin reinforces matrix–cytoskeleton link in, 139:1583
  embryonic, laminin-induced dystroglycan clustering in, argin-induced dystroglycan clustering in, unclustered dystroglycan mobile on the surface of, 136:1047
  positive and negative regulation of identity of, 139:145
Muscle differentiation
  affected by CRP1, 139:157
  association of caveolin-3 with developing T tubules during, 136:137
Muscle fibers (type 2b), neurotrophin-3–dependent recovery of, 139:709
Muscle tissue, β1D integrin strengthens adhesive structures in, 139:1583
Muscular dystrophy
  fascioscapulohumeral, mutation in, 139:507
  sarcolemmal damage in, pathogenic mechanisms in congenital vs. Duchenne, 139:375
Mutant *mdm1* alleles, isolation of, phenotypic classes of, 138:485
Myb-Ets protein, induces proliferation of thrombonuclin-positive hematopoietic progenitors, 138:1395
Myc, carcinoembryonic antigen cooperates with, 137:939
Myelin basic protein, transport and localization elements in mRNA of, 138:1077
Myelin-associated glycoprotein, sialic acid binding site on, neurite inhibition site on, two neuron recognition sites for neurons in, 138:1355
Myelination, function of Caspr during, 139:1495
Myelomonocytes, phosphorylation of pro-urokinase impairs adherence and motility of, 137:779
myo2 gene, encodes type II myosin heavy chain, 137:1309
myoB, activity controlled by SH3 domain and phosphorylation site, 136:633
Myoblast cells, hepatocyte growth factor/scatter factor autocrine loop in, 137:1057
Myoblast fusion
  in *Drosophila*, *rolling stone* (*rost*) essential for, 138:337
  genetic analysis of, new intermediate steps in the process of, 136:1249
Myoblasts
  carcinoembryonic contributes to malignancy in, 137:939
  function does not rely on N-cadherin, 138:331
  role of *Drosophila myoblast city* in fusion of, 138:589
Myocardial cells, hypertrophy regulated by MKK6 and p38, 139:115
Myocardium, microtubule-associated protein 4 in, 139:963
MyoD, expression/function in myofibroblasts, 139:1477
Myoepithelium, loss of P-cadherin from, and underlying secretory epithelium, 139:1025
Myofibroblasts, sarcomeric gene expression and contractility in, MyoD and myogenin in, 139:1477
Myogenesis
  regulated by cystein-rich proteins, 139:157
  skeletal, influenced by cadherins, 138:1323
Myogenic differentiation, effect of constitutive *met* kinase activation on, 137:1057
Myogenin, expression/function in myofibroblasts, 139:1477
Myo2p
  colocalizes with actin in contractile ring, 137:1309
  requirement for chitin synthase 3 polarization to cortical sites in yeast, 136:95

Myosin
in inner-ear sensory epithelia, 137:1287
role in vesicle recruitment for Ca^{2+}-regulated exocytosis, 138:999
sarcomeric, endothelin-1 increases expression of, 139:1477
Myosin-1β, role in adaptation, 137:1287
Myosin I, overexpression impairs cell migration, role in controlling cellular cortical activity, as cytoskeletal effector linked to signalling molecules, 136:633
Myosin II
activation of, 139:1805
dynamics in fish keratocytes, novel role in cell body translocation, 139:397
in mitosis, 139:1793
recruited to isolated Golgi membranes, in vesicle budding from the *trans*-Golgi network, 138:291
Myosin-V, in afferent nerve terminals in auditory and vestibular tissues, 137:1287
Myosin-VI, high concentration in cuticular plates, association with stereociliary rootlets, 137:1287
Myosin-VIIa, required for structural integrity of hair bundles, 137:1287
Myosin heads, flexibility within, 139:675
Myosin heavy chain, inactivation of, 139:1219
Myosin heavy chain genes, unique roles in skeletal muscle contraction, growth and muscle defects in mice lacking, 139:1219
Myosin light chain kinase, as substrate for mitogen-activated protein kinase, 137:481
Myosin light chain mutants, in *Drosophila*, 139:1805
NAD^+, role in maintenance of Golgi structure, 139:1109
Naegleria gruberi, colocalization of microtubule mRNAs in, differentiation of amebas into flagellates, 137:871
Nap1, functions with Gin4 kinase to control mitotic events, 138:119
NBT-II cells, effects of slug on epithelial–mesenchymal transition in, 137:1403
N-cadherin
activity controlled by β1 and β3 integrins in migrating neural crest cells, 137:1663
N-cadherin, not necessary for myoblast function, 138:331
Nef, initiates nucleation of clathrin-coated pits, 139:37
Neogenesis, regulation of hormone-specific gene expression during, 137:1127
Neoplastic conversion, matrix metalloproteinases and, 139:1861
Neoplastic disease, human neural cell adhesion molecule expression and, 139:1567
Nerve cells, cGMP mediates apoptosis of, 139:1317
Nerve growth factor
activates multiple signaling pathways, 139:809
activates TrkA on sympathetic neurons, mediates neuronal survival and neuritogenesis, 136:375
binding to distal neurites induces tyrosine phosphorylation of tyrosine kinase receptor A, retrograde signals induced by, 138:411
regulates protein methylation, 138:1089
Nerve growth factor precursor, biologically active peptides LIP1 and LIP2 derived from, 136:389
Nerve injury, prevention of muscle atrophy after, 139:709
Nervous system
embryonic, restriction of L1 gene expression in, 138:1343
MAP1B gene essential for normal time course development of, 137:1615
Nervous tissue, glypican and biglycan expression in, 139:851
N-ethylmaleimide–sensitive fusion protein, activated by α-SNAP, and SNARE complex disassembly, and exocytosis, 139:875
Neurabin, involvement in neurite formation, 139:951
Neural cellular adhesion molecules, differential glycosylation of, 138:143
Neural crest cells (migrating), N-cadherin activity controlled by β1 and β3 integrin signals in, 137:1663
Neural proteins, effect of differential glycosylation on, 138:143
Neural restrictive silencer element, controls L1 gene expression, 138:1343
Neuregulin, role in axonal–glial signaling, induces phosphorylation of HER2 in oligodendrocyte lineage cells, induces phosphorylation of HER2 and HER3 in Schwann cells, derived from dorsal root ganglion neurons, 137:211
Neurexin IV, homologue of, 139:1495
Neurexins, function of, participation in cellular interactions, 137:793
Neurite formation, affected by Tiam1, coordinated by Rac- and Rho-mediated signaling pathways, key regulators in, 139:797
Neurites
growth induced by binding of receptor tyrosine phosphatase β to the contactin/Nr-CAM complex, 136:907
neurabin involved in formation of, 139:951
outgrowth from PC12 cells, 138:1089
RhoGEF prevents outgrowth of, $p116^{Rip}$ promotes outgrowth of, 137:1603
role of CALEB in the formation of, 136:895
role of gelsolin in elongation of, 138:1279
Neuroblastoma cells, formation of dendrite-like processes from, 136:659
Neurocentromeres, mediate chromosome movement, motility of, mobilized on microtubules, 139:831
Neuroendocrine cells, synaptic-like microvesicles of, 137:445
Neuroendocrine protein 7B2, involvement in ProPC2 transport and activation, not involved in ProPC2 folding, required for productive cleavage of ProPC2, 139:625
Neurofascin, ankyrin binding abolished by tyrosine phosphorylation of, as substrate for tyrosine kinases and protein tyrosine phosphatases, 137:703
Neuromuscular junction
innervation affects stability of acetylcholine receptors, 138:159
laminins in, 139:1507
postsynaptic abormalities resulting from utrophin deficiency, 136:883
site of induced synaptic and extrasynaptic growth, 136:679
specific binding sites for acetylcholinesterase molecules on the synaptic basal lamina of, 136:367
Neuronal cells, role of BAX in death of, 139:205
Neuronal processes, microtubule-associated protein contribution to formation/maintenance of, 138:1067
Neurons
function of KIF2 in, 138:657
low concentrations of cycloheximide promote survival of, 136:1137
postmitotic, expression of CHO1/MKLP1 in, 138:833
recognition sites in myelin-associated glycoprotein, 138:1355
superior cervical neurons, phosphatidylinositol 3-kinase and survival of, Akt kinase and survival of, 139:809
Neurotrophin-3
activates TrkA on sympathetic neurons, atrophy, enhances regeneration of peripheral nerve, 136:375
potential role in prevention of muscle mediates neuronal survival and neuritogenesis, 139:709
Neurotrophin receptors, apical sorting of, 139:929
Neutrophils
L-selectin in human vs. mouse, binding of L- to E-selectin in, 136:707
migration down local chemoattractant gradient, 139:1349
Newt lung cells, mechanical study of mitotic chromosomes in, 139:1
Newt myotubes, reentry into the cell cycle by phosphorylation of retinoblastoma protein, 136:155
NF-κβ, activated by extracellular ATP, 139:1635
N-glycans, not involved in apical sorting of neurotrophin receptors, 139:929
NH_2-terminal translocation, promoted by long hydrophobic signal domains, 137:555
N-myristoylation, as important constituent of a Golgi-targeting signal, 137:1525
Nonclaret disjunctional microtubule motor, required for spindle elongation, required for spindle stability during meiotic divisions, 137:1321
Nonpolarized cells, targeting of endotubin to endosomes in, specialized early endosomal compartment in, 136:319
Novel actin-like protein, as substitute for conventional actin, 137:649
Np13p (mRNA-binding protein), nuclear import of, 139:1645
Nuclear channels, cell-type specific morphologies of, presence of cytoplasmic core, nuclear pore complexes in wall of, role in nucleocytoplasmic transport, dynamic nature of, derived from the endoplasmic reticulum as invagination of the nuclear envelope, 136:531
Nuclear dot protein 52, cellular localization, expression, and structure of, 138:435
Nuclear dot–associated proteins, covalent modification by PIC1/SUMO-1, 139:1621
Nuclear envelope
laminin B receptor (fused to green fluorescent protein) immobilized in, 138:1193
membrane-bound invaginations of, 136:531
nuclear lamina and growth of, 139:1077
Nuclear export, subfamily of GLFG nucleoporins involved in, 137:797
Nuclear inheritance, Mdm1p functions in, 138:485
Nuclear lamina, and growth of nuclear envelope, lamina-associated polypeptide 2 regulates dynamics of,

involvement in nuclear volume increase, 139:1077
Nuclear lamins, disrupted organization alters the elongation phase of DNA replication, 136:1201
Nuclear membrane fusion, pheromone-induced gene required in, Kar5p required for completion of, 139:1063
Nuclear membranes
dynamics in living cells, 138:1193
lose identity as subcompartment of endoplasmic reticulum during mitosis, 137:1199
Nuclear migration, in *Saccharomyces cerevisiae*, *KIP3* required for, Kip3p required for first phase of, 138:1023
Nuclear pore complex
attachment of CAN/Nup214 to the cytoplasmic face of, 137:989
dynamics of the distribution of, redistribution induced by Nup133p, 136:747
in vivo dynamics in yeast, 136:1185
RanBP7 binds directly to, 138:65
translocation of importin β through, 139:841
Nuclear pore complex–attached filaments, composition and assembly of, p270/Tpr as component of, 136:515
Nuclear positioning, microtubule-based searching mechanism for, 139:985
Nuclear proteins
dispersion throughout endoplasmic reticulum during mitosis, 137:1199
export regulated by phosphotyrosine system, 137:523
Nuclear volume, nuclear lamina involved in increase of, cell cycle checkpoint linking S phase to, 139:1077
Nucleoplasm, transportin localizes to, 138:1181
Nucleosomes
high mobility group 1 protein binds to, 137:19
unique aspects of histone H3 within, 136:501
Nucleus
apoptotic events in, 139:1005
changes after human cytomegalovirus infection, 138:5
compartmentalization of large-scale chromatin domains in, 139:1597
functional significance of membrane-bound structures in, 136:531
lamins essential for structural organization of, 137:1001
Np13p imported into, 139:1645
solute diffusion in, 138:131
structural protein 4.1 in, 137:275
targeting of $U2AF^{65}$ to sites of active splicing in, 137:975
translocation of excess β-catenin and plakoglobin into, 139:1325
zyxin shuttles between cytoplasm and, 138:1139
Nup84, functions in attachment of CAN/Nup214 to cytoplasmic face of nuclear pore complex, 137:989
Nup100p, role in Kap95p recycling, 137:797
Nup116p, role in Kap95p recycling, 137:797
Nup133p, targeted to clustered nuclear pores, induces redistribution of clustered nuclear pore complexes, 136:747
Occludin
role in formation of the tight junction seal, synthetic peptide corresponding to the extracellular domain of, 136:399
phosphorylation of, involvement in tight junction assembly, 137:1393
and tight junction function in *Xenopus*, forms oligomers during tight junction assembly, 138:891
ODA loci, insertional alleles for, 137:1069
O-glycans, structure manipulated transfection with recombinant transferases, 137:1229
O-glycosylated stalk domain, contains apical sorting signal, 139:929
Oleamide, inactivates gap junction communication, and calcium wave transmission, 139:1785
Oligodendrocyte precursor cells, proliferative behavior of, cell cycle time varies inversely with PDGF concentration, embryonic vs. postnatal, must reach threshold size before division, maturation as intrinsic property of, 138:1367
Oligodendrocytes
express neuregulin receptors HER2 and HER4, 137:211
lineage of, survival depends on myelination of appropriate axons, expression and targeting of proteolipid protein by, 137:459
Oncogenes, activate integrin-dependent signaling events, and anchorage-independent growth, 139:575
Oncogenesis
connection to integrin signaling, 139:575
loss of CDO function may play role in, 138:203
Oogenesis
difference in error rate between spermatogenesis and, 139:1611
in *Drosophila*, association/transport of maternal products during, 139:817
myosin light chain–activating phosphorylation sites required for, 139:1805
Organelles, dynamitin-induced redistribution of, 139:469
Osteoarthritis, and TGF-β, 139:541
Osteoblastic cells
differentially regulate transport and assembly of connexin43 and connexin46, connexin46 retained as monomers in *trans*-Golgi compartment of, 137:847
intercellular calcium signaling in, 139:497
Osteoclast precursors, substrate recognition by, induces c-src/microtubule association, 137:247
Outer dynein arm docking complex, *Chlamydomonas reinhardtii ODA3* gene encodes a protein of, 137:1069
p38, mediates cardiac hypertrophic growth pathway, 139:115
p40, binds Rab9–GTP, acts with Rab9 to stimulate transport vesicle docking, 138:283
p53/58, mediates COPI binding, required for selective transport through early secretory pathway, 137:581
$p56^{lck}$, subcellular distribution of, targeted to plasma membrane, 137:1029
$p116^{Rip}$, interacts with GDP- and GTP-bound forms of RhoA, inhibits RhoA–stimulated contractility, promotes neurite outgrowth, 137:1603
p28 Bap31, association with procaspase-8 and Bcl-2/Bcl-X_L, 139:327
P2 purinoreceptors, and cell fusion, 138:697
$p185^{c\text{-}neu}$ receptor tyrosine kinase, requirements for activation of, role of transmembrane domain in the activation of, 137:619
p38 signaling pathway, Fas-induced activation of, 139:1005
PAK1 (p21-activated kinase), localization to pinocytic vesicles and cortical actin structures, 138:1265
Palmitoylation, Lck (tyrosine kinase $p56^{lck}$) is targeted to sites of, 137:1029
Pancreas, exocytic pathways in β cells of, 138:55
Pancreatic β cells, lysosomal proenzyme sorting in, 137:595
Parafusin, homologue in *Tetrahymena thermophilia*, 139:1197
Paramecium cells, microdomain Ca^{2+} activation in, 136:597
Paranodal junctions, Caspr as component of, 139:1495
Parasitemia, altered by GPI-phospholipase C, 139:103
Parasites, tumor necrosis factor-α may control in vivo development of, 137:715
Parathyroid hormone–related peptide, location of Bcl-2 in relation to, 136:205
PC12 cells
consequences of KIF2 suppression in, 138:657
differential localization of vesicular acetylcholine and monoamine transporters in, 139:907
protein methylation involved in neurite outgrowth from, 138:1089
synaptic vesicle budding in, 138:505
Pca1, role in reconstitution of actin assembly sites, interaction with SH3 domain-containing proteins and phospholipids, 138:95
P-cadherin, loss from myoepithelium, and negative growth control in mammary gland, role in cell proliferation and differentiation in mammary gland, mammary gland development in mice deficient in, 139:1025
PDGF, regulates cell cycle time during development, 138:1367
PDR1, regulates phosphatidylethanolamine flip-flop across the plasma membrane, 138:255
PDR3, regulates phosphatidylethanolamine flip-flop across the plasma membrane, 138:255
PDZ domains, novel mode of interaction for, bind to spectrin-like repeats, 139:507
PECAM-1, region of exon 14 regulates ligand specificity, function as heterophilic or homophilic adhesion molecule determined by vascular cells, 138:1425
Pellicular membrane, localization of iso-2 transporter within, 139:1775
Pemphigus vulgaris, autoantibodies interfere with adhesive function of desmoglein 3, typical lesions in *bal* mice, 137:1091
Pep12p
can partially substitute for Vam3p, 138:517
Vti1p interacts with, 137:1511
Perinucleolar compartment, dynamic organization in cell nucleus, polypyrimidine tract binding protein localization in, in human cancer and normal cell lines, 137:965
Peripheral nerve, neurotrophin-3 enhances regeneration of, 139:709
Periplakin, forms complexes with envoplakin, associated with desmosomes and keratin filaments, and assembly of cornified envelope, 139:1835
Peritubular cells, and virus protection, 139:865

Permeases, regulated secretion of, 137:1469
Peroxisomal compartment, a vital stain for, association with microtubules, 136:71
Peroxisomal function, deficiency related to organ dysfunction, 139:1293
Peroxisomal targeting signal, of alcohol oxidase, 139:1419
Peroxisomes
assembled and active alcohol oxidase in, 139:1419
biogenesis in *Yarrowia lipolytica*, 137:1265
movement, organization, and segregation in living cells, visualization through green fluorescent protein–peroxisomal targeting signal 1 fusion protein, 136:71
PEX16 gene, cloning and sequencing of, overexpression in *Yarrowia lipolytica*, 137:1265
PEX2 peroxisome assembly gene, targeted deletion of, 139:1293
Pex16p, identification and characterization of, encoded by the *PEX16* gene, 137:1265
Phagosomes, molecular requirements for movement along microtubules, 137:113
Phorbol esters, effects on CXCR4 expression, 139:651
Phosphatidylethanolamine, *PDR1* and *PDR3* control plasma membrane translocation of, 138:255
Phosphatidylinositol 3-kinase
as negative regulator of cell differentiation, role in development of human endocrine system, 137:1127
and survival of superior cervical neurons, acts independently or downstream of c-Jun, 139:809
Phosphatidylinositol transfer protein, link between dysfunction and inherited disease, regulates phototransduction, 139:351
Phosphatidylinositol-3-phosphatase, production of, required for exocytic vesicle formation, 139:339
Phosphoglucomutase, activity in ΔPGM1 cells, 139:1197
Phosphoinositide-3 kinase, induces c-Jun NH_2-terminal kinase activity in apoptosis, 139:1523
Phospholipase C
activation and degradation of, 137:1381
inhibited by gelsolin and CapG overexpression, 138:811
Phospholipase Cγ, mediates Ca^{2+} release during fertilization, 138:1303
Phospholipase D
role in adaptor recruitment, 138:1239
stimulates vesicle budding from *trans*-Golgi network, ADP ribosylation factor modulates activity of, 138:495
Phosphorylation (of occludin), involvement in tight junction assembly, 137:1393
Phosphotyrosine, interaction with Src homology 2 in apoptosis, 137:1117
Photoreceptor cell, role of retinal degeneration B protein in, 139:351
Photoreceptor inner/outer segments, retina-specific isoform actin-binding LIM protein and development of, 138:575
Photosystem I units, *ycf3* and assembly/stability of, 139:95
Phototaxis, regulation during, 136:177
Phototransduction, regulated by retinal degeneration B protein, 139:351
Pichia pastoris, alcohol oxidase peroxisomal targeting/import/assembly in, 139:1419
PIC1/SUMO-1, covalent modification of nuclear dot–associated proteins by, 139:1621
Pinocytic vesicles, localization of PAK1 to, 138:1265
PIP_2, gelsolin and CapG interact with, 138:811
Pkc1p, regulates cell fusion in response to osmotic disequilibrium, 138:961
Plakoglobin
amino-terminal domain of desmoplakin binds to, 139:773
association with the intracellular domain of LAR, 138:681
overexpression affects β-catenin stability, translocation into nucleus, 139:1325
as structural component of adherens junction and desmosome, signaling role in desmosome organization, 136:919
Plasma membrane
class II–peptide complexes transported to, 139:1433
depletion of ezrin/radixin/moesin proteins from, dissociation of actin-based cytoskeleton from, 139:749
fusion with lysosomes, 137:93
integrity of, disruption in, 137:1
linked to actin cytoskeleton by afadin, 139:517
recruitment of adaptors onto, 138:1239
synaptic-like microvesicle/synaptic vesicle donor compartment connected to, 137:445
targeting of $p56^{lck}$ to, 137:1029
targeting of pleckstrin to areas of, structure affected by pleckstrin, 136:1071
Plasminogen activator/plasmin system, role in polyomavirus oncogenesis, genetic alterations affect vascular tumor development, vs. endothelioma cell in tumor induction, 137:953
Platelet integrins, human neural cell adhesion molecule L1 interacts with, 139:1567
Platelet/endothelial cell adhesion molecule-1 (PECAM-1), regulates endothelial adhesiveness, 139:219
Platelets, thrombin stimulates glucose transport in, GLUT-3 translocation in, 138:323
PLC-γ1, IgE receptor and selective activation of, 139:1447
Pleckstrin, regulation of activity NH_2-terminal pleckstrin homolgy domain, interacts with plasma membranes, associates with peripheral membrane ruffles and membrane projections, affects cell membrane structure, 136:1071
Pma1 (mutant), delivery to cell surface as result of endosomal system disturbance, 138:731
pma1 (*sop*) mutants, isolation of 16 suppressor of, 138:731
PML (nuclear dot–associated protein), covalent modification by PIC1/SUMO-1, 139:1621
Poleward arm motility, effect on chromosome segregation, 139:831
Polymorphonuclear neutrophils, role of glycan phosphoinositol–anchored Fcγ receptor of, 139:1209
Polyomavirus, role of plasminogen activator/plasmin system in oncogenesis of, 137:953
Polypeptide domains, translocation across the inner envelope into intermembrane space, 137:1279
Polyploidization, of megakaryocytes, 139:449
Polypyrimidine tract binding protein, localization in perinucleolar compartment, 137:965
Porcine oocytes, P-selectin ligand in zona pellucida of, 137:743
Pore, formation in cell membrane requires *Clostridium perfringens* receptor, 136:1239
Post-Golgi compartments, protein fate in, 139:1735
Post-Golgi vesicles, Sec2p involved in polarized delivery of, 137:1495
Postmitotic villus enterocytes, effect of $K\text{-}ras^{Val12}$ on, 138:167
Postsynaptic membrane, utrophin necessary for complete differentiation of, 136:871
Posttranslational folding, individual influenza hemagglutinin glycans have distinct roles in, 139:613
Power stroke (insect flight muscle), regulatory and motor domains contribute to, 139:695
Preanaphase spindle, Kar3p motor regulates microtubules in, 137:417
Precursor proteins, chloroplastic envelope membranes interact to form contact sites in the absence of, transport into chloroplasts, 136:983
Pre-mRNA splicing, interaction with carboxy-terminal domain of RNA polymerase II, 136:5
Premyelinating oligodendrocytes, differentiation and death of, 137:459
Preproteins, interaction with chloroplast protein import machinery, transport in chloroplasts, role of Toc34 in import of, GTP regulates recognition of, 139:1677
Presecretory protein translocation, regulation of ribosome–membrane junction at early stages of, 139:1697
Presenilin-2, induces apoptosis, 139:485
Prevacuolar compartment, cycling of proteins between *trans*-Golgi network and, 139:23
Primordial germ cells, distribution of extracellular matrix proteins during migration of, adhesiveness of, 138:471
Primordial smooth muscle, 1E12 antigen as novel marker for, 137:925
Procaspase-8, association of p28 Bap31 with, 139:327
Procathepsins L and B, in immature granules, 137:595
Procyclin, EP form vs. GPEET form, specific forms enhance survival of *Trypanosoma brucei* in tsetse fly, 137:1369
Profilin, *Schizosaccharomyces pombe cdc12p* interacts with, 137:169
Pro-gelatinase A, activated by membrane type-1 matrix metalloproteinase, role in restoration of connective tissue in wound healing, 137:67
Proinflammatory mediators, regulatory effects on NF-κβ target genes, 139:1635
Proline-rich protein, entry into regulated secretory pathway, 138:45
ProNGF peptides LIP1 and LIP2, induce F-actin rearrangement and Trk phosphorylation, 136:389
ProPC2, 7B2 involved in transport and activation of, 7B2 not involved in folding of, 7B2 required for productive cleavage of, 139:625
Proteases

activation during apoptosis, 137:469
CPP32-like, not required for JNK/SAPK and p38 signaling pathway activation, not required for apoptotic cytoplasmic events, required for apoptotic nuclear events, 139:1005
Proteasome cap subunit, required for spindle pole body duplication, 137:539
Protein disulfide isomerase (in yeast), active site mutations in, oxidative power of, 138:1229
Protein folding (in endoplasmic reticulum), protein disulfide isomerase mutations reduce rate of, 138:1229
Protein Hrb57A, dynamic nuclear redistribution during *Drosophila* embryonic development and heat shock, 137:291
Protein import, cytoplasm to vacuole, 138:37
Protein kinase A, regulates apical sphingolipid transport, 138:307
Protein kinase C
induces desmosomes in α-catenin–negative cells, activation can bypass need for α-catenin to establish tight intercellular adhesion, 137:1103
negatively regulates cell fusion, 138:961
regulates apical sphingolipid transport, 138:307
γ-subspecies of, translocation of, green fluorescent fusion protein fused with, role in central nervous system, 139:1465
Protein kinase C-ζ, activation by a three-dimensional collagen lattice, integrin α_2 and collagen type I metalloproteinase expression through the collagen matrix stimulatory pathway, 136:473
Protein kinase inhibitors, inhibit release of human SWI/SNF complexes, 137:263
Protein phosphatase, association with a kinesin-related protein, 138:395
Protein targeting, to mitochondria and endoplasmic reticulum, 139:589
Protein tyrosine phosphatase hematopoietic stem cell fraction, controls tyrosine phosphorylation of PSTPIP, 138:845
Protein tyrosine phosphatases
actin-associated substrate of, 138:845
neurofascin as substrate for, 137:703
Proteins
contractile vacuoles function in transport mechanism, 138:939
directional transport through the nuclear pore complex, 139:841
import into chloroplasts, 139:1677
nerve growth factor regulates methylation of, 138:1089
polarized, polarized lipids change function of, 139:941
translocation and insertion into mitochondrial inner membrane, 139:1663
transport in *Saccharomyces cerevisiae*, 138:531
Proteolipid protein, expressed and targeted by oligodendrocytes, 137:459
Proteolysis
of ErbB-4 receptor tyrosine kinase, 139:995
Lhs1p involved in stabilization against, 137:813
unmasks vinculins' Act-A–like oligoproline sequence, 138:1255
Pro-urokinase, signaling ability of, phosphorylation on $Ser^{138/303}$, phosphorylation impairs myelomonocytic adherence and motility, 137:779
PSD-95, guanylate kinase–associated protein binds to the GK domain of, 136:669
P-selectin
on acrosomal membrane of porcine sperm cells, role in porcine sperm–egg interactions, 137:743
dynamic adhesion of P-selectin glycoprotein ligand-1 to, 137:509
P-selectin glycoprotein ligand-1, mediates microsphere attachment and rolling, dynamic adhesion to P- and E-selectin, 137:509
P-selectin ligand, in zona pellucida of porcine oocytes, role in porcine sperm–egg interactions, 137:743
PSTPIP (proline, serine, threonine phosphatase interacting protein), potential role in cytokinesis, as substrate for protein tyrosine phosphatase hematopoietic stem cell fraction, protein tyrosine phosphatase hematopoietic stem cell fraction controls tyrosine phosphorylation of, as mammalian homologue of yeast cleavage furrow regulatory protein, 138:845
PtK_1 cells, kinetochore fiber maturation in, 137:1567
PTPσ, subcellular localization of, 138:681
p270/Tpr, as a constitutive component of nuclear pore complex–attached filaments, 136:515
Purinergic receptors, mediate calcium waves, 139:497
PYK2, induces apoptosis, structural relationship to focal adhesion kinase, 139:529
P2Z/$P2X_7$, involved in macrophage fusion, involved in the formation of macrophage-derived multinucleated giant cells, 138:697
Rab5, presence of Rab7-negative mutant does not affect uptake mediated by, 136:1227
Rab7, mediates endocytosis through the early endosome, influences function of Rab5 downstream, Rab5-negative mutant blocks uptake mediated by, 136:1227
Rab9 receptor, in mannose-6-phosphate receptor transport, acts with p40 to stimulate transport vesicle docking, 138:283
Rab5-negative mutant, Rab7-mediated uptake blocked by, 136:1227
Rab7-negative mutant, Rab5-mediated uptake remains unaffected in the presence of, 136:1227
Rac
activation antagonizes Rho pathway, 139:797
induces rapid actin polymerization, activation leads to formation of integrin adhesion complexes, 138:913
works with Rho to regulate cadherin function and actin reorganization, 137:1421
Rac signaling, mediated by membrane-associated Tiam1, 137:387
Rac subfamily, regulates cadherin-based cell–cell adhesion, 139:1047
RAD9 checkpoint gene, mid-anaphase delay dependent upon, 136:345
Radixin, role in cytoskeletal organization, 138:927
Rag cohort 1, nucleocytoplasmic shuttling of, 139:313
Ran
GDP exchanged for GTP on Ran, 139:313
role in protein transport through the nuclear pore complex, 139:841
Ran-binding proteins, novel superfamily of, 138:65
RanBP7, characterization of, Ran-dependent transport cycle of, similarities to importin-β, direct binding to nuclear pore complex, as nuclear transport factor, specific Ran GTP binding for, 138:65
RanBP8, characterization of, specific Ran GTP binding for, 138:65
RanGTP, causes dissociation of transportin1–A1 complexes, 138:1181
Ras, role in regulation of cell–cell contacts, 139:785
Ras pathway, acto–myosin system interacts with, 137:1309
Rat hepatocytes, convergence of autophagic and endocytic pathways in, 136:61
Rat prostate, deoxyribonuclease I expression in, 137:909
Rat sympathetic neurons, rapid retrograde phosphorylation of tyrosine kinase receptor A in, 138:411
rbet1, association with intermediate compartment, involved in endoplasmic reticulum–Golgi apparatus vesicular transport, 139:1157
RE-1 silencing transcription factor/neural restrictive silencer factor, controls L1 gene expression, 138:1343
Receptor tyrosine phosphatase β, binding to the contactin/Nr-CAM complex induces neurite outgrowth, mediates neuron–glia interactions, two distinct domains of, 136:907
Receptors, trigger formation of clathrin-coated pits, 139:37
Red blood cells, hemifusion with wild-type hemagglutinin–expressing cells vs. hemifusion with glycosylphosphatidylinositol cells, 136:995
Red1 protein, associated with axial cores of meiotic chromosomes, role in establishing meiotic sister chromatid cohesion, colocalization with Hop1, Hop1 localization depends on, 136:957
Regulated secretory pathway, entry of exogenous proteins into, 138:45
Regulator of chromosome condensation 1 (RCC1), loss of activity, 139:313
Regulatory domain, positioning compared to that of motor domain, 139:695
Regulatory myosin light chain, phosphorylation at serine-21 and myosin II activation, phosphorylation at threonine-20 and myosin II activation, 139:1805
Renal podocytes, synaptopodin modulates actin-based motility of, 139:193
Replication licensing system, cell cycle regulation of, role of cyclin-dependent kinases in the cell cycle regulation of, regulation in the *Xenopus* system vs. other cell types, 136:125
Retinal degeneration B protein, complexity of function, role in photoreceptor cell, regulates phototransduction, 139:351
Retinoblastoma protein, phosphorylation required for cell cycle reentry of newt myotubes, regulation of phosphorylation, 136:155
Retinoic acid, increased levels of CHO/MKLP1 in the presence of, 136:659
Retinoic acid receptor-α, function in limb development, function in the regulation of chondrogenesis, 136:445
Retinoic acid receptor isotypes, functional

redundancy between retinoic X receptor isotypes and, 139:735
Retinoid signal, mediated by retinoid X receptor/retinoic acid receptor heterodimers, 139:735
Retinoid X receptor isotypes, functional redundancy between retinoic acid receptor isotypes and, 139:735
Retinoid X receptor/retinoic acid receptor heterodimers, function in B9 cells, mediate retinoid signal in vivo, 139:735
Retroviral membrane fusion protein, activation of, 139:1455
Rho
induces stress fiber assembly, activation leads to formation of integrin adhesion complexes, 138:913
works with Rac to regulate cadherin function and actin reorganization, 137:1421
Rho pathway, antagonized by Rac activation, 139:797
Rho subfamily, essential for cadherin-based cell–cell adhesion, essential for formation of tight junction, 139:1047
RhoA, RhoGEF interacts with wild-type and activated forms of, p116^{Rip} interacts with GDP- and GTP-bound forms of, neuronal shape changes mediated by, 137:1603
RhoGEF (novel putative GDP/GTP exchange factor), interacts with wild-type and activated RhoA, induces cell rounding, prevents neurite outgrowth, 137:1603
Ribosome–membrane junction, regulation in endoplasmic reticulum, 139:1697
Ribosome/nascent chain complex, novel stage of association with endoplasmic reticulum membrane, binding to endoplasmic reticulum membrane, 136:1213
Ribosomes
biogenesis and tRNA processing, 139:1655
Fyn synthesis and myristoylation on, 136:1023
Ring canals, kelch localization to, 138:799
RNA
association of Xlrbpa and TAR–RNA-binding protein with, 138:239
coding, localization depends on RNA localization region, 138:1077
double-stranded, compartment for the transcription and replication of, 138:975
mammalian exoribonuclease active in the turnover of, 136:761
noncoding, localization independent of RNA localization region, 138:1077
role of Nup98 in export from the nucleus, anti-xNup98 inhibits export of multiple classes of, 136:241
RNA binding, necessary for polypyrimidine tract binding protein localization in perinucleolar compartment, 137:965
RNA G4 tetraplex structures, occurance in vivo, role in RNA turnover, 136:761
RNA localization region, localization of coding RNA depends on, localization of noncoding RNA is independent of, 138:1077
RNA polymerase II
carboxy-terminal domain of, interaction between its carboxy-terminal domain and pre-mRNA splicing, 136:5
coimmunoprecipitates with two classes of splicing factors, hyperphosphorylation of its carboxy-terminal domain, association with splicing factors maintained in the absence of pre-mRNA, association with splicing factors via the phosphorylated carboxy-terminal domain, 136:19
RNA transport signal, in myelin basic protein mRNA, 138:1077
Rocket tail, vinculin p90 stimulates growth of, 138:1255
Rolling stone (*rost*) gene, essential for myoblast fusion, codes for a transmembrane protein, 138:337
Ryanodine receptors, assembly of arrays guides tetrad assembly, 137:859
S phase
Cdk2 kinase negatively regulates DNA replication during, 137:183
cell cycle checkpoint linking nuclear volume to, 139:1077
direction of DNA ligase I to nuclear replication foci during, 139:579
26S proteasome, initiates degradato of cyclin B, 138:1313
Saccharomyces cerevisiae
actin cytoskeleton of, role in bipolar bud site selection, 136:111
Bcl-2 improves survival of wild-type, 137:1581
biogenesis of its mating pheromone **a**-factor, 136:251
BiP recruitment to the translocon of, 137:1483
in vivo dynamics of nucelar pore complexes in, 136:1185
Kar3p motor of, 137:417
kinetochore organization in, 139:1383
localized deposition of chitin in, 139:75
mitotic spindle positioning in, 138:1041
as model for tracing roots of apoptosis, 139:729
novel v-SNARE of, 137:1511
nuclear migration in, 138:1023
osmotic balance regulates cell fusion during mating in, 138:961
protein transport in, 138:531
regulated protein sorting in the secretory pathway of, 137:1469
selective protein sorting defect due to mutated *VPS29* and *VPS30* genes, 137:79
spindle orientation in, 138:629
spindle pole body duplication in, 137:539
Salivary amylase, entry into regulated pathway, 138:45
Sarcolemma, in muscular dystrophy, 139:375
Sarcomere, structure affected by mutations in human β cardiac myosin heavy chain, assembly normal in hypertrophic cardiomyopathy mutations, 137:131
Sarcomeric myosin, cadherins increase expression of, 138:1323
Sarcoplasmic reticulum, small ankyrins as integral membrane proteins of, linked to the contractile apparatus by small forms of ankyrin 1, 136:621
Schizosaccharomyces pombe
conserved Mem12p homolog in, 136:545
proteins with roles in centromere function, 136:487
type II myosin heavy chain composes contractile ring during cytokinesis in, 137:1309
Schizosaccharomyces pombe cdc12p, interaction with profilin, as component of cell division ring, cloning and molecular characterization of, 137:169
Schmid metaphyseal chondroplasia, similarity to consequences of collagen X deficiency, 136:459
Schwann cells, express neuregulin receptors HER2 and HER3, 137:211
Sec protein transport systen, targeting determinants for, proposed evolutionary basis for, 136:823
SEC2, mutations cause mislocalization of Sec4p, 137:1495
SEC13, controls sorting of Gap1p in Golgi, 137:1469
Sec2p, mediates nucleotide exchange on Sec4p, involved in polarized delivery of post-Golgi vesicles, 137:1495
Sec4p, mislocalization caused by mutations in *SEC2*, Sec2p mediates nucleotide exchange on, 137:1495
Sec13p, controls Gap1p transport from Golgi to plasma membrane, 137:1469
Sec16p complex, in ribosome/nascent chain association with endoplasmic reticulum membrane, 136:1213
Sec17p/Sec/18p reaction, as a prerequisite for docking of yeast vacuoles, 136:307
Sec18p, works with LMA1 to promote yeast vacuole fusion, 136:299
Sec63p, lumenal domain stimulates BiP ATPase activity, mediates BiP recruitment to translocon in *Saccharomyces cerevisiae*, 137:1483
Secretory activity, membrane recycling during, 139:885
Secretory granules
lysosomal enzyme sorting in, 137:595
for tissue-type plasminogen activator (vs. that for von Willebrand factor), 139:245
Secretory pathway, vesicular-tubular cluster as key intermediates in, 138:1
Sed5p, Vti1p interacts with, 137:1511
Selectins
role in leukocyte adhesion, 136:717
rolling mediated by, 138:1169
Seminiferous tubules, reaction to viral attack, 139:865
Septin, role in spatial localization of chitin deposition, 139:75
Ser$^{138/303}$, phosphorylation of pro-urokinase on, 137:779
Serine/threonine kinase superfamily, IAK1 as member of a subfamily of, 138:643
Serine/threonine kinases, participation in spermiogenesis, 139:1851
Sertoli cells, and virus protection, 139:865
SFT (stimulator of Fe transport), functional expression of, cloning of, as component of mammalian iron membrane transport machinery, 139:895
SH2 domains, ZAP-70 protein tyrosine kinase targeted to T cell cortex independent of, 137:1639
SH3 domain, role in controlling myoB activity, 136:633
Shaker potassium channel, transmembrane topology of, probed with hydrophilic epitope insertions, 136:1037
Shigella, vinculin proteolysis in actin-based motility of, 138:1255
α2,3 sialyltransferase, elevated levels in breast cancer, inhibits development of core-2–based O-glycans, 137:1229
Signal transduction, IgE receptor–mediated, 139:1447
Signal–anchor proteins, orientation of, topogenesis of, hydrophobicity of, 137:555
Skeletal development, Bcl-2 regulates chondrocyte maturation during, 136:205
Skeletal muscle
adult, myosin heavy chain genes essential for normal function of, 139:1219

association of syntrophin isoforms with dystrophin family members expressed in, 138:81
desmin essential for structural integrity of, 139:129
N-cadherin not necessary for the fusion of, 138:331
novel signaling subcompartments in, 139:1231
Skeletogenesis, function of retinoic acid receptor-α in, 136:445
Skin wound healing, expression of matrix metalloproteinases during, role of membrane type-1 matrix metalloproteinase and pro-gelatinase A in, 137:67
Slug (zinc-finger protein), causes desmosome dissociation, induces first phase of growth factor–induced epithelial–mesenchymal transition, necessary for epithelial–mesenchymal transition, 137:1403
Small GTPases, role in cadherin-dependent cell–cell contact formation, role in actin filament remodeling in epithelial cells, 137:1421
Small nuclear ribonucleoproteins, anti-xNup98 does not inhibit nuclear import of, 136:241
Small-clear vesicles, exocytic pathways involving, 138:55
Smith antigen–containing small nuclear ribonucleo proteins, dispersal of, 136:5
Smooth muscle, laminin α1 chain synthesis and development of, 139:553
Smooth muscle cells, regulation and function of tenascin-C in, 139:279
α-SNAP, and activation of N-ethylmaleimide–sensitive fusion protein, and SNARE complex disassembly, and exocytosis, 139:875
SNAP receptor complex, Yptp-mediated assembly in vacuole docking, 136:307
SNAP receptors, activation by Sec17p/Sec18p reaction and vacuole docking, 136:307
SNARE complex, requirements for disassembly of, interaction of α-SNAP with, 139:875
SNARE molecules, do not constitute the sole specificity factor in vesicular targeting and fusion events, 138:517
SOD1 mutation, impairment of axonal transport in mice with, 139:1307
Sodium pump, embryonic expression of putative γ subunit of, 139:1545
SOI1, cloning and characterization of, 139:23
Soi1p, promotes cycling of proteins between *trans*-Golgi network and prevacuolar compartment, 139:23
Solute diffusion, in cytoplasm and nucleus, 138:131
Sp100 (nuclear dot–associated protein), covalent modification by (nuclear dot–associated protein), 139:1621
spa2 mutants, similar phenotypes as *sph1* mutants, 138:17
Spa2p, domain necessary for the function of, polarized localization of, 138:17
Spectrin, dynein binds to Golgi membranes independently of, 139:1169
Spectrin-like repeats, PDZ domain binds to, 139:507
Sperm, *t*-bearing vs. wild-type, Tctex-2 as flagellar arm component of, 137:1081
Spermatid, localization of basonuclin in the acrosome, mitochondria, and centrosome of, 137:657
Spermatogenesis, basonuclin in, 137:657
Sperm–egg adhesion and fusion, role of cyritestin in, 137:105
Sperm–egg interactions, role of oocyte P-selectin ligand and sperm P-selectin in, 137:743
Spermiogenesis, serine/threonine kinase participation in, 139:1851
sph1 mutants, similar phenotypes as *spa2* mutants, 138:17
Sph1p, identification and characterization of, homology to Spa2p amino terminus and localization domain, 138:17
Sphingomyelin, segregation of, localization in basolateral region of cells, 137:347
Spindle assembly
effect of CDK1 inactivation on, 138:385
Xenopus egg extracts in, 138:615
Spindle assembly checkpoint
mitogen-activated protein kinase required for, 136:1091
role of mitogen-activated protein kinase in, 137:433
Spindle elongation, in cells with an active dicentric chromosome, 136:345
Spindle microtubules
abnormal spindle gene product involved in dynamics of, 137:881
kinetochores linked to, 139:435
Spindle organization, function of IAK1 during, 138:643
Spindle orientation
microtubule-based searching mechanism for, 139:985
in *Saccharomyces cerevisiae*, microtubule–cell cortex interactions are associated with, 138:629
Spindle pole body
CDC37 required for the duplication of, 136:969
requirements for duplication of, 137:539
yeast, Stu2p as component of, 139:1271
Spindle pole formation
influenced by *Xenopus* egg extracts centrosomes, 138:615
pathways of, mechanisms, conserved components, 138:953
Spindle pole motor, influence on microtubule arrays, 137:417
Spindle pole separation, effect of CDK1 inactivation on, 138:385
Spindle poles, microtubule minus ends focused at, organized by structural and motor proteins, 138:1055
Spisula solidissima centrosomes, microtubule nucleation in, stoichiometric ratio of α/β tubulin in, 137:193
Splicing factors, RNA polymerase II coimmunoprecipitates with two classes of, via the phosphorylated carboxy-terminal domain, 136:19
SR proteins, modular domains of, 138:225
Src family proteins, novel trafficking pathway regulated by dual fatty acylation, 136:1023
Src homology 2, in apoptosis, interaction with phosphotyrosine, 137:1117
STAT3, leukemia inhibitory factor mediates regulation of, 138:1207
STE24, required for the first NH_2-terminal proteolytic cleavage during biogenesis of **a**-factor precursor, 136:271
Ste24p, metalloproteinase motif essential for the functional activity of, as mediator of the NH_2-terminal proteolytic cleavage of the **a**-factor precursor, homologues present in diverse organisms, 136:271
Stress fibers
moesin required for the formation of, 138:927
Rho induces assembly of, 138:913
Stromal cell–derived factor, mediates down regulation of cell-surface coreceptor expression, 139:651
Stromal cells, activation of progelatinase A on the surface of, 137:67
Stromelysin-1, induces loss of differentiated epithelial phenotype, leads to premalignant phenotype, 139:1861
Structural protein 4.1, dynamic rearrangement during cell division, role in nuclear architecture and function, 137:275
Stu2p, microtubule-binding domain of, component of yeast spindle pole body, 139:1271
Subnuclear localization, SR protein modular domains and, 138:225
Substrate recognition, by osteoclast precursors, induces c-src/microtubule association, 137:247
γ Subunit (of sodium pump), and active cation transport, 139:1545
Supervillin, structural component of plasma membrane skeleton, as novel F-actin–binding protein, additional roles in other cellular compartments, 139:1255
SWI/SNF complex, human, subnuclear localization of, involved in chromatin remodeling, release inhibited by protein kinase inhibitors, 137:263
Swiss 3T3 cells, interphase euchromatin and heterochromatin immobile in, 137:1459
Sxmp1, as potential karyopherin, role in coordinating ribosome biogenesis with tRNA processing, 139:1655
Syk, IgE receptor and selective activation of, 139:1447
Sympathetic neuron, differentiation and survival of, expression of TrkA and TrkC receptors, 136:375
Sympathetic neurons, rat, rapid retrograde phosphorylation of tyrosine kinase receptor A in, 138:411
Synapse, localization of synaptobrevin to, 139:917
Synapses, laminin 11 and development of, 139:1507
Synapsis, telomere clustering before the initiation of, 137:5
Synaptic basal lamina, localization of agrin to, 137:671
Synaptic vesicle membrane proteins, tail domain of brain myosin V forms stable complex with, 137:1589
Synaptic vesicle proteins, sorting steps of, 139:917
Synaptic vesicles
brefeldin A inhibits formation of, role of ADP ribosylation factor in formation of, biogenesis in PC12 cells, participation of coat proteins in the budding of, 138:505
localization of synaptobrevin to, local nerve terminal events and biogenesis of, 139:917
vesicular acetylcholine transporter in, 139:907
Synaptic-like microvesicles, origin of, donor compartment of, 137:445
Synaptobrevin, localization to synapse and synaptic vesicle, 139:917
Synaptobrevin–synaptophysin complex, as binding partner for myosin V in multimeric complex, 137:1589
Synaptopodin, molecular characterization of, in telencephalic dendrites and renal

podocytes, 139:193
Syncytial blastoderm, membrane trafficking required for cellularization of, 138:861
Synovial joints, TGF-β critical of, 139:541
Syntaxin, cytokinesis-specific, 139:1485
Syntaxin1, in cellularization of *Drosophila* embryos, 138:861
Syntrophins, preferential pairing of, expression of, skeletal muscle localization of, association with dystrophin family members, 138:81
T cell cortex, ZAP-70 protein tyrosine kinase targeted to, independent of SH2 domains, 137:1639
T cell receptor, impairment in signaling, 138:271
T cells
cosignaling role of CD73 in the activation and proliferation of, 136:421
cross-talk between lymphocyte function–associated antigen-1 and β1 integrins, 138:1437
major histocompatibility complex class I ligation of, 139:1523
T lymphocytes
mitochondrial regulation of store-operated calcium signaling in, 137:633
role of cellular uropod in recruitment of, 137:493
T tubules, developing, association with caveolin-3 during muscle differentiation, 136:137
Talin, in cell adhesion and cytokinesis, 138:349
Target cells, *Clostridium perfringens* receptor required for the recognition of, 136:1239
TAR–RNA-binding protein, expression and cellular distribution of, association with RNA, 138:239
Tau, increases microtubule rigidity, contribution to formation/maintenance of neuronal processes, 138:1067
Tctex-2, homologue in *Chlamydomonas reinhardtii* outer arm dynein, as sperm flagellar arm component, *t*-encoded mutations in, 137:1081
Telencephalic dendrites, synaptopodin modulates actin-based motility of, 139:193
Telomerase, mice without, in malignancy progression, role in normal biology, 139:309
Telomeres, clustering before inhibition of synapsis, positions before and during meiotic prophase, 137:5
Tenascin, supports lymphocyte rolling, adhesive domain on, support of cell migration, 137:755
Tenascin-C, regulation and function in smooth muscle, interaction with $\alpha_v\beta_3$ integrin, 139:279
Tenascin-C and -R, CALEB binds to, 136:895
Tensin, required for proper functioning of kidney, progressive kidney degeneration in, 136:1349
Teratoma, β1 integrin essential for growth of, 139:265
Testicles, antiviral defense in, 139:865
Tetrads, assembly guided by assembly of ryanodine receptor arrays, incorporation of individual dihydropyridine receptors into, 137:859
Tetrahymena thermophilia, parafusin homologue in, 139:1197
TGF-β, and chondrocyte differentiation, critical for maintenance of synovial joints, and development of osteoarthritis, 139:541
TGF-β gene family, positive and negative regulation of muscle cell identity by members of, 139:145
Thapsigargin, Bcl-2 inhibits apoptosis induction by, 138:1219
Thrombin, stimulates glucose transport in platelets, 138:323
Thrombocytes, defined by thrombonuclin, 138:1395
Thrombonuclin, defines thrombocytes and hematopoietic progenitors, 138:1395
Thrombopoietin, induces polyploidization of megakaryocytes, 139:449
Thrombospondin-1, CD36 mediates inhibitory effects of, 138:707
Thylakoid membranes, targeting determinants for the Sec and Delta pH protein transport systems in, proposed evolutionary basis for the Sec and Delta pH protein transport systems in, 136:823
Thymocytes, ATP-induced calcium signaling in, 138:987
Thyroid hormone, induces gene regulation/proliferation/apoptosis of epithelial cells, 139:1533
Tiam1
effect on neurite formation, overexpression of, 139:797
Membrane-associated, mediates Rac signaling, 137:387
Tight junction
possible involvement of occludin phosphorylation in assembly of, 137:1393
Rho subfamily necessary for formation of, 139:1047
Tight junction barrier, COOH terminus of occludin required for function of, occludin forms oligomers during assembly of, 138:891
Tight junction seal, role of occludin in the formation of, altered by synthetic peptide corresponding to the extracellular domain of occludin, 136:399
Tight junctions, AF-6 (ALL-1 fusion partner from chromosome 6) as component of, 139:785
tim23 mutant, peptide sensitivity of multiple conductance channel altered in, 137:377
Tim23p, required for normal activity of the multiple conductance channel, 137:377
Tim54p–Tim22p complex, mediates insertion of proteins into mitochondrial inner membrane, 139:1663
Tissue-type plasminogen activator, storage granule for (vs. Weibel-Palade body), 139:245
Toc34, role in preprotein import, 139:1677
Topoisomerase II, association with replicated DNA and assembly of axial core, 136:29
Topoisomerase IIα, possible role in replicational cycle of centriols, 136:775
Topoisomerase IIβ, exclusively present in the extranucleolar nucleoplasm during interphase, released from the heterochromatin during mitosis, 136:775
Topoisomerases types I and II, cell cycle–coupled relocation of, expression increases toward mitosis, activity decreases during mitosis, 136:775
TPA (protein kinase C activator), effect on invasive α-catenin–negative human colon cell lines, 137:1103
TPM1, required for formation and stabilization of actin cables, 137:141
Tpm1p, and molecular and functional heterogeneity of actin cytoskeleton, 137:141
Tractin, differential glycosylation of, 138:143
TRAIL, complements activity of the CD95L system in triggering apoptosis, 137:221
Transcription sites, in vivo dynamic redistribution of, 137:291
Transcytotic pathway, sphingolipid sorting in, 137:347
Transferrin, promotes endothelial cell chemotaxis and chemoinvasion, as angiogenic molecule released by hypertrophic chondrocytes, involvement in cartilage neurovascularization, 136:1375
Transferrin receptor, basolateral sorting of, 137:1255
Transforming growth factor-β, involvment of latent transforming growth factor-β–binding protein 1 domain in the cross-linking and formation of, 136:1151
Transglutaminase, matrix incorporation of latent transforming growth factor-β–binding protein 1 is dependent on, latent transforming growth factor-β–binding protein 1 as a substrate for, involvment of latent transforming growth factor-β–binding protein 1 domains in cross-linking and formation of transforming growth factor-β by, 136:1151
trans-Golgi compartment, role of Ypt31/32 GTPases in vesicle budding from, fusing recycling vesicles to, and exit from, 137:563
trans-Golgi network
cycling of proteins between prevacuolar compartment and, 139:23
exit from, 136:287
formation of clathrin-coated vesicles in, 137:335
formation of exocytic transport vesicles derived from, 139:339
furin aggregation occurs in, 139:1735
monomeric connexin46 retained in, 137:847
myosin II in vesicle budding from, 138:291
transport of mannose-6-phosphate receptor to, 138:283
vesicle budding from, 138:495
trans-Golgi network/endosomal system, trafficking of furin in, 139:1719
trans-Golgi reticulum, recycling of GLUT-4 via, 137:1243
Transmembrane domain, role in the activation of $p185^{c\text{-}neu}$ receptor tyrosine kinase, 137:619
Transmembrane protein p23, involvement in biosynthetic protein transport, regulates *cis*-Golgi network/intermediate compartment membranes, 139:1119
Transportin, mediates nuclear import of, localizes to nucleoplasm and cytoplasm, heterogeneous ribonucleoproteins, novel homologue of (transportin 2), 138:1181
Transportin1–A1 complex, RanGTP causes dissociation of, 138:1181
Trk, phosphorylation induced by propeptides derived from the nerve growth factor precursor, 136:389
tRNA, processing and ribosome biogenesis, 139:1655
TRPC3, functional characterization of, activated by rise in intracellular Ca^{2+}, is not store operated, 138:1333
Trypanosoma brucei

GPI-phospholipase C of, 139:103
procyclin gene knockouts of, survival in tsetse fly, 137:1369
tumor necrosis factor-α mediates lysis of, 137:715
Trypanosoma cruzi oligopeptidase B, intracellular location of, as requirement for Ca^{2+} signaling, 136:609
Tsetse fly, enhancement of *Trypanosoma brucei* survival in, 137:1369
Tubulin
α- and β-, folding of, 138:821
α/β-, stoichiometric ratio in centrosomes of *Spisula solidissima*, 137:193
β-, as component of oligomeric ring structure, role in centrosome structure, role in microtubule nucleation, 137:193
Tumor dormancy, forced by deficit in urokinase receptor, interrupted by bypassing deficit in urokinase receptor, 137:767
Tumor necrosis factor, full response elicited by induced expression of trimerized intracellular domains of tumor necrosis factor p55 receptor, 137:1627
Tumor necrosis factor-α, mediates lysis of *Trypanosoma brucei*, may control parasite development in vivo, 137:715
Tumor necrosis factor p55 receptor, induced expression of trimerized intracellular domains of, 137:1627
Type 1 serine/threonine phosphoprotein phosphatase (PP1), associates with KLP38, 138:395
Type I collagen, expressed by type X collagen–positive chondrocytes, 137:1149
Type II myosin heavy chain, composes contractile ring during cytokinesis in *Schizosaccharomyces pombe*, encoded by the *myo2* gene, 137:1309
Type IV collagen distribution
in *Caenorhabditis elegans* basement membranes, control of assembly sites, 137:1171
effects of α1 and α2(IV) mutations on, 137:1185
Type X collagen–positive chondrocytes, express type I collagen, 137:1149
Tyrosine kinase receptor A, rapid retrograde phosphorylation of, 138:411
Tyrosine kinases, neurofascin as substrate for, 137:703
Tyrosine residues, localized phosphorylation of, 139:1447
$U2AF^{65}$, targeting to sites of active splicing in the nucleus, arginine/serine domain required for recruitment to active splicing sites, novel monoclonal antibody that reacts specifically with, 137:975
Ubiquitin-proteasome system, inhibition of, degrades extrajunctional β-catenin, 139:1325
Urokinase receptor
deficit forces tumor dormancy, 137:767
pro-urokinase phosphorylation on $Ser^{138/303}$ modulates transducing ability of, 137:779
Uropods, redistribution of adhesion receptors to, 138:1409
Utrophin
deficiency results in postsynaptic abnormalities at the neuromuscular junction, 136:883
subtle neuromuscular defects resulting from deficiency in, role in synaptic differentiation, role in maintaining cellular integrity, 136:871
Utrophin–dystrobrevin complex, association with two syntrophin isoforms, 138:81
Vacuolar hydrolase, autophagy-like mechanism for biosynthetic delivery of, 139:1687
Vacuole
delivery of alkaline phosphatase to, 139:1761
mutant Pma1 diverted from delivery to, 138:731
targeting of aminopeptidase I to, 138:37
Vacuoles
alkaline phosphatase follows a *VPS45/27*-independent route to, 138:531
fructose-1,6-biphosphatase imported into vesicles before entry into, 136:803
Vam3p function in protein transport to, 138:517
Vam3p
follows a *VPS45/27*-independent route to vacuoles, function required for membrane traffic along the *VPS*-independent pathway, 138:531
function in vacuolar trafficking, acts in conjunction with Vps33p, can partially substitute for Pep12p, 138:517
Vascular cells, determine whether PECAM-1 functions as heterophilic or homophilic adhesion molecule, 138:1425
Vascular integrins, human neural cell adhesion molecule L1 interacts with, 139:1567
Vascular tumor, development affected by genetic alterations in plasminogen activator/plasmin system, pathogenesis of those induced by endothelioma cell vs. plasminogen activator/plasmin system, 137:953
Verprolin, interactions with actin, required for morphogenesis and actin cytoskeletal function, and mitochondrial protein sorting/function, 139:1821
Vesicle budding
stimulated by phospholipase D, 138:495
from *trans*-Golgi network, 138:291
Vesicle fusion (cytokinetic), KNOLLE and, 139:1485
Vesicle transport pathways, mediated by Vti1p, 137:1511
Vesicles
aminopeptidase I concentration in, 138:37
fructose-1,6-biphosphatase–associated, in the cytosol–vacuole protein degradation pathway, 136:803
recruited for Ca^{2+}-regulated exocytosis via kinesin- and myosin-mediated steps, 138:999
Vesicle–vesicle fusion, in wound healing, 139:63
Vesicular stomatitis virus glycoprotein, arrest of anterograde transport of, 137:581
Vesicular targeting, SNARE molecules do not constitute the sole specificity factor in, 138:517
Vesicular transport
endoplasmic reticulum–Golgi apparatus, mammalian protein rbet1 involved in, 139:1157
role of ERS-24 in, 137:1017
Vesicular-tubular cluster, as key intermediates in secretory pathway, function in cargo transport from endoplasmic reticulum to and through Golgi apparatus, 138:1
Villus enterocytes, postmitotic, effect of $K\text{-}ras^{Val12}$ on, 138:167
Vinculin p90, role in actin-based *Shigella* motility, stimulates rocket tail growth, proteolysis unmasks Act-A–like oligoproline sequence of, 138:1255
Viral fusion proteins, mechanisms of, 139:1455
von Willebrand factor, storage granule for (vs. that of tissue-type plasminogen activator), 139:245
von Willebrand factor gene, vascular bed–specific regulation of, upregulated in the presence of cardiomyocytes, 138:1117
VPS29, *VPS30*, and *VPS35* gene product, role in the endosome-to-Golgi retrieval of Vps10p, 137:79
VPS29 and *VPS30* genes, mutations in *Saccharomyces cerevisiae* and selective protein sorting defect, 137:79
Vps10p, gene products involved in the endosome-to-Golgi retrieval of, 137:79
VTI1, role in Vti1p–Sed5p interactions, 137:1511
Vti1p, interactions with Sed5p and Pep12p, mediates vesicle transport pathways, role in *cis*-Golgi membrane traffic, role in fusion of Golgi-derived vesicles with prevacuolar compartment, 137:1511
Weibel-Palade body, vs. storage granule for tissue-type plasminogen activator, 139:245
Wild-type cells, association of fructose-1,6-biphosphatase with intracellular structures in, 136:803
Wnt signaling pathway, regulates steady-state β-catenin levels in early *Xenopus* embryo, 136:1123
Wound healing, vesicle–vesicle fusion in, 139:63
XCTK2, promotes mitotic spindle assembly in *Xenopus laevis* egg extracts, 136:859
Xenopus
β-catenin and specification of dorsal cell fate in, 139:229
dystroglycan clustering action of laminin in embryonic muscle cells of, 136:1047
functions of α-catenin in early development of, 139:1033
Nup98, role in RNA export from the nucleus, as essential component of multiple RNA export pathways, 136:241
occludin and tight junction function in, 138:891
regulation of the replication licensing system in, vs. other cell types, 136:125
XMAP310 in, 139:975
Xenopus actin depolymerizing/factor/cofilin, responsible for turnover of actin filaments in *Listeria monocytogenes* tails, 136:1323
Xenopus egg extracts, spindle assembly in, centrosomes influence spindle pole formation and bipolarity, 138:615
Xenopus laevis
double-stranded RNA-binding protein from, 138:239
gamete interactions in, sperm-binding proteins in, 136:1099
role of mitogen-activated protein kinase in the cell cycle of, 136:1091
signaling activity of adenomatous polyposis coli tumor suppression

protein in, 136:411
XCTK2 (kinesin protein) promotes mitotic spindle assembly in egg extracts, 136:859
Xenopus laevis embryo, β-catenin as an asymmetrically localized dorsal-determining factor in, 136:1123
Xenopus oocytes
sequential actions of Rab5 and Rab7 regulate endocytosis in, 136:1227
SFT expression in, 139:895
Xenopus tadpole cell line (XTC cells), requirements for spindle assembly checkpoint in, 137:433
Xlrbpa, expression and cellular distribution of, as *Xenopus* homologue of human TAR–RNA-binding protein, association with RNA, 138:239
XMAP310, structural and functional characterization of, induces microtubule rescue, localizes to mitotic spindle, 139:975
Yarrowia lipolytica, peroxisome biogenesis in, overexpression of *PEX16* gene in, 137:1265
ycf3 (conserved chloroplast open reading frame), function of, 139:95
Yeast
apoptotic markers in, 139:729
Bcl-2 stimulates antioxidant protection in, Bcl-2 delays death of wild-type, 137:1581
cortical actin assembly sites in, 138:95
mitochondrial inheritance in, 137:141
spindle alignment in, 139:985
Yeast adaptor protein complex, AP-3, essential for delivery of alkaline phosphatase to vacuole, 139:1761
Yeast cells, dynamics of nuclear pore distribution in, 136:747
Yeast cleavage furrow regulatory protein, PSTPIP as mammalian homologue of, 138:845
Yeast endoplasmic reticulum, conformational repair of proteins in, 137:813
Yeast late Golgi membrane protein, localization by two separate signals, 136:287
Yeast mitotic spindle, oriented by kinesin and dynein, 138:957
Yeast vacuole
docking of, 136:307
LMA1 as a novel factor in the trafficking of, both components of LMA1 required for the inheritance of, 136:299
Ypt31/32 GTPases, role in vesicle budding from *trans*-Golgi compartment, role in fusing recycling vesicles with *trans*-Golgi compartment, role in exit from *trans*-Golgi network, 137:563
Ypt/rab GTPases, function in vesicle budding, 137:563
Ytp7p, direct involvement in the docking of yeast vacuoles, 136:307
ZAP-70 protein tyrosine kinase, targeted to T cell cortex independently of SH2 domains, 137:1639
Zellweger syndrome, mouse model for, 139:1293
ZO-1
in cadherin-based cell adhesion, binding to catenin and actin filaments, 138:181
interaction with AF-6 (ALL-1 fusion partner from chromosome 6), 139:785
Z-VAD.FMK, blocks apoptosis, 137:469
ZW10 protein, conservation of its role in chromosome segregation, 138:1289
Zyxin, nuclear–cytoplasmic shuttling of, exhibits nuclear export signal of, in vivo distribution of, 138:1139